



ТМ

	Approximate W Flash Point	/eight per U.S. Gall	on 8.01 N/A		
DOSAGE:	16 oz. Treats 1920 Gallons Diesel Fuel. 1 oz. per 120 Gallons.			Highly Contaminated Fuel – Triple Dose.	
PACKAGING:	Item No.	Description	Treats (gal.)	Case Count	Case No.
	00119	16 oz. Bottle	1,920	12	90119
	00191	5 gal. Pail	76,800	1	

55 gal. Drum

Inert Ingredients:

00120

## HANDLING:

Keep closed when not in use. Do not expose to extreme temperatures. Do not contaminate water, food, or feed by storage or disposal. Hazardous to humans and domestic animals. Harmful if swallowed or absorbed through the skin. All industrial workers applying this product must wear coveralls over a long-sleeved shirt and long pants, shoes, socks, and chemical-resistant gloves. During dilution, a chemical-resistant apron and goggles or face shield must also be worn.

844.800

1

70%

Consult the MSDS on this product for handling, storage, safety and spill response.



FPF

 FPPF CHEMICAL COMPANY, INC.
 117 West Tupper Street, Buffalo, New York 14201

 TEL: (716) 856-9607
 1-800-735-3773
 FAX: (716) 856-0750

 E-MAIL: sales@fppf.com
 WEBSITE: www.fppf.com



TECHNICAL

DATA SHEET