


INSTALLATION ACCESSORIES


301- R RADIUS PLENUM

- ✎ 26 gauge Galvanized Steel, 21" Tall.
- ✎ Internally insulated with R-6 liner.
- ✎ Sized to fit air handler.




750 DRAIN PAN

- ✎ Available in 26 gauge and 24 gauge Galvanized Steel.
- ✎ One 3/4" female PVC nipple installed in the center of short side unless specified otherwise.




757 DRAIN PAN with SUPPORTS

- ✎ 24 gauge Galvanized Steel.
- ✎ 20 gauge support rails for placement of horizontal Air Handler.
- ✎ Options: With or without 3/4" female nipple - standard location is C/L long side. Eyebolts or "S" hooks for suspending unit are available.




667 PACKAGE UNIT ADAPTERS, SUPPLY & RETURN

- ✎ 26 gauge Galvanized Steel.
- ✎ 1" deep panel sized to fit supply and return air openings. Collar diameter 1/8" undersized. 1" internal insulation.
- ✎ Packaged as kit - supply and return adapters.




PL- 4 PLENUM BOX LEG

- ✎ 22 gauge Galvanized Steel. 3" x 3" tapered leg 4" long.
- ✎ Ideal for 301-CB, 301-SM and 301-DB plenum boxes.




R-6 DUCT BOARD TRIANGLE BOXES

- ✎ Assembled with staples and UL SMACNA Tape.
- ✎ Four sizes available.




R-6 DUCT BOARD REDUCER BOXES







- ✎ Assembled with staples and UL SMACNA tape.
- ✎ Four sizes available.




INSTALLATION ACCESSORIES




**FILTER HOUSING FOR AIR HANDLERS
& GAS FURNACES**


-  Fits Air Handlers & Furnaces through 5 tons.
-  All Components Die Stamped.
-  All Flanges have Rounded Corners.
-  22 Gauge Galvanized Steel.
-  Accepts 1" or 2" filters.
-  Fully Hinged Door - No Panel or Door to Remove.




612 CAN STOCK
30 Gauge Galvanized Steel
10 ft. lengths or cut-to-size





**275 MANUAL
VOLUME DAMPER**




273 END CAP




550 CONDENSING UNIT COVER

-  24 Gauge Galvanized Steel (sides and top).
-  Expanded Metal in both "A" x "H" openings.



560 LINE COVER

Available in 8-ft. and 10-ft. lengths, 28 gauge and 26 gauge galvanized steel.







565 LINE COVER with CAP

461 EXPAND-O-DUCT
8" x 8" - 14" x 14"

465 EXPAND-O-DUCT
12" x 12" - 22" x 22"


469 EXPAND-O-DUCT
16" x 16" - 30" x 30"



-  Ideal as inside liner for fiberglass duct to support fire damper.
-  22 gauge galvanized steel, 11" long.
-  Edges interlock - no cutting necessary.

INSTALLATION ACCESSORIES


301 PLENUM - GALVANIZED STEEL



- ✠ Internal Insulations Available: ½" x 2# Density Liner
1" x 1.5# Density Liner
2" x 1.5# Density Liner
- ✠ Plenums are available in 28 gauge thru 22 gauge.
- ✠ Button punch snaplock seam construction (4 sides) and recessed end cap standard.
- ✠ Plenums are shipped knocked-down (5 pieces) and strapped.


480 RECTANGLE TO ROUND TRANSITION

- ✠ Galvanized Steel
- ✠ Available with crimp and bead collar for flexible duct attachment.
- ✠ Transitions to 12" diameter and smaller fabricated from 28 gauge galvanized steel.
- ✠ Transitions to 14" diameter and larger fabricated from 26 gauge galvanized steel.
- ✠ Center-line taper is standard for Transitions. If "flat on one side" style taper is required, note the side to be flat as the first size given. For example, order size 20" x 16" - 12" rd. F.O.B. and the Transition will be flat on the 20" side.




1480 RECTANGLE TO ROUND TRANSITION

- ✠ Galvanized steel
- ✠ Internally insulated with duct liner, R-4.2
- ✠ Transitions to 12" diameter and smaller fabricated from 28 gauge galvanized steel.
- ✠ Transitions to 14" diameter and larger fabricated from 26 gauge galvanized steel.
- ✠ Collar crimped and beaded for flexible duct connection.
- ✠ 4" straight-away on rectangular end.
- ✠ Galvanized steel sleeve inside - required by code.




1480-FL RECTANGLE TO ROUND TRANSITION

- ✠ Galvanized steel
- ✠ Internally insulated with duct liner, R-6.0
- ✠ Transitions to 12" diameter and smaller fabricated from 28 gauge galvanized steel.
- ✠ Transitions to 14" diameter and larger fabricated from 26 gauge galvanized steel.
- ✠ Collar crimped and beaded for flexible duct connection.
- ✠ 4" straight-away on rectangular end.
- ✠ Galvanized steel sleeve inside - required by code.




412-R FLEX CONNECTOR FOR ROUND END OF 480, 1480 AND 1480-FL

PASSIVE RETURN AIR SLEEVES




"PR" PASSIVE RETURN AIR SLEEVE



"SK" SILENT KNIGHT PASSIVE RETURN AIR SLEEVE

1" THICK ACOUSTICAL LINER



"RAP" RETURN AIR PATHWAY KIT

DUCT HANGERS

795 DUCT HANGER STRAP

Galvanized Steel
1" and 2" wide, 10-ft. long
Available in 28 ga., 26 ga., 24 ga.

798 DUCT HANGER STRAP

Galvanized Steel
1.5" wide x 100-ft. roll
Available in 26 ga.

792 TYING WIRE

18 gauge Galvanized
830-ft. Handi-Reel

777 DUCT HANGER STRAP

.019" thick Aluminum
1" x 200-ft. roll

697 DUCT BOARD HANGER CHANNEL

Galvanized Steel
10-ft. long
Available in 26 ga. and 22 ga.

797 DUCT HANGER STRAP

Galvanized Steel
1" wide x 100-ft. roll
Available in 26 ga. and 22 ga.

799 DUCT HANGER STRAP

Galvanized Steel
2" wide x 100-ft. roll
Available in 28 ga., 26 ga., 24 ga.

793 ANGLE


Galvanized Steel
Available in 30 ga. and 26 ga.

778 DUCT HANGER STRAP

.019" thick Aluminum
1" x 100-ft. roll


695 SADDLE HANGER for DUCT BOARD

22 ga. Galvanized Steel
4" wide, 2" x 2" angle



STRAP


HANGER CHANNEL



STRAP

SADDLE HANGER

MOUNTING BRACKETS



1250 MOUNTING BRACKET


Clip-on bracket for use with
flanged Boots and Boxes
25" long, 24 ga. Galvanized

1252 MOUNTING BRACKET

Clip-on bracket for use with
flanged Boots and Boxes
25" long, 26 ga. Galvanized

1250-16 MOUNTING BRACKET

Clip-on bracket for use with
flanged Boots and Boxes
17" long, 24 ga. Galvanized



1254 MOUNTING BRACKET

Screw-on bracket for use with
unflanged Boots and Boxes
25" long, 26 ga. Galvanized