



Stainless Steel Flexible Gas Connectors (EFGC-012-SS Series)

EFGC-Series stainless steel flexible gas connector offer you a full spectrum of product varieties to fit your needs. Corrosion resistant stainless steel 304 tubing and zinc-plated steel fitting provide 100% quality you can trust.

FEATURES

- Flexible and durable with full spectrum of product varieties.
- 100% leak tested for quality and safety
- Uniform Safe-guard epoxy coating available in yellow and black color for corrosion resistance.

MATERIALS

Tubing	Stainless Steel 304 (ASTM A240)
Coating	Epoxy
Fittings	Zinc-Plated Steel S45C

SPECIFICATIONS

Rated Operating Temperature	-40°F to 150°F (-40°C to 65°C)
Rated Pressure	0.5 psi

DESIGN CERTIFICATIONS AND APPROVALS

- ANSI Z 21.24 / CSA 6.10 Gas Appliances
- ANSI Z 21.69 / CSA 6.16 Movable Gas Appliances
- ANSI Z 21.75 / CSA 6.27 Outdoor Gas Appliances & Manufactured Homes
- Commonwealth of Massachusetts Board of State Examiners (except 48", 60", 72")
- City of New York-MEA #376-92-M



CONNECTOR MINIMUM FLOW CAPACITY

Series	Nominal OD	Nominal ID	12"	18"	24"	30"	36"	48"	60"	72"
012	5/8"	1/2"	180,000	164,200	150,000	136,000	125,000	106,000	93,200	86,000

Job Name :	Engineer / Architect :
Job Location :	Wholesaler :
Submittal Date :	Contractor :



Stainless Steel Flexible Gas Connectors

(EFGC-012-SS Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-012-SS-1010-12	SS Uncoated Stainless Steel 304 1/2" MIP x 1/2" MIP	12"	25
	EFGC-012-SS-1010-18		18"	25
	EFGC-012-SS-1010-24		24"	25
	EFGC-012-SS-1010-30		30"	25
	EFGC-012-SS-1010-36		36"	25
	EFGC-012-SS-1010-48		48"	25
	EFGC-012-SS-1010-60		60"	12
	EFGC-012-SS-1010-72		72"	12
	EFGC-012-SS-1011-12	SS Uncoated Stainless Steel 304 1/2" MIP x 1/2" FIP	12"	25
	EFGC-012-SS-1011-18		18"	25
	EFGC-012-SS-1011-24		24"	25
	EFGC-012-SS-1011-30		30"	25
	EFGC-012-SS-1011-36		36"	25
	EFGC-012-SS-1011-48		48"	25
	EFGC-012-SS-1011-60		60"	12
	EFGC-012-SS-1011-72		72"	12
	EFGC-012-SS-1111-12	SS Uncoated Stainless Steel 304 1/2" FIP x 1/2" FIP	12"	25
	EFGC-012-SS-1111-18		18"	25
	EFGC-012-SS-1111-24		24"	25
	EFGC-012-SS-1111-30		30"	25
	EFGC-012-SS-1111-36		36"	25
	EFGC-012-SS-1111-48		48"	25
	EFGC-012-SS-1111-60		60"	12
	EFGC-012-SS-1111-72		72"	12
	EFGC-012-SS-1014-12	SS Uncoated Stainless Steel 304 1/2" MIP x 1/2" MIP	12"	25
	EFGC-012-SS-1014-18		18"	25
	EFGC-012-SS-1014-24		24"	25
	EFGC-012-SS-1014-30		30"	25
	EFGC-012-SS-1014-36		36"	25
	EFGC-012-SS-1014-48		48"	25
	EFGC-012-SS-1014-60		60"	12
	EFGC-012-SS-1014-72		72"	12




Stainless Steel Flexible Gas Connectors

(EFGC-012-SS Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-012-SS-1015-12	SS Uncoated Stainless Steel 304 1/2" MIP x 3/4" FIP	12"	25
	EFGC-012-SS-1015-18		18"	25
	EFGC-012-SS-1015-24		24"	25
	EFGC-012-SS-1015-30		30"	25
	EFGC-012-SS-1015-36		36"	25
	EFGC-012-SS-1015-48		48"	25
	EFGC-012-SS-1015-60		60"	12
	EFGC-012-SS-1015-72		72"	12
	EFGC-012-SS-1414-12	SS Uncoated Stainless Steel 304 3/4" MIP x 3/4" MIP	12"	25
	EFGC-012-SS-1414-18		18"	25
	EFGC-012-SS-1414-24		24"	25
	EFGC-012-SS-1414-30		30"	25
	EFGC-012-SS-1414-36		36"	25
	EFGC-012-SS-1414-48		48"	25
	EFGC-012-SS-1414-60		60"	12
	EFGC-012-SS-1414-72		72"	12
	EFGC-012-SS-1415-12	SS Uncoated Stainless Steel 304 3/4" MIP x 3/4" FIP	12"	25
	EFGC-012-SS-1415-18		18"	25
	EFGC-012-SS-1415-24		24"	25
	EFGC-012-SS-1415-30		30"	25
	EFGC-012-SS-1415-36		36"	25
	EFGC-012-SS-1415-48		48"	25
	EFGC-012-SS-1415-60		60"	12
	EFGC-012-SS-1415-72		72"	12
	EFGC-012-SS-1515-12	SS Uncoated Stainless Steel 304 3/4" FIP x 3/4" FIP	12"	25
	EFGC-012-SS-1515-18		18"	25
	EFGC-012-SS-1515-24		24"	25
	EFGC-012-SS-1515-30		30"	25
	EFGC-012-SS-1515-36		36"	25
	EFGC-012-SS-1515-48		48"	25
	EFGC-012-SS-1515-60		60"	12
	EFGC-012-SS-1515-72		72"	12

Stainless Steel Flexible Gas Connectors

(EFGC-012-SS Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-012-SS-1031-12	SS Uncoated Stainless Steel 304 1/2" MIP x 1/2" B. Valve	12"	25
	EFGC-012-SS-1031-18		18"	25
	EFGC-012-SS-1031-24		24"	25
	EFGC-012-SS-1031-30		30"	25
	EFGC-012-SS-1031-36		36"	25
	EFGC-012-SS-1031-48		48"	25
	EFGC-012-SS-1031-60		60"	12
	EFGC-012-SS-1031-72		72"	12
	EFGC-012-SS-1033-12	SS Uncoated Stainless Steel 304 1/2" MIP x 3/4" B. Valve	12"	25
	EFGC-012-SS-1033-18		18"	25
	EFGC-012-SS-1033-24		24"	25
	EFGC-012-SS-1033-30		30"	25
	EFGC-012-SS-1033-36		36"	25
	EFGC-012-SS-1033-48		48"	25
	EFGC-012-SS-1033-60		60"	12
	EFGC-012-SS-1033-72		72"	12
	EFGC-012-SS-1043-12	SS Uncoated Stainless Steel 304 1/2" MIP x 3/4" A. Valve	12"	25
	EFGC-012-SS-1043-18		18"	25
	EFGC-012-SS-1043-24		24"	25
	EFGC-012-SS-1043-30		30"	25
	EFGC-012-SS-1043-36		36"	25
	EFGC-012-SS-1043-48		48"	25
	EFGC-012-SS-1043-60		60"	12
	EFGC-012-SS-1043-72		72"	12



Stainless Steel Flexible Gas Connectors (EFGC-014-SS Series)

EFGC-Series stainless steel flexible gas connector offer you a full spectrum of product varieties to fit your needs. Corrosion resistant stainless steel 304 tubing and zinc-plated steel fitting provide 100% quality you can trust.

FEATURES

- Flexible and durable with full spectrum of product varieties.
- 100% leak tested for quality and safety
- Uniform Safe-guard epoxy coating available in yellow and black color for corrosion resistance.

MATERIALS

Tubing	Stainless Steel 304 (ASTM A240)
Coating	Epoxy
Fittings	Zinc-Plated Steel S45C

SPECIFICATIONS

Rated Operating Temperature	-40°F to 150°F (-40°C to 65°C)
Rated Pressure	0.5 psi

DESIGN CERTIFICATIONS AND APPROVALS

- ANSI Z 21.24 / CSA 6.10 Gas Appliances
- ANSI Z 21.69 / CSA 6.16 Movable Gas Appliances
- ANSI Z 21.75 / CSA 6.27 Outdoor Gas Appliances & Manufactured Homes
- Commonwealth of Massachusetts Board of State Examiners (except 48", 60", 72")
- City of New York-MEA #376-92-M



CONNECTOR MINIMUM FLOW CAPACITY

Series	Nominal OD	Nominal ID	12"	18"	24"	30"	36"	48"	60"	72"
014	3/8"	1/4"	48,000	43,800	40,000	36,400	33,400	28,300	24,900	23,100

Job Name :

Engineer / Architect :

Job Location :

Wholesaler :

Submittal Date :

Contractor :



WEST OFFICE
(888) 577-8999
EAST OFFICE
(855) 388-2600

Easyflex reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modification on Easyflex products previously or subsequently sold.



Stainless Steel Flexible Gas Connectors

(EFGC-014-SS Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-014-SS-1010-12	SS Uncoated Stainless Steel 304 1/2" MIP x 1/2" MIP	12"	25
	EFGC-014-SS-1010-18		18"	25
	EFGC-014-SS-1010-24		24"	25
	EFGC-014-SS-1010-30		30"	25
	EFGC-014-SS-1010-36		36"	25
	EFGC-014-SS-1010-48		48"	25
	EFGC-014-SS-1010-60		60"	12
	EFGC-014-SS-1010-72		72"	12
	EFGC-014-SS-1011-12	SS Uncoated Stainless Steel 304 1/2" MIP x 1/2" FIP	12"	25
	EFGC-014-SS-1011-18		18"	25
	EFGC-014-SS-1011-24		24"	25
	EFGC-014-SS-1011-30		30"	25
	EFGC-014-SS-1011-36		36"	25
	EFGC-014-SS-1011-48		48"	25
	EFGC-014-SS-1011-60		60"	12
	EFGC-014-SS-1011-72		72"	12
	EFGC-014-SS-1012-12	SS Uncoated Stainless Steel 304 1/2" MIP x 3/8" MIP	12"	25
	EFGC-014-SS-1012-18		18"	25
	EFGC-014-SS-1012-24		24"	25
	EFGC-014-SS-1012-30		30"	25
	EFGC-014-SS-1012-36		36"	25
	EFGC-014-SS-1012-48		48"	25
	EFGC-014-SS-1012-60		60"	12
	EFGC-014-SS-1012-72		72"	12
	EFGC-014-SS-1013-12	SS Uncoated Stainless Steel 304 1/2" MIP x 3/8" FIP	12"	25
	EFGC-014-SS-1013-18		18"	25
	EFGC-014-SS-1013-24		24"	25
	EFGC-014-SS-1013-30		30"	25
	EFGC-014-SS-1013-36		36"	25
	EFGC-014-SS-1013-48		48"	25
	EFGC-014-SS-1013-60		60"	12
	EFGC-014-SS-1013-72		72"	12

Stainless Steel Flexible Gas Connectors

(EFGC-014-SS Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-014-SS-1213-12	SS Uncoated Stainless Steel 304 3/8" MIP x 3/8" FIP	12"	25
	EFGC-014-SS-1213-18		18"	25
	EFGC-014-SS-1213-24		24"	25
	EFGC-014-SS-1213-30		30"	25
	EFGC-014-SS-1213-36		36"	25
	EFGC-014-SS-1213-48		48"	25
	EFGC-014-SS-1213-60		60"	12
	EFGC-014-SS-1213-72		72"	12
	EFGC-014-SS-1031-12	SS Uncoated Stainless Steel 304 1/2" MIP x 1/2" B. Valve	12"	25
	EFGC-014-SS-1031-18		18"	25
	EFGC-014-SS-1031-24		24"	25
	EFGC-014-SS-1031-30		30"	25
	EFGC-014-SS-1031-36		36"	25
	EFGC-014-SS-1031-48		48"	25
	EFGC-014-SS-1031-60		60"	12
	EFGC-014-SS-1031-72		72"	12



Stainless Steel Flexible Gas Connectors (EFGC-034-SS Series)

EFGC-Series stainless steel flexible gas connector offer you a full spectrum of product varieties to fit your needs. Corrosion resistant stainless steel 304 tubing and zinc-plated steel fitting provide 100% quality you can trust.

FEATURES

- Flexible and durable with full spectrum of product varieties.
- 100% leak tested for quality and safety
- Uniform Safe-guard epoxy coating available in yellow and black color for corrosion resistance.

MATERIALS

Tubing	Stainless Steel 304 (ASTM A240)
Coating	Epoxy
Fittings	Zinc-Plated Steel S45C

SPECIFICATIONS

Rated Operating Temperature	-40°F to 150°F (-40°C to 65°C)
Rated Pressure	0.5 psi

DESIGN CERTIFICATIONS AND APPROVALS

- ANSI Z 21.24 / CSA 6.10 Gas Appliances
- ANSI Z 21.69 / CSA 6.16 Movable Gas Appliances
- ANSI Z 21.75 / CSA 6.27 Outdoor Gas Appliances & Manufactured Homes
- Commonwealth of Massachusetts Board of State Examiners (except 48", 60", 72")
- City of New York-MEA #376-92-M



CONNECTOR MINIMUM FLOW CAPACITY

Series	Nominal OD	Nominal ID	12"	18"	24"	30"	36"	48"	60"	72"
034	1"	3/4"	290,900	290,900	290,900	270,500	255,900	215,000	197,400	173,900

Job Name :	Engineer / Architect :
Job Location :	Wholesaler :
Submittal Date :	Contractor :







WEST OFFICE
(888) 577-8999
EAST OFFICE
(855) 388-2600

Easyflex reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modification on Easyflex products previously or subsequently sold.

Stainless Steel Flexible Gas Connectors

(EFGC-034-SS Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-034-SS-1414-12	SS Uncoated Stainless Steel 304 3/4" MIP x 3/4" MIP	12"	25
	EFGC-034-SS-1414-18		18"	25
	EFGC-034-SS-1414-24		24"	25
	EFGC-034-SS-1414-30		30"	25
	EFGC-034-SS-1414-36		36"	25
	EFGC-034-SS-1414-48		48"	25
	EFGC-034-SS-1414-60		60"	12
	EFGC-034-SS-1414-72		72"	12
	EFGC-034-SS-1415-12	SS Uncoated Stainless Steel 304 3/4" MIP x 3/4" FIP	12"	25
	EFGC-034-SS-1415-18		18"	25
	EFGC-034-SS-1415-24		24"	25
	EFGC-034-SS-1415-30		30"	25
	EFGC-034-SS-1415-36		36"	25
	EFGC-034-SS-1415-48		48"	25
	EFGC-034-SS-1415-60		60"	12
	EFGC-034-SS-1415-72		72"	12
	EFGC-034-SS-1515-12	SS Uncoated Stainless Steel 304 3/4" FIP x 3/4" FIP	12"	25
	EFGC-034-SS-1515-18		18"	25
	EFGC-034-SS-1515-24		24"	25
	EFGC-034-SS-1515-30		30"	25
	EFGC-034-SS-1515-36		36"	25
	EFGC-034-SS-1515-48		48"	25
	EFGC-034-SS-1515-60		60"	12
	EFGC-034-SS-1515-72		72"	12



Stainless Steel Flexible Gas Connectors (EFGC-038-SS Series)

EFGC-Series stainless steel flexible gas connector offer you a full spectrum of product varieties to fit your needs. Corrosion resistant stainless steel 304 tubing and zinc-plated steel fitting provide 100% quality you can trust.

FEATURES

- Flexible and durable with full spectrum of product varieties.
- 100% leak tested for quality and safety
- Uniform Safe-guard epoxy coating available in yellow and black color for corrosion resistance.

MATERIALS

Tubing	Stainless Steel 304 (ASTM A240)
Coating	Epoxy
Fittings	Zinc-Plated Steel S45C

SPECIFICATIONS

Rated Operating Temperature	-40°F to 150°F (-40°C to 65°C)
Rated Pressure	0.5 psi

DESIGN CERTIFICATIONS AND APPROVALS

- ANSI Z 21.24 / CSA 6.10 Gas Appliances
- ANSI Z 21.69 / CSA 6.16 Movable Gas Appliances
- ANSI Z 21.75 / CSA 6.27 Outdoor Gas Appliances & Manufactured Homes
- Commonwealth of Massachusetts Board of State Examiners (except 48", 60", 72")
- City of New York-MEA #376-92-M



CONNECTOR MINIMUM FLOW CAPACITY

Series	Nominal OD	Nominal ID	12"	18"	24"	30"	36"	48"	60"	72"
038	1/2"	3/8"	102,000	93,100	85,000	77,100	71,100	60,500	53,200	49,100

Job Name :	Engineer / Architect :
Job Location :	Wholesaler :
Submittal Date :	Contractor :



WEST OFFICE
(888) 577-8999
EAST OFFICE
(855) 388-2600

Easyflex reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modification on Easyflex products previously or subsequently sold.




Stainless Steel Flexible Gas Connectors

(EFGC-038-SS Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-038-SS-1010-12	SS Uncoated Stainless Steel 304 1/2" MIP x 1/2" MIP	12"	25
	EFGC-038-SS-1010-18		18"	25
	EFGC-038-SS-1010-24		24"	25
	EFGC-038-SS-1010-30		30"	25
	EFGC-038-SS-1010-36		36"	25
	EFGC-038-SS-1010-48		48"	25
	EFGC-038-SS-1010-60		60"	12
	EFGC-038-SS-1010-72		72"	12
	EFGC-038-SS-1011-12	SS Uncoated Stainless Steel 304 1/2" MIP x 1/2" FIP	12"	25
	EFGC-038-SS-1011-18		18"	25
	EFGC-038-SS-1011-24		24"	25
	EFGC-038-SS-1011-30		30"	25
	EFGC-038-SS-1011-36		36"	25
	EFGC-038-SS-1011-48		48"	25
	EFGC-038-SS-1011-60		60"	12
	EFGC-038-SS-1011-72		72"	12
	EFGC-038-SS-1111-12	SS Uncoated Stainless Steel 304 1/2" FIP x 1/2" FIP	12"	25
	EFGC-038-SS-1111-18		18"	25
	EFGC-038-SS-1111-24		24"	25
	EFGC-038-SS-1111-30		30"	25
	EFGC-038-SS-1111-36		36"	25
	EFGC-038-SS-1111-48		48"	25
	EFGC-038-SS-1111-60		60"	12
	EFGC-038-SS-1111-72		72"	12
	EFGC-038-SS-1012-12	SS Uncoated Stainless Steel 304 1/2" MIP x 3/8" MIP	12"	25
	EFGC-038-SS-1012-18		18"	25
	EFGC-038-SS-1012-24		24"	25
	EFGC-038-SS-1012-30		30"	25
	EFGC-038-SS-1012-36		36"	25
	EFGC-038-SS-1012-48		48"	25
	EFGC-038-SS-1012-60		60"	12
	EFGC-038-SS-1012-72		72"	12

Stainless Steel Flexible Gas Connectors

(EFGC-038-SS Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-038-SS-1013-12	SS Uncoated Stainless Steel 304 1/2" MIP x 3/8" FIP	12"	25
	EFGC-038-SS-1013-18		18"	25
	EFGC-038-SS-1013-24		24"	25
	EFGC-038-SS-1013-30		30"	25
	EFGC-038-SS-1013-36		36"	25
	EFGC-038-SS-1013-48		48"	25
	EFGC-038-SS-1013-60		60"	12
	EFGC-038-SS-1013-72		72"	12
	EFGC-038-SS-1213-12	SS Uncoated Stainless Steel 304 3/8" MIP x 3/8" FIP	12"	25
	EFGC-038-SS-1213-18		18"	25
	EFGC-038-SS-1213-24		24"	25
	EFGC-038-SS-1213-30		30"	25
	EFGC-038-SS-1213-36		36"	25
	EFGC-038-SS-1213-48		48"	25
	EFGC-038-SS-1213-60		60"	12
	EFGC-038-SS-1213-72		72"	12
	EFGC-038-SS-1031-12	SS Uncoated Stainless Steel 304 1/2" MIP x 1/2" B. Valve	12"	25
	EFGC-038-SS-1031-18		18"	25
	EFGC-038-SS-1031-24		24"	25
	EFGC-038-SS-1031-30		30"	25
	EFGC-038-SS-1031-36		36"	25
	EFGC-038-SS-1031-48		48"	25
	EFGC-038-SS-1031-60		60"	12
	EFGC-038-SS-1031-72		72"	12