



ROPER

Safety Gear

Z87.1 + 2010
ANSI
SAFETY RATED

GL-PB 19-12
**MILITARY
MCEPS**
SAFETY RATED
**BALLISTIC
RATED**

**INDEPENDENTLY
TESTED AND
COMPLIANT**



VERSION 13.1

EDGE

Safety Eyewear

**PROTECTING YOU FROM WHAT
YOU *DIDN'T SEE* COMING!**



It is no surprise **Tag Elliott** became the bull riding champion of the 2007 Evanston PRCA Rodeo 26 years after his father took the same title. Since then, he has continued to excel in his career and is now one of the top professional bull riders in the world. Raised in a family of dedicated athletes, Tag's father, Steve, was a bull riding and bareback champion during his own youth, and his older brother Zack is also a bull riding and wrestling champion. Extreme Sports are risky in that danger comes from unforeseen places, champions like Tag often carry battle scars earned from such a dangerous and intense career. Tag continues pushing the limits to make his dream become a reality, while Edge Eyewear will continue to protect him from what he might not see coming.



**PRCA All American ProRodeo
Finals 2010
Bull Riding Champion**



**Rocky Mountain Regional
College Rodeo 2010
Bull Riding Champion**



**Austin Xtreme Bulls 2012
Bull Riding Champion**



**College National Finals Rodeo 2012
National Bull Riding Champion**

ADDITIONAL ACHIEVEMENTS:

**Wrangler National Finals Rodeo 2012
13th in the World**

**Pocatello Xtreme Bulls 2012
Bull Riding Champion**

**Wildernss Circuit Finals 2012
Bull Riding Champion**

WE HAVE THE RIGHT FIT FOR YOU

Because facial structures differ and work environments vary, Edge Eyewear provides solutions that meet a broad range of specific needs.

Use these icons as a guide to find the unique features & benefits offered by Edge Eyewear.

POLARIZED



VAPOR SHIELD ANTI-FOG



STANDARD ANTI-FOG



FOAM GASKET LINING



XL FIT (WIDE FIT)



ASIAN FIT



ISLANDER FIT



WELDING



LADIES STYLE



MAGNIFIERS



FIT OVER RX



TAG ELLIOTT

Renowned International Bull Rider | Residence: Thatcher, Utah | Contributing Sponsor: Edge Eyewear

WHY TEST?

PROTECTING YOU FROM WHAT YOU DIDN'T SEE COMING


According to the Center for Disease Control, there are more than 10,000 eye injuries in the USA every day. The Department of Labor has reported that approximately 2,000 of these injuries require medical treatment and time off work, and the Bureau of Labor says 85% of these cases require up to 5 days off work.

While it is not surprising that eye injuries happen on the job site, many are shocked to learn 63% of all eye injuries happen away from work; 47% at home and 16% while playing sports. In an effort to decrease these statistics, the American National Standards Institute (ANSI) created a series of voluntary tests that determine the durability of safety eyewear.

Shown here are some of the many tests required by ANSI and Military Combat Eye Protection Systems (MCEPS). Protective spectacles must pass all of these tests, and more, to be considered compliant with current ANSI and/or MCEPS standards. All Edge Eyewear glasses are independently tested by the accredited COLTS Laboratories.



STANDARDS



WHAT IS ANSI Z87.1+2010?


Z87.1+2010 is the American National Standards Institute's (ANSI) most current standard for high impact eye protection. In 1922, the War Department, Navy Department, and National Bureau of Standards created the first edition of the Z2 Standard for eye and head protection. Over many decades, these testing standards have been revised, improved, and renamed – resulting in today's ANSI Z87.1-2010 requirements, which are later enforced by OSHA. Edge Eyewear has added a "+" to our Z87.1 markings to indicate that our eyewear is compliant with the high impact level of the standard, which is referred to as "Z87+".

WHAT IS MILITARY MCEPS GL-PD 10-12? (BALLISTIC STANDARD)

The current Military Combat Eye Protection Systems (MCEPS) standard is called MCEPS GL-PD 10-12 which superseded the MIL-PRF-31013 standard in April of 1996. This standard contains ballistic fragmentation tests that determine eyewear compliance. The Military MCEPS standard contains a series of tests that are much more intense than ANSI, to simulate projectiles and dangers faced in combat.

HIGH IMPACT TESTS (+)

Shown here are some of the many tests required for compliance with the ANSI standard.



HIGH VELOCITY IMPACT TEST

Spectacle frames and lenses must be capable of resisting impact from a 6.35 mm (.25 in) diameter steel ball traveling at a velocity of 45.72 m/s (150 ft/s).


(ANSI Handbook: Section 6.2.3)

MILITARY MCEPS TEST

The process applied in the High Velocity Impact test is used, but the speed is increased to 660 ft/s.

150 ft/s (102 mph): ANSI Z87.1+2010

660 ft/s (450 mph): Military MCEPS GL-PD 10-12



* MILITARY MCEPS TEST : 660 FT/S SIMULATES A SHOTGUN BLAST FROM 33 FEET

* Often referred to as "BALLISTIC" standard



Scan to Watch
Shotgun Video



HIGH MASS IMPACT TEST

Spectacle frames and lenses must be capable of resisting a 500 g (17.6 oz) spike dropped from a height of 127 cm (50 in).

(ANSI Handbook: Section 6.2.2)



PENETRATION TEST

Lenses must be capable of resisting penetration by a weighted needle with a total weight of 44.2 g (1.56 oz) dropped from a height of 127 cm (50 in).

(ANSI Handbook: Section 6.2.4)

WHAT CONSTITUTES A FAILURE?

When each type of test is conducted as indicated in ANSI Handbook Sections 6.2.2, 6.2.3, and 6.2.4, a complete device will fail if any of the following occurs:

- Fracture of the lens
- Penetration of the rear surface of the lens
- A piece fully detaches from the inside of the spectacle
- Lens is not retained by the frame
- Lens and/or frame touches the eye area, even if the glasses remain intact




Diagram of High
Mass Impact and
Penetration Tests

OPTICAL TESTS

Shown here are some of the many tests required for compliance with the ANSI standard.


RESOLVING POWER TEST

This test of focus measures the ability of a lens to form separate, distinct images of objects that are close together when viewed from 35 ft. away.

What constitutes a failure?

Inability to distinguish three separate lines at the **20-line mark** on an NBS pattern, both vertically and horizontally.

(ANSI Handbook: Section 5.1.4)



1

LUMINOUS TRANSMISSION TEST


This is an examination that measures Visual Light Transmission (VLT), which is the percentage of light that passes through a lens.

Requirements:

Clear: Must have a minimum of 85% VLT

Tinted: Must have a minimum of 8% and a maximum of 85% VLT

(ANSI Handbook: Sections 5.1.2 & 7.1.2)



2


ASTIGMATISM TEST

This test looks for improper lens curvature or flat areas that create a refractive power and/or cause image shifting.

What constitutes a failure?

$\geq .06$ diopters difference

(ANSI Handbook: Section 5.1.4)



3

PRISMATIC POWER TEST


This test measures the angular deviation of a light ray after it passes through a lens. This is similar to the way light refracts and bends through a prism, causing images to shift.

What constitutes a failure?

$\geq .5$ diopters of deviation

(ANSI Handbook: Section 5.1.4)

(ANSI Handbook: Section 5.1.4)



4


REFRACTIVE POWER TEST

This optical clarity (focus) test measures the ability of a lens' entire surface area to focus on the rays of a sunburst pattern without blurring, blending, or bending the lines.

What constitutes a failure?

Refraction of light $\pm .06$ diopters

(ANSI Handbook: Section 5.1.4)



5

MARKINGS

For more info see ANSI Handbook REQUIRED MARKINGS - SECTION 5.4 TABLE A

LENS MARKINGS

- 1) Company Initials or Logo - For example, Edge Eyewear "E"
- 2) Impact Rating - 150ft/s high impact compliant "+"
- 3) Additional Lens Filtration - For example, "S" stands for "Special Purpose"

LEFT & RIGHT TEMPLE MARKINGS

- 1) Safety standard to which glasses comply - For example, "Z87+"

FRAME MARKINGS

- 1) Company Initials or Logo - For example, Edge Eyewear "E"
- 2) Safety standard to which glasses comply - For example, "Z87+"



COVERAGE

For more info see ANSI Handbook COVERAGE - SECTION 5.2.5 and ANNEX D - RULE OF 10s



TASK & FIT SOLUTIONS


ALL EDGE EYEWEAR INCLUDES:

TPR TECHNOLOGY

Thermoplastic rubber (TPR) is a soft and pliable compound that increases its "grip" as it becomes warm or moist from perspiration. This technology is used in temple tips and nose pads to prevent slipping and keeps glasses on the face.

LENS TECHNOLOGY

Tapered lenses eliminate refraction



- Lenses filter 99.9% of UVA/UVB/UVC rays
- Fog resistant lenses improve visibility
- Triple dipped anti-scratch coating
- Polycarbonate lenses comply with:
 - ANSI Z87.1+2010
 - Military MCEPS GL-PD 10-12

FRAME TECHNOLOGY

- Frames are made with a flexible and durable TR90/Nylon compound material
- Wrap-around frame has no side shield distortion
- Straight temple arms rest comfortably on the head and don't pinch



OPTIONAL FEATURES:



VAPOR SHIELD ANTI-FOG

Most situations can be handled with a standard Anti-Fog lens, but for extreme environments, Edge Eyewear developed a revolutionary, military grade anti-fog coating called "Vapor Shield." It is absolutely impervious to fog.

VAPOR SHIELD LENSES HAVE PASSED THE FOLLOWING LABORATORY TESTS:

- -44°F for 15 minutes
- Transition from -44°F to 76°F
- 125°F with 80% humidity



STANDARD ANTI-FOG

Anti-Fog coating offers increased clarity in humid, hot, or cold circumstances.



To see
Vapor Shield
in action
scan or visit:

youtube.com/theEdgeEyewear



MAGNIFIERS

Safety means more than just covering the eyes; it is also about optical clarity. Edge Eyewear's bifocal reading glasses are perfect for detailed work and viewing finite details. They are available in three magnification powers (1.5, 2.0, and 2.5) and with polarized lens technology.



We know that safety is more than simply covering your eyes. It is also about how clearly you see clearly.




FOAM GASKET LINING

A foam gasket is essential to safety in environments with high levels of airborne debris, dust, or wind. By creating a "seal", this technology keeps foreign particles out of the glasses and away from the eyes.



XL (WIDE FIT)

Head size varies from person to person, and certain glasses can present a problem for larger heads; some people find standard-sized glasses to be too small on the face or tight in the temples. The solution is a wider frame that not only feels comfortable, but also looks natural.



ASIAN FIT

Asian Fit glasses are specifically designed to fit a variety of facial and nose bridge structures. With the addition of an adjustable nosepiece, a perfect fit can be achieved by bending each flexible nose pad inward, outward, forward, or backward.



ISLANDER FIT

Islander Fit glasses combine the Asian Fit's adjustable nose pads with an XL frame. This fit is ideal for those who have larger facial structures and require the addition of a nosepiece that can be modified.



WELDING

Welders, cutting torches, germicidal lamps, and other man-made UV sources can expose the eyes to UVC rays, the most harmful type of ultraviolet radiation. Edge Eyewear's welding lenses protect the cornea from intense, long-term exposure to infrared light.



FIT OVER

Visual clarity is essential to safety, and for some, a magnifier lens isn't enough to read or see finite details. Edge Eyewear's larger safety glasses comfortably fit over prescription glasses.



LADIES STYLE

Ladies glasses are designed to meet fashion standards for women, while also maintaining their safety rating. Edge ladies glasses won't ride on the cheekbones, won't touch the eyelashes, and are made with materials that will not snag the hair.

LENS TECHNOLOGY



UV PROTECTION

Ultraviolet radiation is harmful to the human eye. Safety glass lenses can filter out dangerous UVA, UVB, and UVC rays.

UVA (315-380 nm) UVA rays remain constant during the year. While they are the least intense, UVA rays account for the majority (more than 90%) of UV radiation reaching Earth. Exposure to high levels of this light without proper sunglass lens filtration may cause damage to all layers of the cornea.


UVB (280-315 nm) UVB rays are the main cause of sunburn and are strongest in the summer. Exposure to high levels of this light without proper sunglass lens filtration may cause permanent retina or lens damage.

UVC (180-280 nm) UVC rays are the most harmful. Fortunately, the ozone layer keeps most of the sun's UVC rays from reaching earth. But, some man-made UV sources, such as welders and cutting torches, do emit UVC rays. Exposure to high levels of this light without proper sunglass lens filtration may result in photokeratitis, often referred to as "welder's flash".

All Edge Eyewear lenses, even the clear lenses, contain light-reflecting compounds that form a physical barrier on the lens, which reflects and scatters UV waves. This technology offers 99.9% UV protection, which is the best level of protection on the market.


AQUA PRECISION LENS

Aqua Precision technology, originally developed by NASA, was first used on astronaut helmet visors and windows on the portholes of satellites. Edge Eyewear is the **first company ever** to offer safety glasses that feature Aqua Precision lenses. The unique properties of this lens effectively block the transmission of infrared light while also reducing excess blue and red light on both ends of the visible light spectrum. The result is ultimate optical clarity and contrast, especially in the brightest light conditions.



G-15 LENS

The U.S. Air Force engineered this specialized technology for use in aviator lenses during the 1950s. Through extensive experimentation with the light spectrum, it was found that transmission of green and yellow light could be maximized at 550 nanometers (the two colors best perceived by the human eye). The outcome is a neutral and true-to-life perspective, which results in a noticeable cooling sensation for the eyes. Edge Eyewear is the **first company ever** to offer a safety-rated G-15 lens.



600

650

700


750

800




POLARIZED LENS

In 1999, Edge Eyewear became the **first company ever** to offer polarized lenses for safety glasses. Light can be extremely harsh and blinding to the eye. Polarized lenses feature a special filtering layer that **blocks reflected light from below and glare from above**. By allowing only direct light to enter, this lens maximizes the ability to see without excessive blinding light.



BLUE LIGHT FILTER LENS


Blue light enters the eye in short wavelengths, causing it to be focused too far in front of the retina. The result is a blue blur that can cause eye strain, particularly while driving. Copper, amber, and yellow-colored lenses reduce blue light to **give greater depth perception and improve optical clarity**. Edge Eyewear is the **first company ever** to offer Blue Light Filter lenses for safety glasses, which offer brighter and sharper view of surroundings.




LIGHT TRANSMISSION GRAPHS

ALL EDGE EYEWEAR LENSES PROVIDE 99.9% UV PROTECTION – THE HIGHEST LEVEL OF PROTECTION ON THE MARKET


CLEAR is the classic lens color for safety glasses. Clear lenses offer the greatest amount of visible light transmission, making them ideal for indoor and low light conditions.



85% Light Transmission




ANTI-REFLECTIVE lenses are great for indoor and outdoor conditions. A light silver mirror coating on a clear lens reflects light that hits the lens' surface, resulting in a reduction of reflection and glare.




65% Light Transmission




YELLOW lenses make dull, overcast, and foggy conditions appear brighter and filter low levels of blue light. This lens color increases depth perception and contrast during dawn or dusk activities, including driving. (See Blue Light Filter Lens, page 9)




80% Light Transmission




LIGHT BLUE lenses decrease eye fatigue that results from yellow light. They are perfect for use in settings with yellow incandescent, yellow fluorescent, or sodium vapor lighting.



69% Light Transmission




AMBER lenses make variable light conditions appear brighter and filter medium levels of blue light. Amber coloring increases depth perception and contrast during activities where light is flat or contrast is minimal, such as working in the snow or skiing. (See Blue Light Filter Lens, page 9)



57% Light Transmission




COPPER lenses make bright and variable conditions appear sharper and filter high levels of blue light. This "Blue Light Filter" lens relieves eye fatigue by increasing depth perception and contrast, making it the ideal tint for daytime driving and golfing. (See Blue Light Filter Lens, page 9)




8% Light Transmission




SMOKE lenses provide the perfect all-around tint for bright light conditions. This popular lens color blocks the brightest sun rays and glare without producing any color distortion.



16% Light Transmission




SILVER MIRROR lenses reflect light in bright conditions, decrease visible brightness, and reduce glare. A silver-colored mirror coating adds a reflective layer to the light-blocking properties of a smoke base tint.




13% Light Transmission




BLUE MIRROR lenses reflect light in bright conditions, decrease visible brightness, and reduce glare. A blue-colored mirror coating adds a highly reflective layer to the light-blocking properties of a smoke base tint.




12% Light Transmission



ROSE MIRROR lenses reflect light in bright conditions, reduce glare, and sharpen details in flat light. A light silver mirror coating adds a reflective layer to the warming properties of a rose-colored base tint.



11% Light Transmission



CHOOSE A LENS FOR THE FOLLOWING CONDITIONS:



Bright Sunny
Conditions



Cloudy
Conditions



Snowy or High
Altitude Conditions



Water
Conditions



Light Welding
& Torch Cutting



Partly Cloudy
Conditions



Hazy
Conditions



Desert
Conditions





Cloudy, Snowy, or High
Altitude Conditions



Indoor or Low
Light Conditions

AQUA PRECISION RED


lenses offer ultimate visual clarity and contrast in bright light conditions. A flame-colored mirror coating adds glare reflection to an Aqua Precision lens – a clear lens infused with anti-reflective ions, rather than a lens created by a layering process. This is the same optical technology created by NASA for helmet visors and satellite portholes. (See Aqua Precision Lens, page 8)



13% Light Transmission

POLARIZED COPPER



lenses make bright and variable conditions appear brighter, and filter high levels of blue light. This "Blue Light Filter" lens relieves eye fatigue by increasing depth perception and contrast, making it the ideal tint for daytime driving and golfing. The addition of a polarizing filter increases clarity by reducing glare.



8% Light Transmission

POLARIZED SMOKE



lenses provide the perfect all-around tint for bright light conditions. This popular lens color blocks the brightest sun rays without producing any color distortion. The addition of a polarizing filter increases clarity by reducing glare.



14% Light Transmission

POLARIZED AQUA PRECISION BLUE



lenses offer ultimate visual clarity and contrast in bright light conditions. A blue-colored mirror coating adds glare reflection to an Aqua Precision lens – a clear lens infused with anti-reflective ions. This is the same optical technology created by NASA for helmet visors and satellite portholes. The addition of a polarizing filter results in the greatest reduction of glare. (See Aqua Precision Lens, page 8)



10% Light Transmission

POLARIZED YELLOW


lenses make low light, overcast, and foggy conditions appear brighter and filter low levels of blue light. This lens color increases depth perception and contrast during dawn or dusk activities, including driving. The addition of a polarizing filter increases clarity by reducing glare.



36% Light Transmission

POLARIZED GRADIENT SMOKE



lenses have a vertical smoke-to-clear tint that equalizes harsh light from above and soft light from below. A favorite for daytime reading and driving. The addition of a polarizing filter increases clarity by reducing glare.



16% Light Transmission

POLARIZED G-15 SILVER MIRROR




lenses provide contrast and image definition while maintaining a neutral, true-to-life perspective. A silver mirror coating adds a reflective layer to the cooling properties of a green-colored base tint, pioneered by the U.S. Air Force. The addition of a polarizing filter increases clarity by reducing glare. (See G-15 Lens, page 8)



11% Light Transmission

IR3 WELDING



lenses filter low levels of intense infrared light produced during gas welding, brazing, torch cutting, etc. These green tinted welding lenses provide protection from harmful UVC rays.



12% Light Transmission

IR5 WELDING

lenses filter medium levels of intense infrared light produced during gas welding, brazing, torch cutting, etc. These dark green tinted welding lenses provide extra protection from harmful UVC rays.



2% Light Transmission

LEARN MORE ABOUT POLARIZED LENS TECHNOLOGY ON PAGE 91



Lanny Geisler / Chief Mechanic

CARAZ

EXTRA LIGHT WEIGHT AT ONLY 22.6 GRAMS



THZ216

POLARIZED



THZ216

Polarized Smoke

STANDARD



HZ111AR

Anti-Reflective



HZ115

Copper "Driving"



HZ116

Smoke

PATENT PENDING



Nadia Antii

NEWLY REDESIGNED
CIVETTA *For Ladies*



TYC216

POLARIZED



TYC216
Polarized Smoke

STANDARD



YC111
Clear



YC111AR
Anti-Reflective



YC115
Copper "Driving"



YC116
Smoke

PATENT PENDING



Mike Stephens

BRAZEAU



XBAP119

POLARIZED



TXB215

Polarized Copper "Driving"



TXB21-G15-7

Polarized G-15 Silver
Mirror



TXBG216

Polarized Gradient Smoke

STANDARD



XB111AR

Anti-Reflective



XB115

Copper "Driving"



XB116

Smoke



XB117

Silver Mirror



XB118

Blue Mirror



XBAP119

Aqua Precision
Red Mirror

BRAZEAU TORQUE WITH MATTE BLACK FINISH AND RED "E" LOGO



TXB236

Polarized Smoke



XB136

Smoke

BRAZEAU WHITE



TXB246

Polarized Smoke



XB146

Smoke

PATENT D598840



Kurt Gallegos / Lt. Colonel, USAF

RECLUS



SR115

POLARIZED



TSRG216

Polarized Gradient Smoke



TSR21-G15-7

Polarized G-15 Silver
Mirror



TSRAP218

Polarized Aqua Precision
Blue Mirror

STANDARD



SR111AR

Anti-Reflective



SR115

Copper "Driving"



SR116

Smoke



SR117

Silver Mirror



SR118

Blue Mirror

PATENT D606,113 F



Joe Brunhart / Carpenter

KHOR

INTERCHANGEABLE LENS SYSTEM

All lens options available at
www.edge-eyewear.com
or call (866)953-7325 to order



SDK118

POLARIZED



TSDK215
Polarized Copper "Driving"



TSDK216
Polarized Smoke



TSDK21-G15-7
Polarized G-15
Silver Mirror



TSDKAP218
Polarized Aqua Precision
Blue Mirror

STANDARD



SDK115
Copper "Driving"



SDK116
Smoke



SDK117
Silver Mirror



SDK118
Blue Mirror



SDKAP119
Aqua Precision
Red Mirror



9403
Interchangeable Lens Pack
Includes: Anti-Reflective & Yellow

EDGE-FLEX PATENT 7,452,071 B2 PATENT D597122



Tech Sgt. Nathan Carlile / USAF Airman

KHOR CAMO KITS



TSDK21CK

FOREST CAMO KIT



TSDK21CK
Polarized Smoke

**also includes items
listed below:**



TSDK21DC

DIGITAL CAMO KIT



TSDK21DC
Polarized Smoke

**also includes items
listed below:**

Khor Polarized Camouflage Kits Include:



Interchangeable Yellow and
Anti-Reflective Lenses with Lens Bag

Hard Case

Lens Cleaning Bag

EDGE-FLEX PATENT 7,452,071 B2
PATENT D597122



Surba Tucker

BARETTI



SB117

STANDARD



SB116
Smoke



SB117
Silver Mirror



SBAP119
Aqua Precision
Red Mirror

PATENT D549270

**ALL MODELS AVAILABLE WITH A
PRE-APPLIED FOAM GASKET** pages 48-49

**FOAM GASKET KITS
AVAILABLE** page 50

BARETTI 25



Laura Peterson / Rock Climber

KAZBEK



TSK21-G15-7

POLARIZED

WITH MATTE BLACK FINISH



TSK215

Polarized Copper "Driving"



TSK216

Polarized Smoke



TSK21-G15-7

Polarized G-15
Silver Mirror



TSKAP218

Polarized Aqua Precision
Blue Mirror

ASIAN FIT

ADJUSTABLE
NOSEPIECE



SK111-AFT

Clear



SK116-AFT

Smoke

NEW!

ASIAN FIT WITH
VAPOR SHIELD ANTI-FOG



SK111VS-AFT

Clear



SK116VS-AFT

Smoke

STANDARD

SILVER/BLACK FRAME



SK116

Smoke



SK117

Silver Mirror



SK118

Blue Mirror



SKAP119

Aqua Precision
Red Mirror

EDGE-FLEX PATENT 7,452,071 B2

PATENT D549268

ALL MODELS AVAILABLE WITH A
PRE-APPLIED FOAM GASKET pages 48-49


FOAM GASKET KITS
AVAILABLE page 50

KAZBEK 27



Blaine Robbins / Highway Patrolman

KAZBEK XL



POLARIZED WITH MATTE BLACK FINISH



TSK-XL215
Polarized Copper "Driving"



TSK-XL216
Polarized Smoke



TSK-XL21-G15-7
Polarized G-15 Silver Mirror

ISLANDER FIT ADJUSTABLE NOSE PIECE



SK111-IFT
Clear



SK116-IFT
Smoke

STANDARD



SK-XL111
Clear



SK-XL112
Yellow



SK-XL116
Smoke



SK-XL117
Silver Mirror



SK-XL118
Blue Mirror


EDGE-FLEX PATENT 7,452,071 B2

PATENT D549268

ALL MODELS AVAILABLE WITH A
PRE-APPLIED FOAM GASKET pages 48-49

FOAM GASKET KITS
AVAILABLE page 50

KAZBEK XL 29



Tim Hayes / Fly Fisherman

DAKURA



TSM216

POLARIZED

WITH MATTE
BLACK FINISH



TSM212

Polarized Yellow



TSM215

Polarized Copper "Driving"



TSM216

Polarized Smoke



TSM21-G15-7

Polarized G-15 Silver
Mirror



TSMAP218

Polarized Aqua Precision
Blue Mirror

STANDARD



SW111

Clear



SW111AR

Anti-Reflective



SW112

Yellow



SW114

Amber



SW115

Copper "Driving"



SW116

Smoke



SW117

Silver Mirror



SW118

Blue Mirror



SW119

Rose Mirror



SWAP119

Aqua Precision Red Mirror

PATENT PROTECTED

ALL MODELS AVAILABLE WITH A
PRE-APPLIED FOAM GASKET pages 48-49

FOAM GASKET KITS
AVAILABLE page 50

DAKURA 31



Casey Walton / Miner

DAKURA SPECIAL PURPOSE LENS



**VAPOR
SHIELD
ANTI-FOG**



SW111VS
Clear



SW116VS
Smoke

**STANDARD
ANTI-FOG**



SW111AF
Clear



SW116AF
Smoke

WELDING



SW11-IR3
IR3 Light
Welding



SW11-IR5
IR5 Medium
Welding

PATENT PROTECTED

**ALL MODELS AVAILABLE WITH A
PRE-APPLIED FOAM GASKET** pages 48-49

**FOAM GASKET KITS
AVAILABLE** page 50



DAKURA



SW112CF

POLARIZED CAMO



TSM215CF
Polarized
Copper "Driving"



TSM216CF
Polarized Smoke

STANDARD CAMO



SW111CF
Clear



SW112CF
Yellow



SW115CF
Copper "Driving"



SW116CF
Smoke

SILVER



SW126
Smoke



SW128
Blue Mirror

FLAME



SW116F
Smoke

PATENT PROTECTED

ALL MODELS AVAILABLE WITH A
PRE-APPLIED FOAM GASKET pages 48-49

FOAM GASKET KITS
AVAILABLE page 50

DAKURA 35



Russ Peacock / Road Crew

DELANO



SD116

STANDARD



SD111
Clear



SD111AR
Anti-Reflective



SD116
Smoke

PATENT D549269



Sam Barnes / Wildland Firefighter

KIROVA



AB112

STANDARD



AB111
Clear



AB111AR
Anti-Reflective



AB112
Yellow



AB113
Light Blue



AB116
Smoke



AB117
Silver Mirror



Wayne Rhodes / Electrician



ZORGE



DZ113

STANDARD



DZ111
Clear



DZ111AR
Anti-Reflective



DZ112
Yellow



DZ113
Light Blue

NEW!



DZ114
Amber



DZ116
Smoke



DZ117
Silver Mirror

MAGNIFIERS



DZ111-1.5
Clear
1.5 Magnification



DZ111-2.0
Clear
2.0 Magnification



DZ111-2.5
Clear
2.5 Magnification



DZ116-2.0
Smoke
2.0 Magnification

POLARIZED MAGNIFIERS



TDZ216-2.0
Polarized Smoke
2.0 Magnification

WELDING



DZ11-IR3
IR3 Light Welding



DZ11-IR5
IR5 Medium Welding



BANRAJ



DB116

STANDARD



DB111
Clear



DB116
Smoke

SAVOIA



AKE111

STANDARD



AKE111
Clear



AKE116
Smoke



Corey Stauffer / Plumber

OSSA

FITS OVER PRESCRIPTION GLASSES



XF116-L

STANDARD



XF111-L
Clear



XF116-L
Smoke

PATENT 29-353-139



Derek Thatcher / Engineer

GOGGLES

CAYESH Indirect Vented Splash Goggle



HC111
Clear



HC116
Smoke

SPEKE All Speke goggles come with an Rx-ready insert



HS111
Clear



HS116
Smoke

GOLAN



HG111
Clear



HG116
Smoke

PRE-APPLIED GASKET GLASSES



*A **Foam Gasket** is essential to safety in environments with high levels of airborne debris, dust, or wind. By creating a "seal", this technology keeps foreign particles away from the eyes.*

Available on the following styles:



DAKURA



GTSM212
Polarized Yellow



GTSM215
Polarized Copper "Driving"



GTSM216
Polarized Smoke



GTSM21-G15-7
Polarized G-15 Silver
Mirror



GTSMAP218
Polarized Aqua Precision
Blue Mirror



GSW111
Clear



GSW111AR
Anti-Reflective



GSW112
Yellow



GSW114
Amber



GSW115
Copper "Driving"



GSW116
Smoke



GSW117
Silver Mirror



GSW118
Blue Mirror



GSW119
Rose Mirror



GSWAP119
Aqua Precision Red Mirror



GSW111VS
Clear



GSW116VS
Smoke



GSW111AF
Clear



GSW116AF
Smoke



GSW11-IR3
IR3 Light
Welding



GSW11-IR5
IR5 Medium
Welding



GTSM215CF
Polarized
Copper "Driving"



GTSM216CF
Polarized Smoke



GSW111CF
Clear



GSW112CF
Yellow



GSW115CF
Copper "Driving"



GSW116CF
Smoke



GSW126
Smoke



GSW128
Blue Mirror



GSW116F
Smoke



GTSK215
Polarized Copper "Driving"



GTSKAP218
Polarized Aqua Precision
Blue Mirror



GSK111VS-AFT
Clear



GSK117
Silver Mirror



GTSK216
Polarized Smoke



GSK111-AFT
Clear



GSK116VS-AFT
Smoke



GSK118
Blue Mirror



GTSK21-G15-7
Polarized G-15
Silver Mirror



GSK116-AFT
Smoke



GSK116
Smoke



GSKAP119
Aqua Precision
Red Mirror



KAZBEK



GTSK-XL215
Polarized Copper "Driving"



GSK111-IFT
Clear



GSK-XL112
Yellow



GSK-XL118
Blue Mirror



GTSK-XL216
Polarized Smoke



GSK116-IFT
Smoke



GSK-XL116
Smoke



GTSK-XL21-G15-7
Polarized G-15 Silver Mirror



GSK-XL111
Clear



GSK-XL117
Silver Mirror



KAZBEK XL



GSB116
Smoke



GSB117
Silver Mirror



GSBAP119
Aqua Precision
Red Mirror



BARETTI

ACCESSORIES

Foam Gasket Kits



An easy-to-apply, self-adhesive foam gasket lining

STEP 1

Remove paper adhesive cover

STEP 2

Apply foam gasket to a clean frame

STEP 3

Apply Anti-Fog spray as directed on bottle



Available in four different frame styles:

9418

Dakura Foam Kit

9419

Kazbek Foam Kit

9420

Kazbek XL Foam Kit

9421

Baretti Foam Kit

Each self-adhesive foam gasket kit includes one bottle of anti-fog spray.



21"

9903

Sunglass
Leash Display

*Leashes not included
with leash display*

11"

9701
Nylon Cord



9702
Thin Rope



9703
Snap Back Cord



9704
Black/Gray Rope



9705
Floater Cord



9706
Edge Logo Cord



9707
Sleeve



9708
Neoprene Strap



9810
Edge Hard Case



9802
Lens Cleaning Bag

DISPLAYS & DISPLAY ACCESSORIES

*Glasses not included with displays

Headers

Designed for the 9915 12-Unit Display

- 9919** *Polarized*
- 9972** *Military*
- 9971** *Tactical*
- 9923** *Industrial*



- ***9601 11-Unit**
Small Sales Kit

- ***9602 22-Unit**
Large Sales Kit



- ***9940 Pegboard Planogram** 4' x 4'

- ***9941 Small Pegboard Planogram** 2' x 4'

- ***9912 14-Unit**
Pegboard Display (Non-Locking)

- ***9915 12-Unit**
Locking Counter Display





***9935 36-Unit**
Point of Purchase Display
(Stores 24 inside)

15"

30"

11"



9930 3-Unit
Promo Display
(Multiple inserts available)

8"



Clam Shell Packaging
Available for all Eyewear
contact customer service for more info:
customerservice@wolfpeak.net



***9906 10-Unit**
Locking Counter Display

9"

33"

31"



***9908 32-Unit**
Rotating and Locking
Counter Display

14"

***9917 12-Unit**
Hanging Clip Strip Display



MARKETING ACCESSORIES



9510
Counter Mat
26" x 17"

9505
Fenrir T-Shirt
(Black) L, XL, XXL

Back

9504
Anubis T-Shirt
(Black) L, XL, XXL

Back

9501
Edge Hat
(Black)

9509
Edge T-Shirt
(Ash) L, XL, XXL

Front

9511
Edge Beanie
(Black)

Back

Front

Front

9212
Motocross Poster
24" x 36"



9214
Work Safe Poster
24" x 36"



9213
Tactical Poster
24" x 36"



Counter Flyer

BUYER'S GUIDE

CARAZ PAGE 13



CIVETTA PAGE 15



BRAZEAU, TORQUE, WHITE PAGE 17



RECLUS PAGE 19



KHOR PAGE 21



KHOR CAMO KITS PAGE 23



BARETTI PAGE 25



KAZBEK PAGE 27



KAZBEK XL PAGE 29



BUYER'S GUIDE

DAKURA PAGES 31-33



DAKURA CAMO, SILVER, FLAME PAGE 35



DELANO PAGE 37



KIROVA PAGE 39



ZORGE PAGE 41




BANRAJ PAGE 43



SAVOIA PAGE 43



OSSA PAGE 45



CAYESH, SPEKE, GOLAN PAGE 47





EDGE

Safety Eyewear



CUSTOMERSERVICE@EDGE-EYEWEAR.COM
TOLL-FREE: 866.953.7325 (866.WLF.PEAK)
FAX: 866.329.7325 (866.FAX.PEAK)
WWW.EDGE-EYEWEAR.COM

Edge Eyewear
is a brand of
WOLF

PEAK
OUTDOORS, INC.