

Pocket Knives

Rugged Pocket Knives

- Liner lock secures blade in open position
- Rugged handle with rubber finger grip
- Lanyard hole allows knife to be tethered
- Low-carry pocket clip



44220



44222

Cat. No.	Blade Type	Blade Length	Blade Material	Handle Material	Length Closed	Overall Length	Weight
44220	Drop Point	3-1/2" (88.9 mm)	440A Stainless Steel	Anodized Aluminum	4-45/64" (119.5 mm)	8-13/64" (208.4 mm)	0.31 lb (0.14 kg)
44222	Tanto	3-1/2" (88.9 mm)	440A Stainless Steel	Nylon/Rubber	4-45/64" (119.5 mm)	8-13/64" (208.4 mm)	0.25 lb (0.11 kg)



Realtree AP-XTRA Camouflage Design
© 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved.

Electrician's Pocket Knives

- Liner lock secures blade in open position
- Stripping notches on the back of the blade
- Low-carry pocket clip
- Cat. No. 44217 has a No. 2 Phillips driver



STRIPPING NOTCHES
10-14 AWG Solid and
12-16 AWG Stranded



44201



44217

Cat. No.	Blade Type	Blade Length	Blade Material	Handle Material	Length Closed	Overall Length	Weight
44201	Drop Point	3-3/8" (85.7 mm)	440A Stainless Steel	Anodized Aluminum	4-1/4" (85.7 mm)	7-31/32" (202.4 mm)	0.30 oz (8.5 g)
44217	Drop Point	3-3/8" (85.7 mm)	440A Stainless Steel	Aluminum	4-9/16" (115.9 mm)	10" (254.0 mm)	0.44 lb (0.20 kg)

Silver Lightweight Aluminum Lockback Knives

- Lockback secures blade in open position
- Reversible thumb stud for easy one-hand opening
- Cat. Nos. 44001, 44006, 44007 include removable pocket clip



44000



44001



44006




44007

Cat. No.	Blade Type	Blade Length	Blade Material	Handle Material	Length Closed	Overall Length	Weight
44000	Drop Point	2-1/4" (57.2 mm)	AUS 8 Stainless Steel	Anodized Aluminum	3-1/8" (79.4 mm)	5-1/2" (139.7 mm)	1.5 oz (43 g)
44001	Drop Point	2-1/2" (63.5 mm)	AUS 8 Stainless Steel	Anodized Aluminum	3-1/2" (88.9 mm)	6-1/8" (155.6 mm)	0.16 lb (0.07 kg)
44006	Sheepsfoot	2-5/8" (66.7 mm)	AUS 8 Stainless Steel	Anodized Aluminum	3-7/8" (98.4 mm)	6-5/8" (168.3 mm)	1.3 oz (37 g)
44007	Coping	2-1/2" (63.5 mm)	AUS 8 Stainless Steel	Anodized Aluminum	3-1/2" (88.9 mm)	6-1/8" (155.6 mm)	1.5 oz (43 g)

⚠WARNING: Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury. **Check local laws on legality of selling or possessing these knives.**





Pocket Knives

Black Lightweight Aluminum Lockback Knives

- Lockback secures blade in open position
- Black stainless-steel blade and black anodized-aluminum handle
- Reversible thumb stud for easy one-hand opening
- Cat. Nos. 44001-BLK and 44052-BLK include removable pocket clip

Cat. No.	Blade Type	Blade Length	Blade Material	Handle Material	Length Closed	Overall Length	Weight
44000-BLK	Drop Point	2-1/4" (57.2 mm)	AUS 8 Stainless Steel	Anodized Aluminum	3-1/8" (79.4 mm)	5-1/2" (139.7 mm)	1.1 oz (31 g)
44001-BLK	Drop Point	2-1/2" (63.5 mm)	AUS 8 Stainless Steel	Anodized Aluminum	3-1/2" (88.9 mm)	6-1/8" (155.6 mm)	1.5 oz (43 g)
44052BLK	Tanto	2-9/16" (65.1 mm)	AUS 8 Stainless-Steel	Anodized Aluminum	3-35/64" (90.1 mm)	6-1/8" (155.6 mm)	0.30 lb (0.14 kg)



44000-BLK



44001-BLK



44052-BLK

Lightweight Aluminum Lockback Knives

- Lockback secures blade in open position
- Impact-resistant nylon resin handle with rubber insert
- Reversible thumb stud for easy one-hand opening
- Cat. Nos. 44005C and 44005RC include pocket clip



POCKET CLIP
AVAILABLE ON
44005C
44005RC

Cat. No.	Blade Type	Blade Length	Blade Material	Handle Material	Length Closed	Overall Length	Weight
44002	Drop Point	2-3/8" (60.3 mm)	AUS 8 Stainless-Steel	Nylon Resin	3-1/2" (88.9 mm)	6" (152.4 mm)	1.5 oz (43 g)
44003	Drop Point	2-3/4" (69.9 mm)	AUS 8 Stainless Steel	Nylon Resin	4-1/8" (104.8 mm)	7" (177.8 mm)	0.16 lb (0.07 kg)
44004	Sheepsfoot	2-1/2" (63.5 mm)	AUS 8 Stainless Steel	Nylon Resin	3-1/2" (88.9 mm)	6" (152.4 mm)	1.5 oz (43 g)
44005	Hawkbill	2-5/8" (66.7 mm)	AUS 8 Stainless Steel	Nylon Resin	4-13/64" (106.7 mm)	6-3/4" (171.5 mm)	0.16 lb (0.07 kg)
44005R	Hawkbill - Rounded Tip	2-5/8" (66.7 mm)	AUS 8 Stainless Steel	Nylon Resin	4-13/64" (106.7 mm)	6-3/4" (171.5 mm)	0.16 lb (0.07 kg)
44005RC	Hawkbill - Rounded Tip	2-5/8" (66.7 mm)	AUS 8 Stainless Steel	Nylon Resin	4-13/64" (106.7 mm)	6-3/4" (171.5 mm)	0.16 lb (0.07 kg)
44005C	Hawkbill	2-5/8" (66.7 mm)	AUS 8 Stainless Steel	Nylon Resin	4-13/64" (106.7 mm)	6-3/4" (171.5 mm)	2.2 oz (62.4 g)



44002



44003



44004



44005



44005R



44005RC



44005C

Compact Pocket Knife

- Lockback secures blade in open position
- Corrosion resistant black aluminum handle
- Reversible thumb stud for easy one-hand opening
- Lanyard hole allows knife to be tethered
- Low-carry pocket clip

Cat. No.	Blade Type	Blade Length	Blade Material	Handle Material	Length Closed	Overall Length	Weight
44142	Drop Point	2-7/8" (73.0 mm)	440A Stainless Steel	Aluminum	3-1/2" (88.9 mm)	6-3/4" (171.5 mm)	0.14 oz (4.0 g)



44142

See page 295 for additional information on warnings.



WARNING: Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury. Check local laws on legality of selling or possessing these knives.

Pocket Knives

Slitting Pocket Knife

- Liner lock secures blade in open position
- Durable plastic handle
- Shackle allows knife to be tethered

Cat. No.	Blade Type	Blade Length	Blade Material	Handle Material	Length Closed	Overall Length	Weight
1550-24	Hawkbill	2-3/4" (69.9 mm)	Stainless Steel	Plastic	4-1/2" (114.3 mm)	6-3/4" (171.5 mm)	0.16 lb (0.07 kg)



1550-24

Wood Grain Handle Pocket Knives

- Liner lock secures blade in open position
- Durable plastic handle with faux wood grain
- Shackle allows knife to be tethered

Cat. No.	Blade Type	Blade Length	Blade Material	Handle Material	Length Closed	Overall Length	Weight
1550-4	Hawkbill	2-5/8" (66.7 mm)	Carbon Steel	Plastic	4-9/64" (105.2 mm)	6-1/8" (155.6 mm)	0.25 lb (0.11 kg)
1550-11	Coping	2-1/4" (57.2 mm)	Carbon Steel	Plastic	3-1/4" (82.6 mm)	5-1/2" (139.7 mm)	1.5 oz (43 g)
1550-44	Hawkbill	2-5/8" (66.7 mm)	Stainless Steel	Plastic	3-1/2" (88.9 mm)	6-1/8" (155.6 mm)	0.25 lb (0.11 kg)



1550-4



1550-11



1550-44

Sportsman Knives

- Lockback secures blade in open position
- Wood handle with brass holsters
- Cat. No. 44037 has a leather case with belt loop

Cat. No.	Blade Type	Blade Length	Blade Material	Handle Material	Length Closed	Overall Length	Weight
44036	Clip Point	2-5/8" (66.7 mm)	Stainless Steel	Ebony Wood	3-3/4" (95.3 mm)	6-3/8" (161.9 mm)	0.16 lb (0.07 kg)
44037	Clip Point	3-3/8" (85.7 mm)	Stainless Steel	Ebony Wood	5" (127.0 mm)	8-3/4" (222.3 mm)	0.41 lb (0.19 kg)



44036



44037

Stainless Steel Compact Knives

- Lockback secures blade in open position
- Stainless steel handle with rosewood inlay
- Lightweight and compact

Cat. No.	Blade Type	Blade Length	Blade Material	Handle Material	Length Closed	Overall Length	Weight
44032	Drop Point	1-5/8" (41.3 mm)	Stainless Steel	Stainless Steel	2-13/32" (61.1 mm)	4-1/4" (108.0 mm)	1.0 oz (28 g)
44033	Drop Point	2-1/4" (57.2 mm)	Stainless Steel	Stainless Steel	3" (76.2 mm)	5-1/4" (133.4 mm)	0.11 lb (0.05 kg)
44034	Drop Point	3" (76.2 mm)	Stainless Steel	Stainless Steel	4" (101.6 mm)	7" (177.8 mm)	0.25 lb (0.11 kg)




44032



44033



44034



Pocket Knives – Multi-Blade

2-Blade Pocket Knife - Spearpoint and Screwdriver-Tip Blades

- Standard spearpoint blade - 2-1/2" (63.5 mm) long
- Screwdriver-tip blade - 2-1/2" (63.5 mm) long
- Screwdriver-tip blade locks open

Cat. No.	Blade Length	Material	Length Closed	Overall Length	Weight
1550-2	2-1/2" (63.5 mm)	Carbon Steel	3-3/4" (95.3 mm)	6-5/8" (168.3 mm)	0.25 lb (0.11 kg)



1550-2

3-Blade Pocket Knife - Sheepfoot, Spearpoint and Screwdriver-Tip Blades

- Curved sheepfoot skinning blade - 2-3/8" (60 mm) long
- Standard spearpoint blade - 2-1/2" (64 mm) long
- Screwdriver-tip blade - 2-1/2" (64 mm) long
- Screwdriver blade locks open

Cat. No.	Blade Length	Material	Length Closed	Overall Length	Weight
1550-6	2-3/8" (60.3 mm), 2-1/2" (63.5 mm)	Carbon Steel	3-3/4" (95.3 mm)	6-1/2" (165.1 mm)	0.31 lb (0.14 kg)



1550-6

Pocket Knives – Multi-Tool

Trip-Saver™ Multi-Tool - Stainless Steel

- Unique multi-tool addresses the special needs of electricians and maintenance professionals while providing many other features handy on any job
- Specially designed locking "L" handle snaps securely into the "L" channel, locking the fully opened blade or implement in place during use
- Features the following: Needle-Nose Pliers, Beveled Wire Cutter, Toothed Pipe Grippers, Files (coarse and fine), 5-Slot Wire Stripper (10-18 AWG), Wire-Looping Hole, Scraper, Awl/Reamer, Serrated Sheepfoot Knife, Clip-Point Knife, Standard/Metric Ruler, Drywall Saw, Locking "L" Handle, #1 and #2 Phillips Hex Bits, Small-Slotted Hex Bit, Large-Slotted Hex Bit, 1/4" Socket Adapter, Lanyard Hole, Nylon Pouch

⚠WARNING: Close handles to lock blade in place before use.

Cat. No.	Blade Length	Material	Length Closed	Overall Length	Weight
1016	1-7/8" (44.5 mm); 2-1/2" (63.5 mm)	Stainless Steel	5-3/4" (146.1 mm)	5-3/4" (146.1 mm)	0.95 lb (0.43 kg)



1016

Cable Knives

Cable Skinning Utility Knife with Replaceable Blade

- Heavy-duty sheepfoot blade is replaceable to eliminate the need for sharpening
- Blade locks securely by a captive lock screw, making it as solid as a fixed-blade knife
- Thumb stud for easy opening
- Handle has rubber exterior for increased grip
- A lock-back design securely locks the blade in the open position
- Pocket clip for easy storage and convenient access
- Replacement blades available in pack of 3 (Cat. No. 44219)



44218



44219
REPLACEMENT BLADES

Cat. No.	Special Features	Blade Length	Overall Length	Blade Material	Handle Color	Weight
44218	Replaceable Blade	2-1/2" (63.5 mm)	7-51/64" (198.0 mm)	440A Stainless Steel	Orange/Black	0.36 lb (0.16 kg)

See page 295 for additional information on warnings.



⚠WARNING: Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury. Check local laws on legality of selling or possessing these knives.

235

Cable Knives

Cable/Lineman's Skinning Knives

- Cat. Nos. 1570-3 and 1570-3LR feature three-inch steel blades that withstand frequent scoring and slitting of cable jacket
- Notch on blade back for scraping or removing wire insulation
- Comfortable textured handle with finger grooves and guard
- No contact between stainless steel ring and hardened steel blade (Cat. No. 1570-3)
- Rectangle-shaped handle design for attachment to some utility hot stick equipment
- Leather sheath available, Cat. No. 5163 only for Cat. Nos. 1570-3 and 1570-3LR
- Cat. No. 1580-3 has a 2" (50.8 mm) blade for increased control when scoring and slitting cable jacket and an ergonomic handle for maximum comfort



Cat. No.	Special Features	Blade Length	Overall Length	Blade Material	Handle Color	Weight
1570-3	Hook Blade, Notch, and Ring	3" (76.2 mm)	8" (203.2 mm)	Steel	Black	0.30 lb (0.14 kg)
1570-3LR	Hook Blade and Notch	3" (76.2 mm)	8" (203.2 mm)	Steel	Black	0.29 lb (0.13 kg)
1580-3	Hook Blade, Notch, and Ring	2-3/64" (51.99 mm)	8-3/4" (222.3 mm)	Steel	Black	0.28 lb (0.13 kg)

Cable-Sheath Splitting Knife

- Compact, lightweight knife for opening lead cables
- Rugged, forged tempered cutlery steel blade
- Sharp chisel-shaped edge
- Hammer head on back
- Plastic-dipped handles for comfort
- Leather guard available, Cat. No. 5574S



Cat. No.	Blade Length	Overall Length	Weight
1515-S	2-3/4" (69.9 mm)	7-3/8" (187.3 mm)	0.35 lb (0.16 kg)

Bell System Cable-Sheath Splitting Knife - Heavy-Duty

- Heavy-duty knife for splitting cable sheaths
- Rugged, forged tempered cutlery steel blade
- Sharp chisel-shaped edge
- Plastic-dipped handles for comfort
- Leather guard available, Cat. No. 5574L




Cat. No.	Blade Length	Overall Length	Weight
1515-1	4-1/2" (114.3 mm)	9" (228.6 mm)	1.2 lb (0.5 kg)

Cable-Splicer's Knife

- Special-purpose short blade with comfortable, full-sized, heavy-duty handle
- Coping-type blade made of the finest cutlery steel, tough and carefully tempered to hold its edge
- Handle is textured for comfort and firm grip
- Hang hole for easy storage and portability



Cat. No.	Blade Length	Overall Length	Weight
44200	1-3/4" (44.5 mm)	6-1/4" (158.8 mm)	0.15 lb (0.07 kg)



Cable Knives

Cable-Splicer's Kits

- Cuts cable, telephone wire, and strips insulation
- Dimensions: 2-1/8" (54 mm) x 7-1/2" (190.5 mm)

Cat. No.	Kit Contains	Weight
46037	Cable Splicer's Kit	8.0 oz (227 g)

Cat. No.	Description
44200	Cable Splicer's Knife
2100-7	Electrician's Scissors, Nickel Plated
5187	Scissors and Cable Splicer's Knife Holder

Cat. No.	Kit Contains	Weight
46039	Cable Splicer's Kit with Free-Fall Snip	9.3 oz (264 g)

Cat. No.	Description
44200	Cable Splicer's Knife
21010	Free-Fall Snip
5187	Scissors and Cable Splicer's Knife Holder



46037

46039

Utility Knives

Camouflage Assisted-Open Folding Utility Knife

- Realtree Xtra® Camo design handle with rubber grip and TPR overmold for a secure grip
- Rugged, heavy-duty and durable construction
- Spring-assisted opening with dual thumb stud for right- or left-handed use
- Blade locks when in closed position
- Low carry pocket clip
- Lanyard hole

Cat. No.	Overall Length	Length Closed	Weight
44135	7" (177.8 mm)	6-1/4" (158.8 mm)	0.47 lb (0.21 kg)



44135



Realtree AP-XTRA Camouflage Design
© 2012 of Jordan Outdoor Enterprises, Ltd.,
all rights reserved.

Folding Utility Knife

- Push button to easily open and close
- Rugged, heavy-duty and durable construction
- Contains a wire stripping notch
- High quality triple ground blades stay sharp longer
- Rubber grips on handle for improved control and comfort
- The bright orange handle color makes this knife easy to find in a tool bag or pouch

Cat. No.	Overall Length	Length Closed	Weight
44131	6-1/4" (158.8 mm)	4" (101.6 mm)	0.27 lb (0.12 kg)



44131

Auto-Loading Folding Retractable Utility Knife

- Auto-loading blade for faster and safer blade changes
- Internal blade storage holds and includes 3 blades
- Rubber grips on handle for improved control and comfort
- High quality triple ground blades stay sharp longer
- Lock release to close knife
- Equipped with belt clip

Cat. No.	Overall Length	Length Closed	Weight
44130	7-1/8" (181.0 mm)	4-1/8" (104.8 mm)	0.47 lb (0.21 kg)



44130



See page 295 for additional information on warnings.



WARNING: Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury. Check local laws on legality of selling or possessing these knives.

Utility Knives

Auto-Retracting Utility Knife

- Rugged, heavy-duty and durable construction
- Knife incorporates a wire-stripping notch
- Safety yellow handle for greater visibility
- Blade removal/insertion without disassembly
- Blade retracts fully into housing when cut is complete



44136

Blade retracts fully into housing when cut is complete.



Cat. No.	Overall Length	Length Closed	Weight
44136	5-3/4" (146.1 mm)	5-43/64" (144.1 mm)	0.44 lb (0.20 kg)

Klein Kurve™ Retractable Utility Knife

- Rugged, heavy-duty and durable construction
- Contains a wire-stripping notch
- Internal blade storage includes and holds 6 blades
- High quality triple ground blades stay sharp longer
- Rubber grips on handle for improved control and comfort
- Designed for improved cutting ability



44133

Cat. No.	Overall Length	Length Closed	Weight
44133	7" (177.8 mm)	6-1/2" (165.1 mm)	0.47 lb (0.21 kg)

Utility Knife - Retractable Blade

- Top button moves heavy-duty, razor-edged blade to any of three cutting positions
- Double-ended, reversible blade retracts fully for carrying
- Lightweight aluminum handle is shaped for comfort
- Accepts most standard blades
- Includes three standard blades, stored in handle
- Made in the U.S.A
- Leather holder available, Cat. No. 5185



44100

Cat. No.	Overall Length	Length Closed	Weight
44100	6-5/8" (168.3 mm)	6" (152.4 mm)	0.22 lb (0.10 kg)

Utility Knife Blade Dispenser

- 50 blades included
- High quality triple ground blades stay sharp longer
- Gauge on dispenser indicates blades remaining
- Convenient interim storage for used blades
- Blades are compatible with all standard utility knives




44103

Cat. No.	Overall Width	Dimensions	Weight
44103	1-19/64" (32.9 mm)	4-21/64" x 2-51/64" x 1-19/64" (109.9 x 71.0 x 32.9 mm)	1.0 lb (0.45 kg)

Utility Knife Blades

- Heavy-duty razor-edged blades
- Universal size fits Klein and most other makes of utility knives
- Blades are reversible for extra life
- Blades made in the U.S.A.




44101

Cat. No.	Blade Length	Blade Thickness	Package Quantity	Weight
44101	2-7/16" (61.9 mm)	0.025" (0.6 mm)	5	0.8 oz (23 g)

⚠WARNING: Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury. Check local laws on legality of selling or possessing these knives.





Sharpening Tools

Pocket-Sized Knife Sharpener

- Versatile sharpener featuring fine craftsmanship and unique design
- Sharpening rod unscrews and stores in handle for convenient carrying in tool box, pouch, or pocket
- Sharpening rod is precision-cut, hard-chromed steel for accurate, consistent sharpening and long life
- Magnetized to trap metal particles when sharpening
- Handle is a high-visibility orange color with handy pocket clip

PRODUCT SHOWN CLOSED



PRODUCT SHOWN OPEN

44151

Cat. No.	Blade Length	Overall Length	Overall Width	Blade Material	Handle Length	Weight
44151	3-3/4" (95.3 mm)	9-1/2" (241.3 mm)	1/2" (12.7 mm)	Steel	5-1/2" (139.7 mm)	0.80 oz (22.7 g)

Combination Knife and Scissors Sharpener

- High-grade, tungsten-carbide inserts sharpen both sides of the blade at the same time
- Restores knife edge in three or four strokes
- Built-in finger guard helps to protect your hand
- Lightweight, compact size for easy carrying and storage
- Sharpens electrician's scissors, pocket knives, retractable-blade utility knives, razor blade knives and serrated knives



48036

Cat. No.	Overall Length	Overall Width	Weight
48036	4" (101.6 mm)	2-1/4" (63.5 mm)	0.10 lb (0.05 kg)

⚠WARNING: Improper use of knife and scissors sharpener and/or failure to follow instructions can result in injuries. Keep your fingers behind the curved guard and your thumb securely on the multi-grooved thumb-rest indentation, never in front of it.

Electrician's Scissors

Electrician's Scissors

- Nickel plated to resist corrosion (Cat. Nos. 2100-5 and 2100-7)
- Notches for stripping 19 AWG and 23 AWG wire on the upper blade (Cat. Nos. 2100-7, 2100-8 and 2100-9)
- Extended handle to provide comfort and cutting leverage (Cat. No. 2100-8)



2100-5



2100-7



2100-8



2100-9

Cat. No.	Special Features	Application	Material	Cutting Length	Overall Length	Weight
2100-5	Scraper, File	Telecom, Electrical, Heavy-Duty Cutting	Steel	1-7/8" (47.6 mm)	5-1/4" (133.4 mm)	0.20 lb (0.09 kg)
2100-7	Scraper, File, Stripping Notches, Serrated Blades	Telecom, Electrical, Heavy-Duty Cutting	Steel	1-7/8" (47.6 mm)	5-1/4" (133.4 mm)	0.20 lb (0.09 kg)
2100-8	Free-Fall Snip, Extended Handle, Serrated Blades	Wire Cutting; Stripping	Stainless Steel	1-7/8" (47.6 mm)	6-5/16" (160.3 mm)	0.21 lb (0.10 kg)
2100-9	Free-Fall Snip, Serrated Blades	Wire Cutting; Stripping	Stainless Steel	1-7/8" (47.6 mm)	5-1/4" (133.4 mm)	0.21 lb (0.10 kg)

See page 295 for additional information on warnings.



⚠WARNING: Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury. Check local laws on legality of selling or possessing these knives.

Electrician's Scissors

All-Purpose Electrician's Scissors

NEW!

- Cable cutting notch in blade provides increased leverage and stability on tough cuts of up to 14 AWG wire
- Strips 19 and 23 AWG wire
- Durable, forged high carbon steel blades maintain sharpness and outlast stamped designs
- Ergonomic handle fits a variety of hold preferences
- Notch in tip for deburring electrical boxes
- Serrated teeth allow for non-slip cutting action
- Scraper on both blades for cleaning wire



2600-1

Cat. No.	Special Features	Application	Material	Cutting Length	Overall Length	Weight
26001	NEW! Serrated Blades, Notches	Cable Cutting, Stripping, Deburring	Carbon Steel	1-7/8" (47.6 mm)	6-3/4" (171.4 mm)	4.6 oz (132 g)

Industrial High-Leverage Shears

High-Leverage Snip

- Nickel-chrome plating resists corrosion and rusting
- Cat. Nos. 22001 and 22002 have broad, short jaws



22000



22001



22002




22003

Cat. No.	Description	Special Features	Application	Material	Cutting Length	Overall Length	Weight
22000	High-Leverage Snip	—	Cuts Light Metals, Rubber, Heavy Fabrics	Forged Steel	1-3/4" (44.5 mm)	6-1/2" (165.1 mm)	0.34 lb (0.15 kg)
22001	Broad Blade Utility Shear	Serrated Blade, Broad Short Jaws	Cuts Light Wire, Fabric, Cable, Cordage	Forged Steel	2" (50.8 mm)	8" (203.2 mm)	0.55 lb (0.25 kg)
22002	Large Broad Blade Utility Shear	Extended Handles, Serrated Blade, Broad Short Jaws	Cuts Light Metal, Rubber, Cable, Wire, Metal Screens, Cordage, Plastic, Ropes	Forged Steel	2" (50.8 mm)	8-1/2" (215.9 mm)	0.55 lb (0.25 kg)
22003	High Leverage Utility Shear, 8"	Extended Handles	Cuts Light Metals, Rubber, Heavy Fabrics	Forged Steel	3" (76.2 mm)	9" (228.6 mm)	0.49 lb (0.22 kg)

⚠WARNING: Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury. **Check local laws on legality of selling or possessing these knives.**





Industrial Utility Snips

High-Leverage Kevlar® Snip

- Nickel-chrome plating resists corrosion and rusting
- Compatible for right- and left-handed users




Cat. No.	Description	Special Features	Application	Material	Cutting Length	Overall Length	Weight
24000	High Leverage Kevlar® Snip	Closure Lock, Serrated Blade, Spring-Loaded	Fiberoptic (Cutting Kevlar® Insulation)	Steel	5/8" (15.9 mm)	6-1/2" (165.1 mm)	0.28 lb (0.13 kg)
24001	Spring Action Snip	Closure Lock, Serrated Blade, Spring-Loaded	Fiberoptic (Cutting Kevlar® Insulation); Cuts Stranded Wire, Light Metal, Cordage	Steel	1" (25.4 mm)	5" (127.0 mm)	0.28 lb (0.13 kg)

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.

Bent Trimmers

Bent Trimmers

- Nickel-chrome plating resists corrosion and rusting



Cat. No.	Description	Special Features	Application	Material	Cutting Length	Overall Length	Weight
23008	Bent Trimmer, 8" (203 mm)	Extended Handle	Cuts Plastic, Rubber, Tar Paper, Cording, Vinyl, Fiberglass Insulation and Cloth Materials	Metal	3-1/2" (88.9 mm)	9" (228.6 mm)	0.41 lb (0.19 kg)
23010	Bent Trimmer, 10" (254 mm)	Extended Handle	Cuts Plastic, Rubber, Tar Paper, Cording, Vinyl, Fiberglass Insulation and Cloth Materials	Metal	4-1/2" (114.3 mm)	10-1/2" (266.7 mm)	0.99 lb (0.45 kg)
23011	Bent Trimmer, 11-1/4"	Extended Handle	Cuts Felt Lining, Muslin, Cord, Rubber, Abrasive Materials and Multiple Layers of Fabric	Metal	4-3/4" (120.7 mm)	11-1/4" (285.8 mm)	1.2 lb (0.6 kg)
23015	Single Serrated Blunt Blade Shear	Extended Handle, Serrated Blade	Cuts Belting, Heavy Fabric or Carpet, Leather, Upholstery	Metal	3-3/16" (81.0 mm)	9-3/4" (247.7 mm)	0.94 lb (0.43 kg)

See page 295 for additional information on warnings.



⚠️WARNING: Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury. **Check local laws on legality of selling or possessing these knives.**