

HEAVY-DUTY **FORGED STEEL** WIRE STRIPPERS

The durability of a plier with the sharpness and precision of a wire stripper.



Induction hardened cutting knives for longer cut life

6-32 and 8-32 screw shearing holes

Knurled jaw for twisting, grabbing and looping wire





Precision ground stripping holes

Hot-riveted joint ensures smooth action and no handle wobble

Coil spring for fast, self-opening action

KLEIN-KURVE **comfort grip handles** for reduced hand fatigue







K12055



Cat. No.	Strips and Cuts	Screw Shearing	Overall Length	Handle Color	Weight
K12054 NEW!	8-16 AWG Solid, 10-18 AWG Stranded	6-32 and 8-32	8" (203 mm)	Blue/White	0.63 lb (0.29 kg)
K12055 NEW!	10-18 AWG Solid, 12-20 AWG Stranded	6-32 and 8-32	8" (203.2 mm)	Blue/Yellow	0.63 lb (0.29 kg)

KLEIN-KURVE

comfort grip handles for reduced hand fatigue

Double dipped comfort grips.



Wire Strippers/Cutters

Coil spring provides fast self-opening action.

Strong gripping serrated nose for easy bending, shaping, and pulling of wire.



Handy closure lock for convenient storage

crew shearing holes

Precision ground stripping holes

Wire Strippers/Cutters

Includes Klein-Kurve™ core features plus:

- Easy-to-read markings
- Precision shear-type blades
- Cat. No. 11054GLW features glow in the dark grips to easily locate your tool in dark or low lit areas



11054

Cat. No.	Strips and Cuts	Screw Shearing	Overall Length	Handle Color	Weight
11053	6 - 12 AWG Stranded (10 mm ² - 2.5 mm ²)	6-32 and 8-32	7-1/8" (181.0 mm)	Blue/Red	0.34 lb (0.15 kg)
11054	8 - 16 AWG Solid (8.4 mm ² - 1.3 mm ²), 10 - 18 AWG Stranded (5.3 mm ² - 0.82 mm ²)	6-32 and 8-32	7-1/8" (181.0 mm)	Blue/White	0.34 lb (0.15 kg)
11054GLW	8 - 16 AWG Solid (8.4 mm ² - 1.3 mm ²), 10 - 18 AWG Stranded (5.3 mm ² - 0.82 mm ²)	6-32 and 8-32	7-1/8" (181.0 mm)	Glow in the Dark	0.34 lb (0.15 kg)
11055	10 - 18 AWG Solid (4.0 mm ² - 0.75 mm ²), 12 - 20 AWG Stranded (2.5 mm ² - 0.50 mm ²)	6-32 and 8-32	7-1/8" (181.0 mm)	Blue/Yellow	0.34 lb (0.15 kg)
11057	20 - 30 AWG Solid (0.50 mm ² - 0.14 mm ²), 22 - 32 AWG Stranded (0.34 mm ² - 0.05 mm ²)	6-32 and 8-32	7-1/8" (181.0 mm)	Blue/Red	0.32 lb (0.15 kg)

Long-Nose Wire Stripper/Crimper

Includes Klein-Kurve™ core features plus:

- Crimps insulated and non-insulated connectors
- Tip designed to grab, pull and bend the smallest of wires
- · Reinforced head (patent-pending design) reduces flex
- Optimized for ideal leverage when stripping and crimping
- Precision shear-type cutting blades for easier cutting
- Do no use to cut steel wire





1009

Cat. No.	Strips and Cuts	Bolt Size	Crimping Capacity	Overall Length	Handle Color	Weight
1009 NEW!	10 - 20 AWG Solid; 12 - 22 AWG Stranded	6 - 32 and 8 - 32	10 - 22 AWG (4.0 mm ² - 0.34 mm ²)	7-3/4" (196.9 mm)	Gray/Yellow	0.34 lb (0.15 kg)



Klein-Kurve™ Wire Strippers/Cutters

Dual NM Cable Stripper/Cutters

Includes core Klein-Kurve $^{\mathsf{TM}}$ features plus:


- Cat. No. K1412 has 12/2 and 14/ stripping slots to quickly remove the outer jacket of Type NM-B nonmetallic sheathed cable and strips, cuts and loops 12 and 14 AWG solid wires
- Cat. No. K1412CAN removes outer jacket of Canadian NMD-90 Romex[®] Cable and strips, cuts and loops 14 and 16 AWG stranded wires
- Narrow nose fits into tight places



K1412

Cat. No.	Strips and Cuts	Screw Shearing	Overall Length	Handle Color	Weight
K1412	NM-B Cable 12/2 and 14/2; 12 and 14 AWG Solid (2.5 mm² and 1.5 mm²); 14 and 16 AWG Stranded (1.5 mm² and 1.0 mm²)	6-32 & 8-32	7-3/4" (196.9 mm)	Yellow/White	0.41 lb (0.19 kg)
K1412CAN	NMD-90 Cable 12/2 and 14/2; 12 and 14 AWG Solid (2.5 mm² and 1.5 mm²), 14 and 16 AWG Stranded (1.5 mm² and 1.0 mm²)	6-32 & 8-32	7-3/4" (196.9 mm)	Yellow/White	0.41 lb (0.19 kg)

Romex® is a registered trademark of Southwire Company.



Wire Strippers/Cutters

Includes core wire stripper/cutter features plus:


- Narrow nose fits into tight places
- Cat. No. 11048 strips two wires in a single motion
- Do not use for cutting steel wire or screws





11045

Cat. No.	Strips and Cuts	Overall Length	Handle Color	Weight
11045	10 - 18 AWG Solid (4.0 mm ² - 0.75 mm ²)	6-1/4" (158.8 mm)	Yellow	0.27 lb (0.12 kg)
11046	16 - 26 AWG Stranded (1.0 mm² - 0.14 mm²)	6-1/4" (158.8 mm)	Red	0.27 lb (0.12 kg)
11047	22 - 30 AWG Solid (0.34 mm ² - 0.05 mm ²)	6-1/4" (158.8 mm)	Yellow	0.27 lb (0.12 kg)
11048	10, 12, 14 AWG Solid (4.0 mm ² , 2.5 mm ² , 1.5 mm ²)	6-1/4" (158.8 mm)	Yellow	0.27 lb (0.12 kg)
11049	8 - 16 AWG Stranded (6 mm² - 1.0 mm²)	6-1/4" (158.8 mm)	Red	0.27 lb (0.12 kg)







Wire Strippers/Cutters

Wire Strippers/Cutters

- Strips six standard wire sizes without nicking wire
- Wide blades of 1/2" (13 mm) make clean cuts with little effort
- Serrated nose jaws to bend, shape or pull wire; holes for looping wire ends
- Spring-loaded for self-opening action
- Comfortable, plastic-covered handles



1011

Cat. No.	Strips and Cuts	Overall Length	Handle Color	Weight
1011M	0.15 to 4.0 mm ² Stranded Wire	6-1/8" (155.6 mm)	Blue	0.23 lb (0.10 kg)
1011	10 - 20 AWG Solid (4.0 mm² - 0.50 mm²), 12 - 22 AWG stranded (2.5 mm² - 0.34 mm²)	6-1/8" (155.6 mm)	Blue	0.23 lb (0.10 kg)

Adjustable Wire Strippers/Cutters - Solid and Stranded Wire

- Cuts, strips and loops 12-26 solid and stranded wire
- A handy, light, compact tool for stripping insulation
- Convenient hole for looping or bending wire
- Black-oxide finish with plastic-dipped handles
- Adjustable slide stop with set screw for repeat stripping work
- Do not use to cut steel or bolts



1004

Cat. No.	Strips and Cuts	Hold-Open Spring	Overall Length	Handle Color	Weight
1004	12 - 26 AWG Solid and Stranded (2.5 mm ² - 0.14 mm ²)	Yes	5" (127.0 mm)	Yellow	0.18 lb (0.08 kg)
1003	12 - 26 AWG Solid and Stranded (2.5 mm ² - 0.14 mm ²)	No	5" (127.0 mm)	Yellow	0.14 lb (0.06 kg)

Adjustable Wire Stripper/Cutter - Solid and Stranded Wire

- Simply dial desired wire size for fast, easy stripping
- Finely honed nose cutter easily gets into tight areas
- Wire gauge dial sets stripping dies to proper size to help prevent nicked wire
- Black-oxide finish with plastic-dipped handles
- Spring-loaded design tool opens automatically after each action



Cat. No.	Strips and Cuts	Hold-Open Spring	Overall Length	Handle Color	Weight
74007	12 - 24 AWG Solid and Stranded (2.5 mm ² - 0.25 mm ²)	No	5-1/8" (130.2 mm)	Yellow	0.15 lb (0.07 kg)



Wire Strippers/Cutters

NM Cable Ripper

- Easy-to-use cable ripper
- Slit the outer jacket of Romex® cable (all sizes) and other nonmetallic (type NM) sheathed cable
- Measure conductor wire gauge



Cat. No.	Measures Wire Gage	Overall Length	Weight
74017	8 - 14 AWG (6 mm ² - 1 mm ²)	4" (101.6 mm)	1.3 oz (37 g)

Romex® is a registered trademark of Southwire Company.

Katapult™ Wire Stripper/Cutters

KATAPULT

- Cuts and strips 22 AWG wire with ease
- Compound-action wire stripping: grip and strip via single action squeezing motion
- · Precision machined stripping holes easily remove jacket insulation without damaging the wire
- Removes up to 1" (24 mm) in length of the insulation layer (jacket layer) in a single step
- Tension loaded wire-grip gently holds the cable in place while retaining the cable geometry
- Additional cutting blades available



11063W

Cat. No.	Strips and Cuts	Hold-Open Spring	Overall Length	Handle Color	Weight
11063W	8 - 24 AWG Solid, 10 - 22 AWG Stranded	Yes	6-19/32" (167.5 mm)	Blue/Black	0.75 lb (0.34 kg)

Cat. No.	Application	Weight			
Replacement Blades					
VDV110-046	RG6 Coaxial Cable	0.16 oz (4.5 g)			
11082	10 AWG Max Wire	0.16 oz (4.5 g)			
11073	8 - 22 AWG (6.0 mm ² - 0.34 mm ²)	0.16 oz (4.5 g)			
11074	16 - 26 AWG (1.0 mm ² - 0.14 mm ²)	0.16 oz (4.5 g)			
Wire Stop/Gauge					
11081	Adjustable Wire Stop/Gauge	0.16 oz (4.5 g)			

Self-Adjusting Wire Stripper/Cutter

- · Adjustable stopper to control the length of the core strip
- Convenient wire cutter in handle
- Grooved grips are designed for added comfort



11061

Cat. No.	Strips and Cuts	Hold-Open Spring	Overall Length	Handle Color	Weight
11061	10 - 20 AWG Solid, 12 - 22 AWG Stranded, 12/2 and 14/2 Romex® Wire	No	8-1/4" (209.6 mm)	Blue/Black	0.79 lb (0.36 kg)

Romex® is a registered trademark of Southwire Company.









Combination Wire-Stripping and Crimping Tools

Multi-Purpose 6-in-1 Tool

- Cleanly shears bolts
- Easily cuts and strips wire
- Comfortable, plastic-covered handles
- Measures stud sizes
- Gauges wire sizes
- Crimps insulated terminals



1000

Cat. No.	Strips and Cuts	Bolt Size	Crimping Capacity	Overall Length	Handle Color	Weight
1000	8 - 22 AWG Solid (6.0 mm² - 0.34 mm²), 10 - 26 AWG Stranded (4.0 mm² - 1.0 mm²)	4-40, 6-32, 8-32, 10-24, 10-32	10 - 22 AWG	7-3/4" (196.9 mm)	Red	0.44 lb (0.20 kg)

Multi-Purpose Electrician's Tool

- · Cleanly shears bolts
- Two wire cutters-one at tip, the other halfway back near stripping holes-double the utility of this tool
- Full-sized, plastic-covered cushioned handles for comfort
- Color-coded crimping dies for 10-22 AWG insulated and non-insulated terminals
- Pivot nut adjusts tension
- Wire-looping holes near tip



1001

Cat. No.	Strips and Cuts	Bolt Size	Crimping Capacity	Overall Length	Handle Color	Weight
1001	8 - 22 AWG Solid (6.0 mm² - 0.34 mm²), 10 - 26 AWG Stranded (4.0 mm² - 1.0 mm²)	4-40, 6-32, 8-32, 10-24, 10-32	10 - 22 AWG	8-1/2" (215.9 mm)	Red	0.47 lb (0.21 kg)

Multi-Purpose Long-Nose Tool

- Cleanly shears bolts
- Easily cuts and strips wire
- Plastic-covered cushioned handles for comfort
- Narrow, serrated pliers plier nose pulls, loops and bends wire
- Long, curved cutting blade
- Cutters and strippers are in front of the pivot for maximum ease-of-use when reaching into tight places
- Crimps insulated and non-insulated terminals and 7 to 8 mm ignition terminals



1010

Cat. No.	Strips and Cuts	Bolt Size	Crimping Capacity	Overall Length	Handle Color	Weight
1010	10 - 20 AWG Solid, 12 - 22 AWG Stranded	4-40, 5-40, 6-32, 8-32, 10-32, 10-24	10 - 22 Gauge	8-1/4" (209.6 mm)	Blue	0.43 lb (0.20 kg)



Crimping Tools

Crimping/Cutting Tool

- Cat. No. 1006 is designed for crimping non-insulated solderless terminals and connectors
- Cat. Nos. 1005 and J1005 are marked for insulated and non-insulated solderless terminals and connectors
- Tapered nose design for working in confined areas
- Specially hardened wire cutter in nose
- Hot-riveted joint for smooth action and no handle wobble









Plastic-Dipped

Dual-Material

Cat. No.	Handle Finish	Crimps	Overall Length	Handle Color	Weight	
1005	Plastic-dipped	10 - 22 AWG (4.0 mm ² - 0.34 mm ²)	9-3/4" (247.7 mm)	Red	0.80 lb (0.36 kg)	
1006	Plastic-dipped	10 - 22 AWG (4.0 mm ² - 0.34 mm ²)	9-3/4" (247.7 mm)	Black	0.85 lb (0.39 kg)	
Journeyman™ Series – Dual-material handles for better grip						
J1005	Journeyman	10 - 22 AWG (4.0 mm² - 0.34 mm²)	9-3/4" (247.7 mm)	Red/Black	0.84 lb (0.38 kg)	

Large Crimp Tool-Compound-Action

Ultra-comfortable hand grips for easy use

Handle Finish

Molded Grips

2006

- All-in-one, integral crimp nest. No removable parts or rotating dies
- High-leverage handles and compound-action mechanism for superior mechanical advantage
- Adjustment screw allows user to control crimp depth



Ratcheting Crimpers - Insulated Terminals

• Cat. No. T1715 full-cycle ratcheting crimper crimps insulated terminals in wire sizes 22-16 (front cavity), 16-14 (middle cavity), and 12-10 (rear cavity)

#6 - 4/0 AWG battery lugs and terminals

- Cat. No. T1710 compound-action tool crimps 10-22 AWG insulated terminals to meet or exceed MIL-SPEC pull-out tests and features a special locater to quickly position terminal to double crimp
- Built-in ratchet with safety release assures uniform crimps every time
- Compound lever-action of narrow span handles puts more crimping power into each squeeze
- Comfort-grip plastic handles

Cat. No.	Crimps	Overall Length	Handle Color	Weight
T1715	22-16/16-14/ 12-10	9" (228.6 mm)	Black	1.1 lb (0.5 kg)
T1710	10 - 22 AWG	9" (228.6 mm)	Black	1.1 lb (0.5 kg)



T1715



T1710





Cable and Bolt Cutters

Klein exceeds the highest standards to create superior cable and bolt cutters, offering greater cutting power, clean and precise cuts, as well as long life. Klein cable and bolt cutters are a cut above the rest.

For Professionals... Since 1857™