

COMBUSTION CHAMBER KITS

LYNN

BOARD BLANKET PAPER STRIP ROPE GASKET CEMENT

www.lynnmfg.com

High Temperature Insulation



Same Day Shipment on UPS orders
2:30 EST Cut off time

Perfect Fit Replacement Kits
500+ makes & models of boiler/furnaces



Extensive Inventory
(781) 593-2500
Orders@LynnMfg.com

Technical Support
(781) 593-2500
TechSupport@LynnMfg.com



Index	Page
Combustion Chamber Repair Solutions	2
Quickies, TimeSavers & Wet Blankets	3
Kaowool Boards	4
Kaowool Dry Blankets	5
Kaowool Strips, Tapes & Bulk Fiber	6
Ropes & Paper	7
Tank Gauges & Gaskets	8
Foil Faced Wrap Insulation & Insulating Fire Bricks	9
Moldables & Castables	10
Accessories	11
Ready Reference Sheet	12

COMBUSTION CHAMBER REPAIR SOLUTIONS

Replacement Chamber Kits

- Perfect fit molded chambers
- Everything you need for the job in one box
- Kits for 500+ makes and models
- New kits added every year
- Excellent technical support available for “odd ball” units


Dry Base Boilers



Kit Contains (if required)

- Molded Ceramic Fiber Combustion Chamber
- Refractory Cement
- Hardware
- Complete Instructions

Wet Base Boilers



Kit Contains (if required)

- Molded ceramic fiber front refractory
- Molded ceramic fiber rear refractory (may be wet or dry depending on access)
- Dry ceramic fiber blanket for base liner
- Waterglass
- Hardware
- Rope or Copeseal
- Complete Instructions

Warm Air Furnaces



Kit Contains (if required)

- Molded Ceramic Fiber Combustion Chamber
- Hardware
- Gaskets
- Complete Instructions

Universal Combustion Chambers

- Universal Design Fits Many Makes and Models
- Many Sizes Available
- Complete Fit information available in our ready reference sheet

Quickies



Page 3

TimeSavers



Page 3

Custom Builds and Repairs

- Material to build a custom chamber or make a temporary repair.

Boards



Page 4

Dry Blankets



Page 5

Wet Blankets



Page 3

Ready Reference List contains make and model information for over 500 boilers & furnaces. Found at www.LynnMfg.com

Don't see what your looking for?
Please call for technical support. 781-593-2500



A list of our most popular kits is on the back of the catalog

COMBUSTION CHAMBERS

3

Quickies, Timesavers & Wet Blankets

Quickies

Designed for Wet Base Boilers. Vacuum cast chamber made of pure 2300F ceramic fiber. Absorbs sound for quiet combustion. One piece Installs quickly which saves times and money. Comes with soft Kaowool strips and complete instructions.



Name	Dimensions	Firing Rate GPH	Item #
Quickie 100	11.5" W x 11" L x 10.75" H	0.75—1.25	1001
Quickie 200	12.25" W x 14.25" L x 12" H	1.35—1.75	1002
Quickie 300	12.25" W x 18.25" L x 12" H	1.75—2.25	1003
Mini Quickie	11" W x 10.25" L x 10.25" H	0.65—1.00	1004

Time Savers

Designed for dry base boilers and furnaces. Vacuum cast chamber made of 2300F ceramic fiber. Absorbs sound. Can be cut in half vertically for installation. Comes with stainless bands and complete instructions.



Name	Dimensions	Firing Rate GPH	Item #
Time Saver 7	7.5" ID x 8.75" OD x 13.25" H	0.50—0.60	1007
Time Saver 9	9" ID x 10.75" OD x 14.5" H	0.65—0.85	1009
Time Saver 11	11" ID x 12.75" OD x 15.75" H	1.00—1.25	1011
Time Saver 13	13" ID x 14.75" OD x 15" H	1.35—1.75	1013
Time Saver 15	15" ID x 17" OD x 16" H	1.65—2.00	1015
Time Saver 2.25	13" W x 17.5" L x 16" H	1.75—2.25	1016
Time Saver 3.00	14" W x 22" L x 16" H	2.25—3.00	1017

Wet Kaowool Blankets

Soft and moist ceramic fiber blanket that can be formed to the shape of an existing chamber as a liner. Hardens when fired. Manufactured with a process that prevents bacteria growth while in the bag.



Name	Thickness	Dimensions	Temp	Item #
Kit A	1/2"	14" x 48" (1 ea)	2300 F	1032
Kit B	1/2"	14" x 48" (1 ea) 14" x 16" (1 ea)	2300 F	1033
Kit C	1/2"	16" x 48" (1 ea) 16" x 16" (1 ea)	2300 F	1034
24" Wet Blanket	1/2"	36" x 24" (1 ea)	2300 F	1035
18" Wet Blanket	1/2"	36" x 18" (1 ea)	2300 F	1036

KAOWOOL BOARDS

Kaowool Board - HVAC

Rigid ceramic fiber board. Applications include floors, walls, front-plates or target walls in combustion chambers. Easily cut with a knife or hacksaw and can be drilled.



Thickness	Dimensions	Boards/Ctn.	Temp.	Item #
1/4"	36" x 24"	6	2300 F	1028
1/2"	36" x 18"	4	2300 F	1025
	36" x 24"	4	2300 F	1026
3/4"	15" x 24"	2	2300 F	1022
	20" x 20"	2	2300 F	1023
	36" x 18"	2	2300 F	1024
1"	20" x 20"	2	2300 F	1019
	36" x 18"	2	2300 F	1020
	36" x 24"	2	2300 F	1021
1 1/2"	36" x 24"	1	2300 F	1062
2"	36" x 24"	1	2300 F	1063

Kaowool PM and M Board - Commercial and Industrial

High density, machineable, & close tolerance ceramic fiber board.

Thickness	Dimensions	Boards/Ctn.	Temp.	Item #
1/4"	36" x 24"	24	2300 F	BPMK23
	36" x 48"	24	2300 F	BPMK34
1/2"	36" x 24"	12	2300 F	BMML23
	36" x 48"	12	2300 F	BMML34
1"	36" x 24"	6	2300 F	BMM123
	36" x 48"	6	2300 F	BMM134
2"	36" x 24"	3	2300 F	BMM223
	36" x 48"	3	2300 F	BMM234

Superwool, high density and inorganic grades available. Please call for further information.

DRY BLANKETS

Dry Blankets

Soft ceramic fiber blanket available for many different uses.

HVAC Sizes



Name	Thickness	Dimensions	Temp	Size	Item #
Kaowool Blanket	1/4"	24" x 60"	2300 F	Short	9452
Kaowool Blanket	1/2"	16" x 48"	2300 F	Short	9451
Kaowool Blanket	3/4"	14" x 56"	2300 F	Short	9450
Kaowool Blanket	1"	18" x 48"	2300 F	Short	9449
Kaowool Blanket	1"	24" x 100"	2300 F	Mid-Size	9453



Commercial & Industrial Sizes

Name	Thickness	Dimensions	Temp	Size	Item #
Kaowool Blanket	1/4"	240" x 24"	2300 F	Large	8KAK2
Kaowool Blanket	1/4"	48" x 240"	2300 F	Large	8KAL2
Kaowool Blanket	1/2"	24" x 600"	2300 F	Large	6KAL2
Kaowool Blanket	1/2"	48" x 600"	2300 F	Large	6KAL4
Cerablanket	1"	24" x 300"	2400 F	Large	6CB12
Cerablanket	1"	48" x 300"	2400 F	Large	6CB14
Cerablanket	1 1/2"	24" x 180"	2400 F	Large	6CBV2
Cerablanket	2"	24" x 150"	2400 F	Large	8CB22
Cerablanket	2"	48" x 150"	2400 F	Large	8CB24
Superwool Plus	1/4"	48" x 240"	1900 F	Large	8SPK4
Superwool Plus	1/2"	48" x 600"	1900 F	Large	6SPL4
Superwool Plus	1"	48" x 300"	1900 F	Large	8SP14
Superwool Plus	1 1/2"	48" x 180"	1900 F	Large	8SPV4
Superwool Plus	2"	48" x 150"	1900 F	Large	8SP24
Cerachem	1"	24" x 300"	2600 F	Large	8CC12

STRIPS, TAPES & BULK FIBER

Kaowool Strips

Soft ceramic fiber blanket strips commonly used as gasket material. Packaged in master cartons of six strips. Bagged and labeled for individual re-sale. Custom sizes available and quoted on request.



Thickness	Dimensions	Temp	Item #
1/4"	240" x 1" x 1/4" (6 strips/ctn)	2300 F	9505
1/2"	300" x 1" x 1/2" (6 strips/ctn)	2300 F	9506
1"	150" x 2" x 1" (6 strips/ctn)	2300 F	9500
1"	150" x 3" x 1" (4 strips/ctn)	2300 F	9504

Commercial Sizes

Thickness	Dimensions	Temp	Item #
2"	300" x 2" x 1" (12 strips/ctn)	2300 F	8ST12
3"	300" x 3" x 1" (8 strips/ctn)	2300 F	8ST13

Kaowool Tapes/Flat Rope

Soft woven fiberglass tape commonly used for gasketing. Additional sizes available.



Name	Dimensions	Temp	Item #
1/8" Bag	25' x 1"	1000 F	9460
1/8" Spool	100' x 1"	1000 F	9461

Bulk Ceramic Fiber

Bulk products are a vermiculite substitute produced by varying composition, fiber length, compressed density, fiber content, fiber diameter, and lubricity to serve a wide range of customer needs. Examples are expansion joints construction, low mass kiln car construction, tube seal fabrication, thermal insulation.



Name	Dimensions	Lubricity	Temp	Item #
Superwool 607	25 lb carton	Lubricated	1800 F	FSWL25
Kaowool Bulk A	10 lb carton	Lubricated	2300 F	FKAL10
Kaowool Bulk A	25 lb carton	Lubricated	2300 F	FKAL25

ROPES & PAPER

High Temperature Ropes

Excellent gasket material. Can be used between boiler sections, boiler doors and packing around burner tubes and heads. Please call for additional sizes and densities.



Name	Dimensions	Temp	Item #
1/4"	1/4" OD x 25'	1000 F	9404
3/8"	3/8" OD x 25'	1000 F	9400
1/2"	1/2" OD x 25'	1000 F	9401
3/4"	3/4" OD x 25'	1000 F	9405
1"	1" OD x 25'	1000 F	9406
1 1/4"	Sold by Lineal Ft.	1000 F	9413
1 1/2"	Sold by Lineal Ft.	1000 F	9414
2"	Sold by Lineal Ft.	1000 F	9415

1000 F Self-Adhesive Braided High Density Rope

Thickness	Dimensions	Temp	Item #
3/16"	3/16" OD x 25'	1000 F	9407
3/8"	3/8" OD x 25'	1000 F	9408
1/2"	1/2" OD x 25'	1000 F	9409

2000 F Twisted Rope—Commercial

Name	Dimensions	Temp	Item #
3/8"	3/8" OD x 25'	2000 F	9402
1/2"	1/2" OD x 25'	2000 F	9403

Ceramic Fiber Paper

Ceramic Fiber Paper is commonly used for gaskets or thermal barriers. Available in a premium 1500 F—2300 F material. Small rolls are available in sheet, roll or strip form.



Thickness	Dimensions	Name	Temp	Item #
1/8"	1/8" x 15" x 24" (4 sheets per pkg.)	Small Sheets	2300 F	9600
1/8"	1/8" x 24" x 100"	Small Rolls	2300 F	9601
1/8"	1/8" x 1" x 200"	Strips	2300 F	9602
1/8"	1/8" x 15" x 24" (4 sheets per pkg.)	Small Sheets	1500 F	9650
1/8"	1/8" x 24" x 100"	Small Rolls	1500 F	9651
1/8"	1/8" x 1" x 200"	Strips	1500 F	9652

Large Rolls

Thickness	Dimensions	Temp	Item #
1/16"	1/16" x 24" x 100'	2300 F	PY5F2A
	1/16" x 24" x 200'	2300 F	PRBF2B
1/8"	1/8" x 24" x 50'	2300 F	PY5J2A
	1/8" x 24" x 100'	2300 F	PRBJ2B
1/4"	1/4" x 24" x 50"	2300 F	PY3K2B

TANK GAUGES & GASKETS

Tank Gauges & Replacement Top Sets

Dual Bushing Fits 1-1/2" and 2" in one gauge. Indoor/ Outdoor. Large text easily read from a distance. Highest quality gauge on the market. UL Listed. Custom sizes available.



Name	Fit	Item #
Model 42/44	Fits Vertical Tank	8000
Model 26/27	Fits Horizontal Tank	8001
Model 46/48	Fits Taller Imperial Gallon Tanks	8002
Replacement Top Set		8005

Popular Gaskets

Gaskets made to fit Miller mobile home furnaces, Universal, Beckett, Riello and Duomatic.



Name	Model	Description	Item #
Miller-Nordyne Mobile Home			
Gasket Kit	CMF, MOC, MGC	Item # 9511, 9512, 9513, 9514 (1 ea.)	9510
Burner Gasket (#3001-000)	CMF, MOC, MGC	6.50" OD x 4.375" ID (20 pcs)	9511
Pouch Gasket (#3001181-000)	CMF, MOC, MGC	10" x 13.50" (20 pcs)	9512
Burner Plate Gasket (#301205-000)	CMF, MOC, MGC	10.25" x 16" (20 pcs)	9513
Flue Gasket (#3001195-000)	CMF, MOC, MGC	7.0625" OD x 5.125" ID (20 pcs)	9514
High Temp Burner Plate	CMF, MOC, MGC	10.25" x 16" (10 pcs)	9525
Gasket Kit	M1, CMF2	Chamber (2 ea.) Burner (1 ea.)	9527
Universal			
Burner Flange Gasket	Universal	Replaces Beckett Part #3616 (20 pcs/bag)	9550
Beckett			
Burner Flange Gasket	Beckett	Fits Beckett #68 Flange (20 pcs/bag)	9551
Riello			
Burner Flange Gasket	Riello	Fits All Models (20 pcs/bag)	9560
Duomatic			
Clean Out Gasket	Duomatic	3" OD x 2" ID (20 pcs/bag)	9515

FOIL FACED WRAP INSULATION & INSULATING FIRE BRICKS

6

Foil Faced Wrap Insulation & Insulating Fire Bricks

Foil Faced Wrap Insulation


Superwool Blanket with Foil Facing. Available in many sizes, thicknesses, densities, temperatures and foil type configurations. Ideal for fire protection, furnace linings and flue temperature control. Please call for pricing custom shapes and sizes.



Thickness	Description	Temp	Item #
1/2"	1/2" x 24" x 25 feet	2300 F	CL-25-24
1/2"	1/2" x 48" x 25 feet	2300 F	CL-25-48
1/4"	1/4" x 24" x 25 feet	2300 F	CK-25-24
1/4"	1/4" x 48" x 25 feet	2300 F	CK-25-48

Insulating Fire Bricks

Insulating Fire Bricks are manufactured with a unique slurry casting process which creates a network of micro porosity that produces low thermal conductivity and good thermal shock characteristics.



		Full Bricks	3" Bricks	Splits
		9" x 4.5" x 2.5" (12 per ctn.)	9" x 4.5" x 3" (10 per ctn.)	9" x 4.5" x 1.25" (20 per ctn.)
Name	Firing Rate (GPH)	Item #	Item #	Item #
K-23 (2300F)	3-5	IFK23A2	IFK23A3	IFK23A1
K-26 (2600F)	6-15	IFK26A2	IFK26A3	IFK26A1
JM-28 (2800F)	16-25	IFJ28A2	IFJ28A3	IFJ28A1
JM-30 (3000F)	25+	IFJ30A2	IFJ30A3	IFJ30A1

MOLDABLES & CASTABLES

Moldables & Castables

Moldables are manufactured specifically to aid in efficient furnace, kiln and boiler operation, these products eliminate hot spots, provide superior maintenance solutions, and make insulation installation quick and easy.



Monolithic products provides a wide range of innovative solutions for heat-intensive challenges. Available in different formulations, densities, and installation methods, monolithics can be used as primary or secondary insulation, for repair, or for specialty applications.

Name		Description	Item #
 Waterglass	4oz Bottle (12/pkg)	2500 F	5602
 Waterglass	Quart Can	2500 F	5601
 High Temperature Refractory Cement (Bonds insulating fire bricks)	30 lb Pail	3000 F	5600
 High Temperature Refractory Cement	11 oz Tube	3000 F	5606
 Fiber Bond Cement (Bonds Kaowool boards to steel)	Pint Can	3000 F	5604
 Kaowool Sealcote HT	11 oz Tube	2500 F	8053
 Kaolite 2300 LI Lighweight Castable	40 lb bag	2300 F	MNK23L
 Kaocrete B Lighweight Castable	55 lb bag	2300 F	MNKAOB
 Kaocrete 28 LI Dense Castable	55 lb bag	2300 F	MNK28L

ACCESSORIES

11

Accessories

Name	Packaging	Description	Item #
 Burner Head Protector <i>Beckett</i>	4" ID	Beckett	1030
 Burner Head Protector <i>Riello & Carlin</i>	3.5" ID	Riello & Carlin	1046
 Flame Stop	10" x 12"	Flame shield for soldering or brazing. Protect wood, painted or metal surfaces from the heat and flame of a torch.	9351
 Heating System Evaluation Forms	50 forms/pad		6008
 Hole Plugs	100 pcs/bag	5/16" Diameter	6010
 Oil Absorber Snakes	5 pcs/carton	48" x 3" Dia.	8052
 Spill Pack		(11) Oil Absorber Mats 15" x 19" x 1/4" (4) Oil Absorber Snakes 3" Dia. x 48" (3) Plastic Disposable Bags	8053
 Standard Oil Absorber Mats—White	10/carton	19" x 15" x 1/4"	8040
 Standard Oil Absorber Mats—White	100/bale	19" x 15" x 1/4"	8045
 Premium Oil Absorber Mats—Blue	10/carton	19" x 15" x 1/4"	8050
 Premium Oil Absorber Mats—Blue	100/bale	19" x 15" x 1/4"	8055

Terms and Conditions

Minimum: None

Shipping Policy:

Same day shipment on UPS orders received before 2:30pm. Truck orders will be shipped within 2-3 business days.

Shipping Damage & Shortages:

Must be noted on the freight bill at time of delivery. Contact us to inform us of the damage and to arrange returns.

Returns:

Must be authorized before shipment. A restocking fee of 20-30% will be charged depending on the condition of product. Wet products can not be returned after 1 year.

Sales Policy:

Lynn Manufacturing, Inc. sells only to wholesalers or original equipment manufacturers.

Guarantee:

Any product found to be defective in material or workmanship will be replaced free of charge, if unused and within one year of purchase. This shall be Lynn Manufacturing maximum liability.

Restrictions & Product Use:

The products shown in this catalog are "for professional use only" and not for use by the general public. They are for use in servicing heating equipment by a trained, qualified technician familiar with such systems, equipped with the proper tools and equipment, familiar with all governing codes and ordinances, and licensed by the proper authorities.

Lynn Manufacturing, Inc.
15 Marion Street
Lynn, MA 01905
TEL 781-593-2500 FAX 781-596-0430

READY REFERENCE LIST

MANUFACTURER & MODEL #	LYNN ITEM #	MANUFACTURER & MODEL #	LYNN ITEM #
AMERICAN STANDARD	VP(T) -----	DUNKIRK RADIATOR	1105
	V-3 -----	EMPIRE WATER	1105
	D36C, D48C, D60C, F81	3E.60 (C), 3E.75 (C)	
	F86CF, F86H, F97	3E1.00 (C), 4E.90 (C)	
	F100CF, FC085, FH085	4E1.25 (C), 4E1.50 (C)	
BARD OIL FURNACE	FH110, FLF085, FLF110	5E1.20 (C), 5E1.75 (C)	
	FLR085, FLR110	5E2.00 (C)	
	Part #7090-005 -----	EMPIRE II WATER	1132
		3EW.65, 3EW.75	
BRYANT		3EW1.00, 4EW.90	
		4EW1.25, 4EW1.50	
		5EW1.20, 5EW1.75	
		5EW2.00	
PREFERRED SERIES		MICROTEK 3 & 3DV	1167
	BW4 & BW5	NY SERIES	
		NY-112-1	1102
		NY-124-1, NY-151-1	1106
BURNHAM		NY-168-1, NY-194-1	1106
	LE & LED - All Models - 1167	NY-224-1	1106
	V-1 SERIES -----	AP SERIES	
	V-13, V-14, V-15, V-16	AP-490, AP-510	1103
V-3 SERIES	V-17, V-18, V1-72, V1-96	AP-580	1102
	V-33, V-34, V-35 & V-36	AP-590	1103
	V-7 SERIES	AP-660	1102
	V-72, V-73, V-713, V-74	AP-670, AP-690	1103
V-714, V-75, V-76, V-77		AP-780	1106
		AP-790	1103
		AP-840, AP-890	1106
		AP-1160	1106
ELECTRIC FURNACE-MAN		APD-96	1103
		S OR KD SERIES	
		S or KD-97-AP	1103
		S/KD98-AP, 99-AP	1102
OBT SERIES		S/KD106-AP	1102
		S/KD107-AP	1103
		S/KD114-AP	1106
		S/KD118-AP	1103
ENERGY KINETICS		S/KD122-AP	1106
		S/KD131-AP	1103
		S/KD132-AP, 142-AP	1106
		S/KD154-AP	1103
SYSTEM 2000 EK1 STANDARD		S/KD165-AP, 176-AP	1106
		S/KD193-AP, 203-AP	1106
		S/KD222-AP, 230-AP	1106
		S/KD990, 580	1106
HYDROTHERM		S/KD660, 720	1106
		S/KD840, 990	1106
		PH SERIES	
		PH-132, PH-142, PH-154	1106
OR SERIES		PH-165, PH-176, PH-203	1102
		PH-222, PH-230, CPH-165	1106
		CPH-176	1102
		OS SERIES	
MULTITEMP		OS-98	1102
		OS-101-1	1106
		OS-106	1102
MO-420, 560&660			
MO-770			
MO-840, 990			
MO-1155			
MO-1320			
MO-1540, 1925			
MO-2310, 2695			
MO-3080, 3465			
MO-3850, 4235			
MO-4620, MO-5005			
MO-5390, MO-5775			
MO-6160, MO-6545			
MO-6930			
PB SERIES - ALL SIZES			
Without Swing-Out Door			
KERR F70, F75, F100			
See Vaillant Listing			
LENNOX CONSERVATOR SERIES			
COWB-3, 4 & 5			
TOBAGO & KINGSTON			
TWZ & KSZ All Sizes - 1155			

This is an abbreviated version of our Ready Reference List. For a complete list visit www.lynnmfg.com, or call us at 781-593-2500 for assistance.

NOTE: THIS LIST IS INTENDED TO BE USED ONLY AS A PRELIMINARY GUIDE TO COMBUSTION CHAMBER SELECTION. SINCE CONDITIONS CAN VARY FOR DIFFERENT INSTALLATIONS, WE ALWAYS RECOMMEND THAT ACTUAL DIMENSIONS AND FIRING RATES BE COMPARED BEFORE INSTALLATION. THESE PRODUCTS SHOULD ONLY BE USED BY QUALIFIED, TRAINED PERSONNEL, AND ONLY AFTER ALL LABELS AND INSTRUCTIONS HAVE BEEN CAREFULLY READ AND UNDERSTOOD. WE WILL NOT ACCEPT RESPONSIBILITY FOR IMPROPER INSTALLATION AND/OR APPLICATION.

MANUFACTURER & MODEL #	LYNN ITEM #	MANUFACTURER & MODEL #	LYNN ITEM #	MANUFACTURER & MODEL #	LYNN ITEM #
OS-114, OS-120-1	1106	JO/JOT-TW150, JO/JOT-TW175		SER 8HE	1071
OS-122	1106	JO/JOT-TW200, JO/JOT-TW250		MODEL FD-12	1068
OS-123-1	1103	JO/JOT-TW275, JO/JOT-TW300		BB14 & OB14	1159
OS-132	1106	WB, WV & WB/WV	1071	SERIES 19	
OS-140-1	1103	WB-085, WBV-085		3-6 SECTION	1169
OS-142, OS-143-1	1106	WB-110, WBV-110		BECKETT 3-6 SECT	1170
OS-161-1, OS-165	1106	WB-125, WBV-125		7-12 SECTION	1171
OS-170-1, OS-191-1	1106	WB-150, WBV-150		SERIES 28-ALL	1168
OS-222	1106	WB/WV-03, WB/WV-04		SYSTEM 2000	
UCG SERIES		WB/WV-05		EK1 STANDARD	
UCG-100	1106	PENNCO		Parts available, call for details	
UCG-100-1	1103	KEYSTONE WATER	1105	THERMO-DYNAMICS	
UCG-125, UCG-125-1	1106	KSC STEAM	1096	LM & LMD	1172
UCG-140, UCG-150-1	1106	REPCO		THERMOFLO	
UCG-154-1, UCG-164	1106	BOS SERIES	1061	OWB, OWT, OSB, OST	1126
UCG-170, UCG-189-1	1106	BOS-85R, BOS-100R		ULTIMATE ENGINEERING	
WH SERIES	1106	BOS-115R		PFO SERIES	
WH-132, WH-142		SEARS		PFO-3	1075
WH-154, WH-165		KENMORE 44	1105	PFO-3T	1073
WH-176		SLANT/FIN		PFO-4, PFO-4T	1073
CLASSIC SERIES		XL-20, 30, 40 & 50	1088	PFO-5, PFO-5T	1073
CLW-3, 4, 5 & 6	1134	LIBERTY		PFO-6T, PFO-7	1076
CL-35, 45, 55, 65&75	1134	L-20, 30, 40, 50(ALL)	1087	PFO-8T, PFO-9	1076
CL3-091, 105&140	1155	L-60PZ, L-60PZT	1087	UTICA RADIATOR	
CL4-126, 175&210	1155	L-60SKD, L-60SU	1087	STARFIRE II	1095
CL5-168, 245&280	1155	L-70PZ, L-70PZT	1087	SF-365, 3100, 4125, 4150	
FR SERIES - CHAMBER KITS		L-70SKD, L-70SU	1087	5175, 5200, 6225, 7275	
FR-HGS 98 & 122	1161	L-60P, L-60PT	1094	STARFIRE III	1096
HGSH 98 & 122	1161	L-60PPT, L-60WKD	1094	SFH or E0365	3100
FR-147 & 173	1162	L-60WU, L-70P	1094	3125, 4100, 4125, 4150	
FR-205 & 232	1163	L-70PT, L-70PPT	1094	5125, 5175; 5200, 6150	
FR-265 & 305	1163	L-70WKD, L-70WU	1094	6225, 7275	
FR - FLUE BOX KITS		LIBERTY II		SW SERIES	1096
FR-HGS 98 & 122	1164	LD-20, 30, 40&50 (ALL)	1127	CONSTELLATION	1096
FR-HGSH	1165	LD-60PZ, LD-60PZT	1127	VAILLANT	
FR-147 & 173	1166	LD-60SKD, LD-60SU	1127	F70 & F75 SERIES	1117
FR-205 & 232	1166	LD-70PZ, LD-70PZT	1127	F100 SERIES	1119
OLSEN BOILERS		LD-70SKD, LD-70SU	1127	WEIL MCLEAN	
OSFH	1096	LD-60P, LD-60PT	1128	62 SERIES	
OLSEN/AIRCO FURNACES		LD-60PPT, LD-60WKD	1128	362, 462	1001
For all models with 9200C,		LD-60WU, LD-70P	1128	562, 662	1002
28562& 882381Firepot--1158		LD-70PT, LD-70PPT	1128	762	1003
INCLUDES:		LD-70WKD, LD-70WU	1128	65 SERIES	1101
BCL-120, 120S & 120ST		INTREPID		465, 565, 665, 765, 865	
BCL-145, 145S & 145ST		TR-20,30,40&50 (ALL)	1127	66 SERIES	1060
BFL-120, 120T & 145		TR-60PZ, TR-60PZT	1127	366, 466, 566, 666, 766	
BFL-145T & HTL-100C	1158	TR-60SKD, TR-60SU	1127	68 SERIES	1060
ONEIDA ROYAL		TR-70PZ, TR-70PZT	1127	268, 368, 468, 568	
L-HO-145DA4	1158	TR-70SKD, TR-70SU	1127	668, 768, 868, 968	
L-HO-145DA5	1158	TR-60P, TR-60PT	1128	GO SERIES	
PEERLESS		TR-60PPT, TR-60WKD	1128	(W/WT)/S/GO	
EC/ECT	1093	TR-60WU, TR-70P	1128	2 THRU 8 SECTION	1072
EC/ECT-03, EC/ECT-04		TR-70PT, TR-70PPT	1128	9 SECTION ONLY	1148
EC/ECT-05, EC/ECT-06		TR-70WKD, TR-70WU	1128	76 SERIES	1120
JO AND JOT		CARAVAN		476, 576R, 576, 676	
JO/JOT-3, JO/JOT-35	1067	LDW/ZO-600-2-5	1128	776, 876, 976	
JO/JOT-4, JO/JOT-45		750-2-6, 850-2-7, 900-3-5		78 & 80 SERIES	1121
JO/JOT-5, JO/JOT-55		1100-3-6, 1300-3-7		4" BURNER OPENING	
JO/JOT-6, JO/JOT-TW075		1700-4-7, 2100-5-7		378, 478, 578, 678,	
JO/JOT-TW100, JO/JOT-TW125		2500-6-7, 2900-7-7		778, 878, 978, 1078,	
		3400-8-7		1178, 1278	
		H.B. SMITH		78 & 80 SERIES	1122
		SERIES 8		6" BURNER OPENING	
		Without Swing-Out Door--1104		378, 478, 578, 678,	
		With Swing-Out Door -----1153		778, 878, 978, 1078,	
				1178, 1278	
				WILLIAMSON	
				OWB, OWT, OSB, OST	1126
	</				