







### **Andy & Andy Classics** 12 inch Snips

High carbon inset steel blades with sleek aluminum frames for greater maneuverability and superior material flow.



Andy 12 in. (31 cm) Pattern Straight shearing, mild curve cuts and multiple layers of material.



L or R circles to 6 in. (15 cm) diameter and straight cuts.







M12A

Andy Classic 12 in. (31 cm) Pattern Straight shearing, mild curve cuts, and multiple layers of material.

The snug fit and feel of the original Andy Classic. MC12A Andy Classic 12 in. (31 cm) Combination

L or R circles to 6 in. (15 cm) diameter and straight cuts.


Catalog				Length of Cut	Tool Length	Net Wt.			
Number	Description			in. (mm)	in. (cm)	oz. (g)	Replacement Blades		
M12N	Andy 12 in. (31 cn	n) Pattern Snip		3 (76.2)	12 (31)	16 (454)	M12NRB		
M12NG	Andy 12 in. (31 cn	n) Pattern Snip "Gri	pped"	3 (76.2)	12 (31)	20 (567)	M12NRB		
MC12N	Andy 12 in. (31 cn	n) Combination Sni	р	3 (76.2)	12 (31)	16 (454)	MC12NRB		
MC12NG	Andy 12 in. (31 cn	n) Combination Sni	p "Gripped"	3 (76.2)	12 (31)	20 (567)	MC12NRB		
Catalog				Length of Cut	Tool Length	Net Wt.		Oriainal Model	
Number	Description			in. (mm)	in. (cm)	oz. (g)	Replacement Blades	Replacement Blade:	5
M12A	Andy Classic 12 in	n. (31 cm) Pattern S	nip	3 (76.2)	12 (31)	17 (482)	M12ARB	M12 use M12RB	
MC12A	Andy Classic 12 in	n. (31 cm) Combina	tion Snip	3 (76.2)	12 (31)	17 (482)	MC12ARB	MC12 use MC12RB	
CAPACITIES	Material	Vinyl	Aluminum	Copper	Stainl	ess Steel 26 Gauge	Galvanized Ste	el 24 Gauge	Mild Steel 24 Gauge
All Andy Snins	inches (mm)	055 (1.40)	035 (0.89)	023 (0.58)	018 (	0.46)	028 (0.71)		024 (0.61)



#### **Andy & Andy Classics** 14 inch Snips

Andy Snips feature multiple handle openings to fit large or small hands and provide superior material flow. A sleek head design improves maneuverability. A full 3-1/4 in. (82.6 mm) cutting length makes straight shearing fast and easy.





Catalog				Length of Cut	Tool Length	Net Wt.		Original Model
Number	Description			in. (mm)	in. (cm)	oz. (g)	Replacement Blades	Replacement Blades
M14A	Andy Classic 14 in	. (36 cm) Pattern :	Snip	3-1/4 (82.6)	14 (36)	22 (624)	M14ARB	M14 use M14RB
MC14A	Andy Classic 14 in	. (36 cm) Combine	ation Snip	3-1/4 (82.6)	14 (36)	22 (624)	MC14ARB	MC14 use MC14RB
M14N	Andy 14 in. (36 cm	n) Pattern Snip		3-1/4 (82.6)	14 (36)	20 (567)	M14NRB	
MC14N	Andy 14 in. (36 cm	n) Combination Sr	пір	3-1/4 (82.6)	14 (36)	20 (567)	MC14NRB	
CAPACITIES	Material	Aluminum	Copper	Stainless Steel 26 Gauge	Galvanized Steel 24	l Gauge Mild St	eel 24 Gauge	
All Andy Snips	inches (mm)	.035 (0.89)	.023 (0.58)	.018 (0.46)	.028 (0.71)	.024 (0	.61)	

#### **Max2000 Aviation Snips**











Max2000 Left, Right, and Combination Aviation Snips

feature alloy steel blades with serrated lower jaws for solid gripping power in sheet metals, vinyl plastics, layered metals and seams (including "S" cleats).

edge for superior offset maneuverability

and cutting performance.

**The Max2000 Double Cut Snip** employs a best of all worlds close tolerance design for consistent performance. A curved cutting edge on the center jaw reduces cutting force required and large relief grinds on all jaws minimize drag. The double cut blades feed smoothly, cut cleanly without surface distortion, and easily navigate metal seams encountered in round metal duct and stove pipe. A self-starting point on center jaw makes short work of blind cuts.



M2002

Catalog				Length of Cut	Tool Length	Net Wt.
Number	Description	Cutting Application	Grip Color	in. (mm)	in. (mm)	oz. (g)
M2001	Standard	Cuts Left	•	1-3/8 (34.9)	10 (254)	14 (397)
M2002	Standard	Cuts Right	•	1-3/8 (34.9)	10 (254)	14 (397)
M2003	Standard	Cuts Straight, Left and Right	•	1-11/16 (42.9)	10 (254)	14 (397)
M2004	Straight Double Cut	Straight, Double Cut	•	1-3/8 (34.9)	10 (254)	16 (454)
M2005	Bulldog	Notching and Trimming	•	1-1/16 (27)	10 (254)	13 (367)
M2006	Offset	Cuts sharp left angles, straight lines and 5 in. (125 mm) diameter Circles.	•	1-1/4 (31.8)	10 (254)	16 (454)
M2007	Offset	Cuts sharp right angles, straight lines and 5 in. (125 mm) diameter Circles.	•	1-1/4 (31.8)	10 (254)	16 (454)

CAPACITIES Stainless Steel 22 Gauge Galvanized Steel 22 Gauge Mild Steel 22 Gauae Material Aluminum Copper inches (mm) 0.040 (1.02) 0.034 (0.86) 0.034 (0.86) 0.030 (0.76) Material Copper Stainless Steel 20 Gauge Galvanized Steel 18 Gauge Mild Steel 18 Gauge 0.062 (1.57) 0.054 (1.37) 0.038 (0.97) 0.054 (1.37) 0.048 (1.22) All other Max Snips inches (mm)

Max2000 Replacement Spring Order: M2000S

# Max2000 Classic Aviation Snips





## Back by popular demand! Nothing feels quite like Max2000 Classic Snips!

MAX2000 Aviation Snips are the first choice for precise, professional results – any way you cut it! Whether choosing the new grips of our MAX2000 series or going with our classic handle aviation snips, now called MAX2000 Classics, pros know they can count on Malco performance with every cut, snip or notch.



Catalog				Length of Cut	Tool Length	Net Wt.
Number	Description	Cutting Application	Grip Color	in. (mm)	in. (mm)	oz. (g)
M2001C	Standard	Cuts Left	•	1-3/8 (34.9)	10 (254)	14 (397)
M2002C	Standard	Cuts Right	•	1-3/8 (34.9)	10 (254)	14 (397)
M2003C	Standard	Cuts Straight, Left and Right	•	1-11/16 (42.9)	10 (254)	14 (397)
M2006C	Offset	Cuts sharp left angles, straight lines and 5 in. (125 mm) diameter Circles.	•	1-1/4 (31.8)	10 (254)	16 (454)
M2007C	Offset	Cuts sharp right angles, straight lines and 5 in. (125 mm) diameter Circles.	•	1-1/4 (31.8)	10 (254)	16 (454)

<u>Max Snips</u> inches (mm) 0.062 (1.57) 0.054 (1.37) 0.038 (0.97) 0.054 (1.37) 0.04	8 (1.22)