

CALL: 1-800-4BK-TANK FAX: 908-722-8585

B&K TANK GAUGE COMPANY

division of Summit Systems Inc. 42 READINGTON ROAD • SOMERVILLE, NJ 08876-3540

www.tankstick.com

B & K 1,2, & 3 SECTION GAUGE POLES

| 1 SEC | TION G | AUGE | POLES | MADE OF KILN DRIED SEASONED HARDWOOD |
|------------------------------|---------------------------|-----------------|-----------------------------|---|
| OVERALL LENGTH | | SCALE LENGTH | | • 13/16" (2cm) SQUARE PROFILE |
| ITEM CODE | (FEET) | (INCHES) | (METRIC) | ALL EDGES ROUNDED SLIGHTLY SCALE (1/8") BLACK |
| GP 4 | 4' | 36" | 92 cm | POLYPROPYLENE BUTTON ADDED |
| GP 5 | 5' | 48" | 123 cm | TO FOOT OF POLE FOR PROTECTION |
| GP 6 | 6' | 60" | 154 cm | DURABLE 2.5 mil. COATINGS TO BED SCALE (1/8") BED |
| GP 7 | 7' | 72" | 182 cm | PROTECT AGAINST CHEMICALS |
| GP 8 | 8' | 84" | 213 cm | • INCREMENTS ARE EMBOSSED IN |
| GP 10 | 10' | 108" | 274 cm | 1/8 INCH OR 1/2 CENTIMETERS. |
| GP 12 | 12' | 120" | 305 cm | ANY STYLE SCALE AVAILABLE IN |
| GP 14 | 14' | 144" | 367 cm | BLACK, RED, OR SILVER INK. |
| GP 16 | 16' | 168" | 426 cm | |
| it is a 50 ga pendability | allon drum . All one p | or a 20,00 |)0 gallon ta e poles are | most effective products for measurement of underground storage tanks. Whether nk, our products are tough and durable to ensure a long life of accuracy and de- made from quality 13/16" x 13/16" hardwood. Embossed with a calibration of your nat stand up to daily use in all gasoline blends. |
| 2 & 3 S | ECTION | GAUGE | POLES | MADE OF KILN DRIED SEASONED HARDWOOD |
| THIS PRODUCT SHIPS VIA UPS. | | | PS. | • 13/16" (2cm) SQUARE PROFILE • ALL EDGES ROUNDED SLIGHTLY |
| OVEF LEN ITEM CODE | | | ALE GTH (METRIC) | POLYPROPYLENE BUTTON ADDED TO FOOT OF POLE FOR PROTECTION |
| GP2P-12 | 12' | 126" | 305 cm | DURABLE 2.5 mil. COATINGS TO |

| ITEM CODE | (FEET) | (INCHES) | (METRIC) |
|-----------|--------|----------|----------|
| GP2P-12 | 12' | 126" | 305 cm |
| GP2P-14 | 14' | 144" | 367 cm |
| GP2P-16 | 16' | 168" | 426 cm |
| GP3P-18 | 18' | 192" | 487 cm |
| GP3P-21 | 21' | 228" | 580 cm |
| GP3P-24 | 24' | 264" | 671 cm |

- PROTECT AGAINST CHEMICALS • FLUSH MOUNT HEAVY GAUGE ALUMINUM CONNECTOR
- QUALITY BRASS HARDWARE WITH LOCK NUTS





HEAVY DUTY ALUMINUM CONNECTOR "NON FERROUS"

> · Choice of 2 fastening options · Standard lock nut fastener or push button release · Great for shipping to remote locations · Reduces freight costs · Available in lengths up to 24 feet

0

B & K's 2 and 3 Piece Section Poles have been designed with the same durability and accuracy as our one section products. Our heavy duty connectors ensure secure and reliable use time after time. The savings on freight and the ability to extend measurements up to 22' tank diameters gives you the ultimate choice and flexibility to meet your customer demands.

UPGRADE OPTIONS FOR OUR 1 SECTION, 2 SECTION, AND 3 SECTION POLES: Printing on 2 sides • Printing on 2 sides from opposite ends • Printing in silver on black Aluminum wire handle 40" with hole drilled • Double coating black and clear for increased durability

- 11/8" X 3/4" RECTANGULAR VINYLESTER EXTRUDED TUBE 1/8" WALL THICKNESS
- |4||3||2 , | **2|F|T**, |5

GPF 12

12' / 367 cm

144" CALIBRATION

GPF 14

14' / 426 cm

168" CALIBRATION

- EXTREMELY CHEMICAL RESISTANT NON-POROUS MATERIAL WILL NOT **ABSORB LIQUIDS**

GPF 20

20' / 610 cm

240" CALIBRATION

RESISTS CORROSION, WILL NOT RUST OR STAIN – HOLLOW TUBE DOES NOT TRAP PRODUCT

NOT FOR USE IN FLAMMABLE LIQUIDS

GPF 16

16' / 487 cm

192" CALIBRATION

- **RIGID EXTRUDED FIBERGLASS POLE**
- LIGHTWEIGHT, STRONG, & DURABLE
- BLACK WITH STAINLESS STEEL TAPE
- IN 1/8" or 1/2 CM INCREMENTS PROTECTIVE END CAP TOP & BOTTOM

GPF 8

8' / 244 cm

96" CALIBRATION

ITEM CODE

OVERALL

LENGTH

B & K SECTIONAL FOLD-N-LOCK STICKS

• EASY TO OPEN EASY TO CLOSE 2 & 3 SECTION FOLD-N-LOCK **OVERALL LENGTH** SCALE LENGTH ITEM CODE (FEET) (INCHES) (METRIC) 2FL-12 12' 120" 305 cm 14' 144" 2FL-14 367 cm 16' 2FL-16 168" 426 cm 18' 192" 3FL-18 487 cm 3FL-21 21' 228" 580 cm 24' 3FL-24 264" 671cm

· EASY TO STORE

MADE OF KILN DRIED SEASONED HARDWOOD

· EASY TO SHIP

- 1/2" X 7/8" RECTANGULAR PROFILE
- PERMANENT RIVET
- DELRIN LOCK WON'T WEAR OR LOOSEN
- AVAILABLE IN 12', 14', 16', 18' & 21' LENGTHS
- FOLDS DOWN FOR STORAGE AND SHIPPING
- POLYPROPYLENE BUTTON ADDED TO FOOT OF POLE FOR PROTECTION

B & K's Fold-N-Lock Sticks are perfect for those who like a one piece pole but don't have the storage for a long pole and may be in an outlying area where delivery is difficult. Our Fold–N–Lock Sticks are available in the scales and ink choices shown for our Gauge Poles on page 2. This product can ship via UPS and folds open to lock without any tools! Save on time and freight.

FOLDS OPEN IN A "SNAP"

3,4 & 5 SECTION FOLD-N-LOCK

| ITEM CODE | OVERALL LENGTH | CALIBRATION (INCHES) | CALIBRATION (METRIC) |
|-----------|--------------------------|-------------------------|-------------------------|
| FL3 | 3 SECTION 9' OVERALL | 72" | 183 cm. |
| FL4 | 4 SECTION 12' OVERALL | 126" | 320 cm. |
| FL5 | 5 SECTION 15' OVERALL | 144" | 366 cm. |


B & K's Fold-N-Lock Stick is a great product for those who need portability and have limited storage capacity. These 3 foot sections fold open without the use of any tools and lock in an open position for use. Quality hardwood and tough coatings make this item as durable as our one piece poles. Dull black on 3 sides, for level detection; clear coating on top to protect scale; heavy, solid brass rivets and washer.

FOLDING GAUGE STICKS

| ITEM CODE | OVERALL LENGTH | CALIBRATION (INCHES) | CALIBRATION (METRIC) |
|-----------|--------------------------|-------------------------|-------------------------|
| FGS 3 | 3 SECTION 9' OVERALL | 72" | 183 cm. |
| FGS 4 | 4 SECTION 12' OVERALL | 126" | 320 cm. |
| FGS 5 | 5 SECTION 15' OVERALL | 144" | 366 cm. |

Our Original Folding Gauge is the price and quality leader in the industry. Made from quality 5/16" X 7/8" hardwood and permanently riveted at the hinge with nonferrous metal fasteners, this product continues to be our most popular item.

WORKS LIKE A ONE PIECE POLE!




- MADE OF KILN DRIED SEASONED HARDWOOD
- 5/16" X 7/8" RECTANGULAR PROFILE
- 1/8" INCREMENTS IN STANDARD INCH RISES; 1/2 cm METRIC WITH 1 cm RISES
- PERMANENT RIVET IN NONFERROUS METAL
- DELRIN LOCK WON'T WEAR OR LOOSEN
- AVAILABLE IN 9', 12', & 15' LENGTHS
- FOLDS TO 3' FOR STORAGE AND SHIPPING



- MADE OF KILN DRIED SEASONED HARDWOOD
- 5/16" X 7/8" RECTANGULAR PROFILE
- 1/8" INCREMENTS IN STANDARD INCH RISES; 1/2 cm METRIC WITH 1 cm RISES
- PERMANENT RIVET IN NONFERROUS METAL
- AVAILABLE IN 9', 12', & 15' LENGTHS
- FOLDS TO 3' FOR STORAGE AND SHIPPING

• 3, 4, & 5 Section Folding gauges printed in silver ink on black background •

DERRICK & TANK GAUGING TAPE & REELS



DOUBLE DUTY GAUGING TAPES AND REELS AVAILABLE IN 18', 25', 33', 50', 66', 75', AND 100'.

REFILL TAPES, PLUMB BOB & WIPER BLADE ASSEMBLY ALSO AVAILABLE •

- For Industrial Use Only -

These heavy duty tape reels are for use on large above ground tanks. Integrated grounding wire ensures safe operation. Stainless tapes are replaceable in a number of styles. Great for use on heavy or light oils. Gas gauge paste also available to ensure accuracy.

GAS & WATER FINDING PASTE



- Screened on two sides in large letters on a bright red background.
- An unprotected oil hose is dangerous A caution sign is inexpensive insurance.
- Aluminum makes it lightweight and rust proof.
- Folds Compactly.

Dan't be without one.



SIZE - 13 X 10 INCHES

TANK STICKS HAVEN'T CHANGED IN THE LAST 65 YEARS...





Heavy Duty Nylon Button

A NEW Standard In Liquid Level Measurement!

- 6 Coat Paint Process Ultra High Visibility Face
- Super Duty Nylon End Button
- High Quality Hardwood

SUPER STICK

| OVEI | RALL GTH | SCALE LENGTH | | |
|-----------|-------------|-----------------|----------|--|
| ITEM CODE | (FEET) | (INCHES) | (METRIC) | |
| GP12SS | 12' | 120" | 305 cm | |
| GP14SS | 14' | 144" | 367 cm | |
| GP16SS | 16' | 168" | 426 cm | |

- MADE OF KILN DRIED SEASONED HARDWOOD
- 13/16" (2cm) SQUARE PROFILE
- ALL EDGES ROUNDED SLIGHTLY
- HEAVY DUTY NYLON BUTTON ADDED TO FOOT OF POLE FOR PROTECTION
- 6 COAT PAINT ULTRA HIGH VISIBILTY FACE.
- INCREMENTS ARE EMBOSSED IN 1/8 INCH OR 1/2 CENTIMETERS.

The new B & K "Super Stick" is a game changer for tank measuring devices. Never before has someone produced a high contrast measuring gauge for petroleum products. We have taken our high quality hardwood Tank Stick and have applied a six coat process to give it a High Contrast measuring face, with a more durable overall coating on all 4 sides. The coating we use is specifically designed to withstand the gasoline blends that are now in the marketplace as well as what the future will require. We have also added a Nylon Protective Button that is larger and has a spiral/burred nail that won't come out!

