



Heating Catalog

2011/12 Heating Season



Perfect Fit Replacement Kits
For 500+ Makes & Models of Boiler/Furnaces



Huge Inventory
Everything in Catalog is Stocked



Same Day Shipment on UPS Orders
2:30 EST Cut Off Time



Great Technical Support
781-593-2500 TechSupport@LynnMfg.com

CONTACT INFO:

Lynn Manufacturing, Inc
15 Marion St.
Lynn, MA 01905
www.LynnMfg.com

☎ 781-593-2500
☎ 781-596-0430
✉ Orders@LynnMfg.com

PRODUCT INDEX

| | | | | | | | | |
|--|---------------------------------|--------|--|-------------------------------|--------|--|-------------------------------|--------|
| | Replacement Chamber Kits | Page 2 | | Kaowool Blankets | Page 5 | | Industrial Products | Page 7 |
| | Quickies | Page 4 | | Kaowool Strips | Page 5 | | Tank Gauges | Page 8 |
| | Timesavers | Page 4 | | Kaowool Ropes | Page 5 | | Burner Head Protectors | Page 8 |
| | Kaowool Boards | Page 4 | | Ceramic Fiber Papers | Page 6 | | Accessories | Page 8 |
| | Wet Blankets | Page 4 | | Gaskets | Page 6 | | Oil Absorbers | Page 8 |
| | Wet Combustion Chambers | Page 5 | | Insulating Fire Bricks | Page 7 | | Special Cements | Page 8 |

TERMS & CONDITIONS:

Terms: Net 30 Days

Freight: 50 Pieces = Free Freight (East of the Rocky Mountains). Items under \$15 trade do not qualify.

Minimum: None

Shipping Damage & Shortages: Must be noted on the freight bill at time of delivery.

Returns: Must be authorized before shipment. A restocking fee of 20-30% will be charged depending on the condition of product. Wet products can not be returned after 1 year.

Guarantee: Any Product found to be defective in material or workmanship will be replaced free of charge, if unused and within one year of purchase. This shall be Lynn Manufacturing, Inc. maximum liability.

SALES POLICY

Lynn Manufacturing, Inc. sells only to wholesalers or original equipment manufacturers.

RESTRICTION OF PRODUCT USE:

The products shown in this catalog are "for professional use only" and not for use by the general public. They are for use in servicing heating equipment by a trained, qualified technician familiar with such systems, equipped with the proper tools and equipment, familiar with all governing codes and ordinances, and licensed by the proper authorities.

COMBUSTION CHAMBER REPAIR SOLUTIONS

Replacement Chamber Kits

- Perfect fit molded chambers
- Everything you need for the job in one box
- Kits for 500+ makes and models
- New kits added every year
- Technical support available for “odd ball” units

Wet Base Boilers



Kit Contains (if required)

- Molded Ceramic Fiber Front Refractory
- Molded Ceramic Fiber Rear Refractory (may be wet or dry depending on access)
- Dry Ceramic Fiber Blanket for Base Liner
- Waterglass
- Hardware
- Rope or Copeseal
- Complete Instructions

Dry Base Boilers



Kit Contains (if required)

- Molded Ceramic Fiber Combustion Chamber
- Refractory Cement
- Hardware
- Complete Instructions



Warm Air Furnaces



Kit Contains (if required)

- Molded Ceramic Fiber Combustion Chamber
- Hardware
- Gaskets
- Complete Instructions

Ready Reference List Contains Make and Model Information for over 500 boilers & furnaces. Found at www.LynnMfg.com.



Don't see what your looking for? Please call for technical support. 781-593-2500

List of All Kits on Page 3

Universal Combustion Chambers

- Universal Design Fits Many Makes and Models
- Many Sizes Available
- Complete Fit information available in our ready reference sheet

Quickies



Page 4

TimeSavers



Page 4

Wet Chambers



Page 5

Custom Builds and Repairs

- Material to build a custom chamber or make a temporary repair.

Boards



Page 4

Dry Blankets



Page 5

Wet Blankets



Page 4

REPLACEMENT CHAMBER KITS

| Description | Fits | Item # | Description | Fits | Item # |
|-----------------------------|-----------------------|-------------|--|------------------------|----------------|
| Bard Furnace | See Ready Reference | 1131 | New Yorker #1 | See Ready Reference | 1102 |
| Bryant Preferred | BW4 & BW5 | 1151 | New Yorker #2 | See Ready Reference | 1103 |
| Burnham C3 & C4 | All | 1135 | New Yorker #3 | See Ready Reference | 1106 |
| Burnham Fiesta | P-40, PH-40 | 1089 | New Yorker CL | No Swing Out Door | 1134 |
| Burnham Jubilee | 230-260 | 1086 | | Swing Out Door | 1152 |
| Burnham RS | RS & RSM - Not RSA | 1107 | Olsen | OSFH | 1116 |
| Burnham V-1 | All | 1064 | Peerless EC, ECT | All | 1093 |
| Burnham V-3 | All | 1065 | Peerless JO/JOT | All | 1067 |
| Burnham V-7 | No Swing Out Door | 1066 | Peerless WB, WV, WBV | All | 1071 |
| | Swing Out Door | 1074 | Pennco Keystone Water | Water | 1146 |
| Burnham V-8 | V-82 to V-86 | 1129 | Pennco KSC Steam | Steam | 1147 |
| | V-87 to V-89 | 1130 | Repcu BOS | 85R, 100R, 115R | 1061 |
| Columbia CS | CSF | 1111 | Sears Kenmore 44 | All | 1123 |
| | CSFH | 1097 | Slant/Fin Liberty | See Ready Reference | 1087 |
| Constellation | All | 1149 | | See Ready Reference | 1094 |
| Crown Bahama | No Swing Out Door | 1108 | Slant/Fin Liberty II | See Ready Reference | 1127 |
| | Swing Out Door | 1133 | | See Ready Reference | 1128 |
| Dunkirk Empire | Water | 1105 | Slant/Fin Malibu | See Ready Reference | 1079-81 |
| Dunkirk Empire II | Water | 1132 | Slant/Fin XL2000 | 20, 30, 40, 50 | 1088 |
| | Steam | 1144 | Slant/Fin Caravan Oil | All | 1150 |
| Dunkirk EV | DPFO 3 | 1136 | Slant/Fin Intrepid | See Ready Reference | 1142 |
| | DPFO 3T to 5T | 1137 | | See Ready Reference | 1143 |
| | DPFO 6T to 9 | 1138 | Thermaflow | OWB, OWT, OSB, OST | 1125 |
| Electric Furnace-Man | OBT-5 | 1124 | Ultimate K Series | See Ready Reference | 1082-5 |
| HB Smith #8 | No Swing Out | 1104 | Ultimate PFO | PFO 3 | 1075 |
| | Swing Out Door | 1153 | | PFO 3T-5T | 1073 |
| HB Smith FD-12 | All | 1068 | | PFO 6T-9 | 1076 |
| Hydrotherm MO | See Ready Reference | 1077 | Utica Starfire II | All | 1095 |
| | See Ready Reference | 1078 | Utica Starfire III | All | 1096 |
| Hydrotherm OR | See Ready Reference | 1109 | Vaillant F70 | 40, 45, 50, 55 | 1117 |
| | See Ready Reference | 1110 | Vaillant F75 | 40, 45, 50, 55 | 1118 |
| Hydrotherm PB | No Swing Out | 1099 | Vaillant F100 | 30, 40, 50, 60 | 1119 |
| | Swing Out Door | 1154 | Weil-Mclain 65 Series | All | 1101 |
| Lennox Conservator | COWB | 1139 | Weil-Mclain 66, 68, 68V | All | 1060 |
| | COWB2 | 1140 | Weil-Mclain 76, Series | All | 1120 |
| Memco SST | All SST Series | 1112 | Weil-Mclain 78/80 | All 4" Burner Openings | 1121 |
| Memco CST | CSTO-3 | 1113 | | All 6" Burner Openings | 1122 |
| | CSTO-3T, 4, 4T, 5, 5T | 1114 | Weil-Mclain Gold | GO 2-8 Section | 1072 |
| | CSTO-6T, 7, 8T, 9 | 1115 | | GO 9 Section | 1148 |
| Miller/Nordyne CMF | CMF, MOC, MGC | 1029 | Williamson | OWB, OWT, OSB, OST | 1126 |
| Miller/Nordyne CMF2 | CMF2 | 1145 | Don't see what your looking for? Please call 781-593-2500 for technical support. New kits added throughout the year. | | |
| Miller/Nordyne M1 | M1S & M1B | 1141 | | | |

FOR COMPLETE INFORMATION ON MAKES AND MODELS USE READY REFERENCE SHEET

Quickie

Combustion Chamber



Designed for Wet Base Boilers. Vacuum cast chamber made of pure 2300F ceramic fiber. Absorbs sound for quiet combustion. One piece installs quickly which saves times and money. Comes with complete instructions and soft kaowool strips.

| Name | Dimensions | Firing Rate GPH | Item # |
|---------------------|----------------------------|-----------------|-------------|
| Quickie 100 | 11-1/2"W x 11"L x 10-3/4"H | 0.75—1.25 | 1001 |
| Quickie 200 | 12"W x 13-3/4"L x 12"H | 1.35—1.75 | 1002 |
| Quickie 300 | 12"W x 18"L x 12"H | 1.75—2.25 | 1003 |
| Mini Quickie | 11"W x 10-1/4"L x 10-1/4"H | 0.65—1.00 | 1004 |

Timesaver

Combustion Chamber



Designed for Dry Base Boilers & Furnaces. Vacuum cast chamber made of 2300F ceramic fiber. Absorbs sound. Can be cut in half vertically for installation. Comes with Stainless bands and complete instructions.

| Name | Dimensions | Firing Rate GPH | Item # |
|------------------------|--------------------------------|-----------------|-------------|
| Time Saver 7 | 7-1/2"ID x 8-3/4"OD x 13-1/4"H | 0.50—0.60 | 1007 |
| Time Saver 9 | 9"ID x 10-1/2"OD x 14-1/4" H | 0.65—0.85 | 1009 |
| Time Saver 11 | 11"ID x 12-1/2"OD x 15-1/4"H | 1.00—1.25 | 1011 |
| Time Saver 13 | 13"ID x 14-1/2"OD x 14-3/4" H | 1.35—1.75 | 1013 |
| Time Saver 15 | 15"ID x 17"OD x 16" H | 1.65—2.00 | 1015 |
| Time Saver 2.25 | 17-1/2"L x 13"W x 16" H | 1.75 - 2.25 | 1016 |
| Time Saver 3.00 | 22"L x 14"W x 16" | 2.25 - 3.00 | 1017 |

Kaowool Board



Rigid ceramic fiber board. Withstands temperatures up to 2300F. Applications include floors, walls, front-plates or target walls in combustion chambers. Easily cut with a knife or hacksaw and can be drilled.

| Name | Dimensions | Boards/Ctn. | Item # |
|-------------------|------------------|-------------|-------------|
| 1/4" Board | 36" x 24" x 1/4" | 6 | 1028 |
| 1/2" Board | 36" x 18" x 1/2" | 4 | 1025 |
| | 36" x 24" x 1/2" | 4 | 1026 |
| 3/4" Board | 15" x 24" x 3/4" | 2 | 1022 |
| | 20" x 20" x 3/4" | 2 | 1023 |
| | 36" x 18" x 3/4" | 2 | 1024 |
| 1" Board | 20" x 20" x 1" | 2 | 1019 |
| | 36" x 18" x 1" | 2 | 1020 |
| | 36" x 24" x 1" | 2 | 1021 |

High density machine-able boards and thicker boards are available in the industrial section (page 7)

Wet Kaowool Blankets



Soft & moist ceramic fiber blanket that can be formed to the shape of an existing chamber as a liner. Hardens when fired. Manufactured exclusively by Lynn with a special process that prevents bacteria growth while in plastic bag. Full 1/2" thick.

| Name | Dimensions | Item # |
|------------------------|-------------------------------------|-------------|
| Kit A | (1) - 14" x 48" x 1/2" | 1032 |
| Kit B | (1) 14"x48"x1/2" & (1) 14"x16"x1/2" | 1033 |
| Kit C | (1) 16"x48"x1/2" & (1) 16"x16"x1/2" | 1034 |
| 24" Wet Blanket | (1) 36" x 24" x 1/2" | 1035 |
| 18" Wet Blanket | (1) 36" x 18" x 1/2" | 1036 |

Kaowool Rope

Excellent Gasket Material. Can be used between boiler sections, boiler doors and packing around burner tubes and heads. Can withstand 1000F. Each package contains 25 feet in a re-sealable plastic bag.



2000F Rope can be found in industrial section (page 7)

| | Name | Dimensions | Item # |
|--|---|----------------|-------------|
| 1000F Rope | 1/4" Rope | 1/4" OD x 25' | 9404 |
| | 3/8" Rope | 3/8" OD x 25' | 9400 |
| | 1/2" Rope | 1/2" OD x 25' | 9401 |
| | 3/4" Rope | 3/4" OD x 25' | 9405 |
| | 1" Rope | 1" OD x 25' | 9406 |
| | 1-1/4", 1-1/2" & 2" 1000F Rope Can be found in industrial section | | |
| Self Adhesive & High Density Rope. Same rope that comes in our combustion chamber kits. 1000F. | | | |
| Self-Adhesive | 3/16" Self Adhesive | 3/16" OD x 25' | 9407 |
| | 3/8" Self Adhesive | 3/8" OD x 25' | 9408 |
| | 1/2" Self Adhesive | 1/2" OD x 25' | 9409 |

Dry Kaowool Blankets

Soft ceramic fiber blanket that can be formed to the shape of an existing chamber. Used to line steel and hard brick chambers. Withstands 2300F.




| | Name | Dimensions | Item # |
|-----------------------|-------------------------|------------------|-------------|
| Short Blankets | 1/4" Dry Blanket | 60 x 24" x 1/4" | 9452 |
| | 1/2" Dry Blanket | 48" x 16" x 1/2" | 9451 |
| | 3/4" Dry Blanket | 56" x 14" x 3/4" | 9450 |
| | 1" Dry Blanket | 48" x 18" x 1" | 9449 |
| Mid-Size | 1/2" Dry Blanket | 100 x 24" x 1/2" | 9454 |
| | 1" Dry Blanket | 100 x 24 x 1" | 9453 |

Many Larger Blankets Available in Industrial Section (Page 7)

Kaowool Strips

Soft ceramic fiber blanket strips commonly used as gasket material. Withstands 2300F. Packaged in master cartons of 6 strips. Bagged and labeled for individual re-sale.



| | Name | Dimensions | Item # |
|--|-------------------|------------------|-------------|
| | 1/4" Strip | 240" x 1" x 1/4" | 9505 |
| | 1/2" Strip | 300" x 1" x 1/2" | 9506 |
| | 1" Strip | 150" x 2" x 1" | 9500 |

Wet Kaowool

Combustion Chamber


Soft, moist ceramic fiber chamber that can fit through small openings. Quick to install. Hardens when fired. Great for lining chambers that are starting to deteriorate.



| | Name | Dimensions | Firing Rate GPH | Item # |
|--|---------------------|---------------------|-----------------|-------------|
| | 8" Wet Form | 8" ID x 15" Height | 0.50-0.65 | 1037 |
| | 9" Wet Form | 9" ID x 15" Height | 0.65-0.85 | 1038 |
| | 10" Wet Form | 10" ID x 15" Height | 0.85-1.00 | 1039 |
| | 11" Wet Form | 11" ID x 15" Height | 1.00-1.25 | 1040 |
| | 12" Wet Form | 12" ID x 15" Height | 1.25-1.50 | 1041 |
| | 13" Wet Form | 13" ID x 15" Height | 1.50-1.75 | 1042 |

Ceramic Fiber Paper

Ceramic Fiber Paper is commonly used for gaskets or thermal barriers. Available in a premium 2300F material or utility grade 1500F material. Each material is available in sheet, roll or strip form.



Larger Sizes and other thicknesses available in the industrial section

| | Name | Dimensions | Item # |
|----------------------------------|---------------------|---|-------------|
| 2300F Ceramic Fiber Paper | Small Sheets | 15" x 24" x 1/8" (4 sheets per pkg.) | 9600 |
| | Small Rolls | 24" x 100" x 1/8" | 9601 |
| | Strips | 1" x 200" x 1/8" | 9602 |
| 1500F Ceramic Fiber Paper | Small Sheets | 15" x 24" x 1/8" (4 sheets per pkg.) | 9650 |
| | Small Rolls | 24" x 100" x 1/8" | 9651 |
| | Strip | 1" x 200" x 1/8" | 9652 |

Flat Rope / Fiberglass Tape


Soft woven tape commonly used for gasketing. Withstands 1000F.



| Name | Dimensions | Item # |
|------------------------|------------------|-------------|
| 1/8" Tape | 25' x 1" x 1/8" | 9460 |
| 1/8" Tape—Spool | 100' x 1" x 1/8" | 9461 |

Miller-Nordyne Mobile Home Gaskets

Specifically made to fit Miller mobile home furnaces. Sold in kits of four and separately in packages of 20. Gaskets available for CMF, MOC, MGC, M1 & CMF2




| | Dimensions & Contents | Item # |
|---------------------------------|---|---|
| CMF MOC & MGC Models | Miller Gasket Kit Burner Gasket—#3001-000 Flue Gasket—#3001195-000 Pouch Gasket—#3001181-000 Burner Plate—#301205-000 1 each/ctn. | 9510 |
| | Burner Gasket | Pcs 6-1/2"OD x 4-3/8"ID 20/ctn. 9511 |
| | Flue Gasket | Pcs 7-1/16"ODx5-1/8"ID 20/ctn. 9514 |
| | Pouch Gasket | Pcs 10" x 13-1/2" 20/ctn. 9512 |
| | Burner Plate Gasket | Pcs 10-1/4" x 16" 20/ctn. 9513 |
| | Hi-Temp Burner Plate | Pcs 10-1/4" x 16" 10/ctn. 9525 |
| M1 & CMF2 | Gasket Kit Chamber Gaskets Burner Gasket | 2/ctn. 1/ctn. 9527 |

GASKETS

| | |
|---|---|
|  <p>Universal Burner Flange Gasket (20) Pcs per Bag Replaces Beckett Part #3616 Item: 9550</p> |  <p>Beckett Burner Flange Gasket (20) Pcs per Bag Fits Beckett #68 Burner Flange Item: 9551</p> |
|  <p>Riello Burner Flange Gasket (20) Pcs per Bag Fits All Models Item: 9560</p> |  <p>Duomatic Clean Out Gasket (20) Pcs per Bag 3" OD x 2" ID Item: 9515</p> |

Insulating Fire Brick

Insulating Fire Bricks are manufactured with a unique slurry casting process which creates a network of micro porosity that produces low thermal conductivity and good thermal shock characteristics.



| | | Full Bricks | 3" Bricks | Splits |
|---------------|-------------------|-------------------------------------|---------------------------------|-------------------------------------|
| | | 9" x 4.5" x 2-1/2" (12 Per Ctn.) | 9" x 4.5" x 3" (10 Per Ctn.) | 9" x 4.5" x 1-1/4" (20 Per Ctn.) |
| Name | Firing Rate (GPH) | Item # | Item # | Item # |
| K-23 (2300F) | 3-5 | IFK23A2 | IFK23A3 | IFK23A1 |
| K-26 (2600F) | 6-15 | IFK26A2 | IFK26A3 | IFK26A1 |
| JM-28 (2800F) | 16-25 | IFJ28A2 | IFJ28A3 | IFJ28A1 |
| JM-30 (3000F) | 25+ | IFJ30A2 | IFJ30A3 | IFJ30A1 |

INDUSTRIAL PRODUCTS



Kaowool Blanket—Full Rolls

For smaller sizes, see page 4. Refractory Ceramic Fiber Blankets provide excellent insulating properties, high temperature stability & resistance to chemical attack.

| Name | Dimensions | Rolls/ Ctn | Item # |
|------|---------------------|---------------|--------|
| 1/4" | 240" x 24" x 1/4" | 4 | 8KAK2 |
| | 240" x 48" x 1/4" | 4 | 8KAK4 |
| 1/2" | 600" x 24" x 1/2" | 1 | 6KAL2 |
| | 600" x 48" x 1/2" | 1 | 6KAL4 |
| 1" | 300" x 24" x 1" | 1 | 4KR12 |
| | 300" x 48" x 1" | 1 | 4KR14 |
| 1.5" | 180" x 24" x 1-1/2" | 1 | 6KRV2 |
| | 180" x 48" x 1-1/2" | 1 | 6KRV4 |
| 2" | 150" x 24" x 2" | 1 | 8KR22 |
| | 150" x 48" x 2" | 1 | 8KR24 |

Kaowool "M" Board

High density, machine-able, & close tolerance board. For smaller sizes general duty boards, see page 4. Please call for additional sizes and specialized grades.

| Name | Dimensions | Boards/ Ctn. | Item # |
|------|--------------------|-----------------|--------|
| 1/4" | 36" x 24" x 1/4" | 6 | 9800 |
| | 36" x 24" x 1/4" | 24 | BPMK23 |
| 1/2" | 36" x 24" x 1/2" | 4 | 9801 |
| | 36" x 24" x 1/2" | 12 | BMML23 |
| 1" | 36" x 24" x 1" | 2 | 9802 |
| | 36" x 24" x 1" | 6 | BMM123 |
| 1.5" | 36" x 24" x 1-1/2" | 1 | 9803 |
| | 36" x 24" x 1-1/2" | 4 | BMM923 |
| 2" | 36" x 24" x 2" | 1 | 9804 |
| | 36" x 24" x 2" | 3 | BMM223 |

Ceramic Fiber Paper—Large Rolls

Smaller sizes available on page 5. Please call for specialty grades and mill rolls

| Name | Dimensions | Item # |
|-------|--------------------|--------|
| 1/16" | 100' x 24" x 1/16" | PY5F2A |
| | 200' x 24" x 1/16" | PRBF2B |
| 1/8" | 50' x 24" x 1/8" | PY5J2A |
| | 100' x 24" x 1/8" | PRBJ2B |
| 1/4" | 50' x 24" x 1/4" | PY3K2B |

Industrial Rope




Smaller sizes available on page 4.

| Name | Dimensions | Packaging | Item # |
|---------------|-------------|------------|--------|
| 2000F Rope | 25' x 3/8" | Bag | 9402 |
| | 25' x 1/2" | Bag | 9403 |
| 1000F Rope | 1-1/4" Dia. | Lineal Ft. | 9413 |
| | 1-1/2" Dia. | Lineal Ft. | 9414 |
| | 2" Dia. | Lineal Ft. | 9415 |











Castables

| Name | Packaging | Item # |
|------------------------------------|-----------|--------|
| Kaolite—2300F—Lightweight Castable | 40lb bag | MNK23L |
| Kaocast—3000F—Dense Castable | 55lb bag | MNKCST |

TANK GAUGES

|  | <p>Dual Bushing Fits 1-1/2" and 2" in one gauge. Indoor/Outdoor. Large text easily read from a distance. Highest quality gauge on the market. UL Listed. Custom Sizes available.</p> |  | <p>Replacement Top Kits</p> <p>Item 8005</p>  | | | | | | |
|---|---|--|--|------|-----|--------|--------------------|--------------------|-------------|
| | <table border="1"> <thead> <tr> <th>Name</th> <th>Fit</th> <th>Item #</th> </tr> </thead> <tbody> <tr> <td>Model 42/44</td> <td>Fits Vertical Tank</td> <td>8000</td> </tr> <tr> <td>Model 26/27</td> <td>Fits Horizontal Tank</td> <td>8001</td> </tr> </tbody> </table> | | | Name | Fit | Item # | Model 42/44 | Fits Vertical Tank | 8000 |
| Name | Fit | Item # | | | | | | | |
| Model 42/44 | Fits Vertical Tank | 8000 | | | | | | | |
| Model 26/27 | Fits Horizontal Tank | 8001 | | | | | | | |

ACCESSORIES

| | |
|--|--|
|  <p>Burner Head Protector—4" OD Fits Beckett</p> <p>Item: 1030</p> |  <p>Burner Head Protector—3.5" OD Fits Riello & Carlin</p> <p>Item: 1046</p> |
|  <p>Flame Stop Flame Shield for Soldering/Brazing. Protect wood, painted or metal surfaces from the heat and flame of a torch. 10" x 12".</p> <p>Item: 9351</p> |  <p>Heating Forms 50 Pages per Pad</p> <p>Item: 6008</p> |
|  <p>Hole Plugs 100 pcs/bag</p> <p>Item: 6010</p> |  <p>Spill Pack (1) Oil Absorber Mats 15" x 19" x 1/4" (4) Oil Absorber Snakes 3" Dia. x 48" (3) Plastic Disposable Bags</p> <p>Item: 8053</p> |
|  <p>Oil Absorber Mat 19" x 15" x 1/4" 10/ctn.</p> <p>Item: 8050</p> |  <p>Oil Absorber Mat 19" x 15" x 1/4" 100/ctn.</p> <p>Item: 8055</p> |
|  <p>Oil Absorber Snakes 48" x 3" Dia. 5 pcs/ctn.</p> <p>Item: 8052</p> |  <p>Bulk Ceramic Fiber Vermiculite Substitute—2300F Material 10lbs/ctn.</p> <p>Item: 5106</p> |

SPECIAL CEMENTS

| | |
|---|--|
|  <p>Waterglass Quart Can</p> <p>Item: 5601</p> |  <p>Waterglass 4oz bottle—Same size as in our kits 12/ctn.</p> <p>Item: 5602</p> |
|  <p>High Temp. Refractory Cement 11oz Tube</p> <p>Item: 5606</p> |  <p>High Temp. Refractory Cement 30lbs Pail For bonding insulating fire brick</p> <p>Item: 5600</p> |
|  <p>Fiber Bond Cement Pint Can Bonds Kaowool Boards to Steel</p> <p>Item: 5604</p> |  <p>Ceramic Fiber Moldable 11 oz. Tube</p> <p>Item: 5603</p> |