Obsoletes Form P-PILOTS

leater model and serial number nge can be considered for parts Functional Replacement Pilots

1. Always include complete heater model and serial number so that any specification change can be considered for parts shipment. It can save time and expense.

IMPORTANT

- 2. Specifications are subject to change without notice.
- 3. We reserve the right to substitute functional replacements.
- 4. Order either by Kit or Component Part No.

Quick Reference Replacement Pilot Kit Selection Table

(Refer to **FIGURES 1 - 11**, pages 1 - 4, for illustrations and component part numbers)

Type of	Model Designation* / Sizes	Mato	h Lit Pilot	Kits	Spark Pilot Kits**		
Heater	Model Designation" / Sizes	Natural	Propane	FIGURE	Natural	Propane	FIGURE
Infrared	T, TR-H 50				110854		2
	T, TR-H 75 - 200				110853	110853	2
Unit	F, B 25 - 400	110851	110852	1	110853	110854	2
Heaters	FE, BE 25 - 400				110853	110854	2
	UA, XL, XLB, CXL, CXLB 30 - 105	110855	110856	3	110857	110858	4
	XL, XLB, CXL, CXLB 125 - 400	110859	110860	5	110861	110862	6
	EEXL, EEXLB, CEEXL, CEEXLB 30 - 105				110857	110858	4
	EEXL, EEXLB, CEEXL, CEEXLB 125 - 400				110861	110862	6
	SCA, SCB prior to Series 6				110861	110862	6
	SCA, SCB Series 6				131457	131458	7
Duct	EEDU, HEEDU Series 6				110853	110854	2
Furnaces &	EEDU, HEEDU prior to Series 6				110861	110862	6
Packaged	X, XA, XB, XC, XD, XE, XG, XJ, PAK, DFAH prior to 9/73	110863	110864	8			
Systems (Also	X, XA, XB, XC, XD, XE, XG, XJ, PAK, DFAH, CX, CXE, CPAK	110859	110860	5	110861	110862	6
annliaa ta	beginning 9/73				404457	404450	-
Models with	SC, SCE Series 6				131457	131458	7
prefix "H")	RX, REB, RXE, RXJ, CRX, CREB, CRXE, RPAK, CRPAK, SC, SCE, SCJ prior to Series 6						
	RPV, PRVE, RPBE, RPVAK, CRPV, CRPVE, CRPBE,	-			110861	110862	6
	CRPVAK Series 6						
	RG, CRG, RP, CRP, RGB, CRGB, RPB, CRPB, RGBL,						
	CRGBL, RPBL, CRPBL, SSCBL						
	RPV, RPBE, RPVE, RPVAK, RPVJ, CRPV, CRPBE, CRPVE,				110865	110866	9
	CRPVAK prior to Series 6				110000	110000	9
Heating /	RCG7-1/2, 10 TON				110865	110866	9
Cooling	RCG2 - 5 - with vertical pilot				110867	110868	10
	ton - with horizontal pilot				110861	110862	6
Direct	ADF, ADFH with hot surface ignition				120048	120048	11
Fired	- with spark ignition and flame probe				110869	110869	11
	RDF <u>- with spark ignition and ultraviolet sensor</u>				110918	110918	11
	- with hot surface ignition				120048	120048	11
	DV with hot surface ignition					120048	11
	DFA with hot surface ignition				120048	120048	11

^{*} If the replacement pilot changes with the introduction of a Model Series, the Series is indicated in the Selection Table. The Series indicator is on the heater rating plate; it is the suffix number on the Model Size (Ex: SC400-6; "6" is the Series).


Pilot Kits and Components

FIGURE 1 Vertical Match-Lit Pilot for Models F&B	Replace Kits	ement Pilot	Natural Gas - P/N 110851 Propane Gas - P/N 110852
	Code	P/N	Component Description
(4)—(1)	1	96360	Natural Gas Pilot Assembly with orifice, pilot tubing & thermocouple; less fitting (Johnson #J994HKA-9731-715)
		96361	Propane Gas Pilot Assembly with orifice, pilot tubing & thermocouple; less fitting (Johnson #J994HKA-9733-410)
	2	103034	Natural Gas Orifice only (Johnson #9731-715 (brass))
(2)			Propane Gas Orifice only (Johnson #9733-410 (black))
3	3	98698	Pilot Tubing, 1/8"O.D. x 18"lg (Johnson #B10499-995-11)
		97572	Compression Fitting, FTG75 (2 req'd when replacing pilot tubing)
	4	84761	Thermocouple, 24", #K15FA - 24D

^{**} Spark pilot kits for all indirect-fired products are for use with Model G60, G65, G67 or G770 ignition controllers only. Pilot is not available for other spark ignition systems used on indirect-fired products.

FIGURE 2

Vertical Spark Pilot for Unit Heater Models F/FE/B/BE, Infrared Models TR/TR-H & Duct Furnace Models EEDU/HEEDU Series 6



	Danlas		Models F/FE/B/BE	Natural Gas - P/N 110	0853; Propane Gas - P/N 110854		
	Replace Pilot Ki		Model TR 50		0854; Propane Gas - P/N 110854		
					0853; Propane Gas - P/N 110853		
•			Models (H)EEDU		0853; Propane Gas - P/N 110854		
	Series 6				, ·		
	Code	P/N	Application	Gas	Component Description		
	1	97534	F/FE/B/BE & (H)EEDU	Natural	Pilot Assembly with orifice, pilot tubing & flame		
			Series 6		rod; less flame sensor lead & fitting (Johnson		
			TR 75 - 200	Natural & Propane	#J982HKW-9731-713)		
		97535	F/FE/B/BE & (H)EEDU	Propane	Pilot Assembly with orifice, pilot tubing & flame		
			Series 6	Тторапе	rod; less flame sensor lead & fitting (Johnson		
			TR 50	Natural & Propane	#J982HKW-9733-410)		
	2	103034	F/FE/B/BE & (H)EEDU Natural				
		Series 6			Orifice only (Johnson #9731-713 - brass)		
	Į.		TR 75 - 200	Natural & Propane	1		
		98695	F/FE/B/BE & (H)EEDU	Propane			
			Series 6	·	Orifice only (Johnson #9733-410 - black)		
			TR 50	Natural & Propane			
	3	98698			Pilot Tubing, 1/8"O.D. x 18"lg		
		97572 F/FE/B/BE/TR & (H)EEDU Series 6			(Johnson #B10499-99-11)		
					Compression Fitting, FTG75		
				Natural & Propane	(2 reg'd when replacing pilot tubing)		
					1 01 07		
	4 98697			Flame Rod (Johnson #Y75AA-10)			
	5	5 97575			Flame Sensor Lead, 21"Ig		

FIGURE 3


Horizontal Match Lit Pilot for Models UA, XL, XLB,



Repla Pilot	cement	
Pliot	NITS	Propane Gas - P/N 110856
Code	P/N	Component Description
1 40964		Natural Gas Pilot Assembly with orifice, less pilot tubing & thermocouple (Baso #J999HKA4213)
	40420	Propane Gas Pilot Assemby with orifice, less pilot tubing & thermocouple; (Baso #J999HKA4207)
2	40966	Natural Gas Orifice only (#4213)
	40965	Propane Gas Orifice only (#4207)
3	5145	Pilot Tubing, 22"lg
	9664	Nut with breakaway ferrule (2 req'd when replacing pilot tubing)
4	84761	Thermocouple TC2, 24"lg

FIGURE 4

Horizontal Spark Pilot for Models EEXL, EEXLB, CEELX, CEEXLB 30-105. May also be used on XL, XLB, CXL, CXLB when equipped with G60, G65 or G67 ignition controller (with or without Serial No Suffix "B")



Replacement Pilot Kits		Natural Gas - P/N 110857 Propane Gas - P/N 110858
Code	P/N	Component Description
1	93971	Natural Gas Pilot Assembly with orifice & high tension lead, less pilot tubing & flame prove (Baso #J983HKW7715)
	93972	Propane Gas Pilot Assemby with orifice & high tension lead, less pilot tubing & flame probe; (Baso #J983HKW4709)
2	93973	Natural Gas Orifice only (#7715)
	93974	Propane Gas Orifice only (#4709)
3	5145	Pilot Tubing, 22"lg
9664 Nut with breakaway f		Nut with breakaway ferrule (2 req'd when replacing pilot tubing)
4	50450	Sensor Lead, 16"lg
5 43594 Flame Probe, Y75BA		Flame Probe, Y75BA

Above pilot replaces Baso #J987HKW, natural gas P/N 50449 & propane gas P/N 51330. Also replaces General Controls #26C27113 with a 16"high tension lead, natural gas pilot P/N 64463 & propane gas P/N 64464 & General Controls #26C27113 with a 24"high tension lead, natural gas pilot P/N 73614 & propane pilot P/N 73615.

FIGURE 5

Horizontal Match Lit Pilot - Starting 9/73 for Models X, XA, XB, XC, XD, XE, XG, XJ, PAK, DFAH, HX, HXE, CX, CXE, HCX, HCXE, CPAK; Also XL, XLB, CXL, CXLB 125 - 400



	Replacement Natural Gas - P/N 110859 Propane Gas - P/N 110860				
Code	P/N	Component Description			
1	17890	Natural Gas Pilot with orifice, less pilot tubing & thermocouple (Baso #J963HXA6218))		
	46136	Propane Gas Pilot with orifice, less pilot tubing & thermocouple (Baso #J963HXA4211)			
2	46392	Natural Gas Orifice only (#6218)			
	42089	Propane Gas Orifice only (#4211)			
3	7671	Pilot Tubing, 26"lg for X Series	This pilot may		
	9664	Nut with breakaway ferrule (2 req'd when replacing pilot tubing)	be used in place of GC		
3A	5145	Pilot Tubing 22"lg for XL, XLB, CXL, CXLB 125 - 400			
	9664	Nut with breakaway ferrule (2 req'd when replacing pilot tubing)	, , , , , , , , , , , , , , , , , , , ,		
4	84761	Thermocouple TC2, 24"lg for X Series			
4A	84760	Thermocouple TC2, 18"lg for XL, XLB, CXL, CXLB 125 - 400			

FIGURE 6

Horizontal Spark Pilots for Models: XL, XLB, CXL, CXLB 125-400, EEXL, EEXLB, CEEXL, CEEXLB 125-400; EEDU & HEEDU prior to Series 6.


Starting 9/73 for X, XA, XB, XC, XD, XE, XG, XJ, PAK, DFAH, CX, CXE, CPAK, RX, REB, RXE, RXJ, CRX, CREB, CRXE, RPAK, CRPAK; SC, SCA, SCB, SCE, SCJ prior to series 6.

RPV, RPVE, RPBE, RPVAK, CRPV, CRPVE, CRPBE, CRPVAK Series 6 RG, CRG, RP, CRP, RGB, CRGB, RPB, CRPB, RGBL, CRGBL, RPBL, CRBL, SSCBL



Notes:


- Horizontal spark pilots for ignition systems other than G60, G65, G67 & G770 are no longer available.
- · Kits also apply to models listed with the Prefix "H".
- * Included in all kits. Used only with the above models equipped with any Model G60 ignition controller, a Model G67BG-2 or a Model G67NG-2. Not used with ignition controller Models G67BG-5 & G770NGC-4. See instructions on page 4.
- This pilot replaces Basc #J991HXW, natural gas P/N 45150, propane P/N 45141; #J994HXW, natural gas P/N 47303, propane P/N 47384.
 May be used as a substitution for J993HXW & J999HXW.



	Repla	cement	Natural Gas - P/N 110861
	Pilot F	(its	Propane Gas - P/N 110862
١	Code	P/N	Component Description
	1	61145	Natural Gas Pilot Assembly with orifice, high tension lead & flame probe; less pilot tubing & flame sensor lead (Baso #J992HXW7221)
		61146	Propane Gas Pilot Assembly with orifice, high tension lead & flame probe; less pilot tubing & flame sensor lead (Baso #J992HXW9817)
, I	2	63088	Natural Gas Orifice only (#7221)
		37801	Propane Gas Orifice only (#4209)
ı	3	5145	Pilot Tubing, 22"lg
		9664	Nut with breakaway ferrule (2 req'd when replacing pilot tubing)
	4	50450	Sensor lead, 16"lg
	5*	112647	Crimp-on 90°Rajah terminal connector
	6*	112648	90°Boot Terminal Protector

FIGURE 7

Vertical Spark Pilot for Models SC, SCA, SCB & SCE Series 6



Replacement			Natural Gas - P/N 131457		
	Pilot ł	Cits	Propane Gas - P/N 131458		
	Code P/N		Component Description		
	1	125251	Natural Gas Pilot Assembly with orifice, pilot		
			tubing & flame probe; less flame sensor lead		
			& fitting (Johnson #J981HKW-9731-713)		
		125671	Propane Gas Pilot Assembly with		
			orifice, pilot tubing & flame probe; less		
			flame sensor lead & fitting (Johnson		
			#J981HKW-9715-413)		
۱	2	103034	Natural Gas Orifice only		
'			(Johnson #9731-713 - brass)		
		126024	Propane Gas Orifice only		
			(Johnson #Y90HC-9715D - black)		
	3	98698	Pilot Tubing, 1/8"O.D. x 18"lg		
			(Johnson #B10499-99-11)		
		97572	Compression Fitting, FTG75		
			(2 reg'd when replacing pilot tubing)		
	4	126104	Flame Rod (Johnson #Y75AA-2)		
	5	126101	Auxiliary Flame Probe w/brkt, J/C Y5-GB-1		
	6	125401	(2) Sensor Lead Assy, 18ga x 14"lg, 150°C		

iai FTOLECIOI						
FIGURE 8	Repla Pilot k		Natural Gas - P/N 110863 Propane Gas - P/N 110864			
Vertical Match Lit	Code		Component Description			
Pilot for Models X, XA, XB, XC, XD, XE, XG, XJ,	1	9661	Natural Gas Pilot Assembly with orifice; less pilot tubing &			
PAK, DFAH prior to 9/73			thermocouple (Baso #J915HHA6221)			
1		30126	Propane Gas Pilot Assembly with orifice; less pilot tubing &			
~ 11			thermocouple (Baso #J915HHA4211)			
(2)	2	44048	Natural Gas Orifice only (#6221)			
1		42089	Propane Gas Orifice only (#4211)			
	3	7671	Pilot Tubing, 26"Ig			
(3)		9664	Nut with breakaway ferrule (2 req'd when replacing pilot tubing)			
	4	84761	Thermocouple, TC2, 24"lg			

FIGURE 9

Vertical Spark Pilot for Models RPV, RPBE, RPVE, RPVJ, RPVAK, HRPV, HRPBE, HRPVE, CRPV, HCRPV, CRPBE, HCRPBE, CRPVE, HCRPVE; CRPVAK prior to Series 6 & RCG 7-12 /, 10 ton equipped with G60 or G67 ignition controller



NOTES:


* See instructions on page 4.

Vertical Spark Pilots for ignition systems other than G60 & G70 are no longer available.

		cement	Natural Gas - P/N 110865
	Pilot P		Propane Gas - P/N 110866
	Code	P/N	Component Description
	1	41775	Natural Gas Pilot with orifice & high tension lead; less pilot tubing, flame probe & sensor lead (Baso #J999HHW6221)
)		44673	Propane Gas Pilot with orifice & high tension lead; less pilot tubing, flame probe & sensor lead (Baso #J999HHW4209)
	2	Natural Gas Orifice only (#6221)	
		37801	Propane Gas Orifice only (#4209)
	3	92848	Sensor Lead Assembly, 16"lg & 21"lg wires (not shown)
	4	43594	(2) Flame Probe Y75BA-3
	5	44678	Bracket Y59DD-1
	6*	112647	Crimp-on 90° Rajah terminal connector
	7*	112648	90°Boot Terminal Protector
	8	7671	Pilot Tubing, 26"lg (not shown)
		9664	Nut with breakaway ferrule (2 req'd when replacing pilot tubing)

FIGURE 10

Vertical Spark Pilot for Models RCG 2-5 ton with Vertical Pilot



Replacement


Pilot Kits

* See instructions below.

	Replacement		Natural Gas - P/N 110867
	Pilot F	(its	Propane Gas - P/N 110868
	Code	P/N	Component Description
	1	47484	Natural Gas Pilot with orifice, high tension lead & built-in flame probe; less pilot tubing & sensor lead (Baso #J993HHW6221)
)		47485	Propane Gas Pilot with orifice, high tension lead & built-in flame probe; less pilot tubing & sensor lead (Baso #J993HHW4211)
	2	44048	Natural Gas Orifice only (#6221)
		42089	Propane Gas Orifice only (#4211)
	3	44183	Sensor lead, 38"lg
	4	7671	Pilot Tubing 26"lg
		9664	Nut with breakaway ferrule (2 req'd when replacing pilot tubing)
	5*	112647	Crimp-on 90° Rajah Terminal Connector
	6*	112648	90° Boot Terminal Protector

FIGURE 11

Pilot Systems used on Direct-Fired Models RDF, ADF, ADFH, DFA, DV



			w/Hot Surface Ignition - P/N 120048 (includes Codes 5 thru 8)	ADF, DFA, RDF, DV was hot surface ignition
	Code	P/N	Component Description	Applies To
	1		Pilot Supply Connection including (1) brass elbow P/N 93388, (3) connectors P/N 95188, (3) long nuts P/N 95189 & (1) tube P/N 91388	
	2	87936	Spark Plug 27750-1-31, Maxon #18075	RDF Models with a spark pilot and either a
	3	87937	Flame Probe, Auburn AA67-7892-1, Standard on units with date code prior to ANI (9/88)	probe or ultraviolet flame sensor
	4	89411	Ultraviolet Minipeeper, #C7027A, Standard on units with date code prior to ANI (9/88) through AVB (2/96) - optional on prior units	
	5	122840	Pilot Plate & Tubing Assembly	
)	6	134706*	Flame Sensor, J/C #Y75MK-1D	ADF / ADFH*, DFA, DV & RDF with a hot
	7	121865	Ignition, Norton #401E	surface ignition
ĺ	8	121730	Pilot Bushing	

w/Flame Probe - P/N 110869 (includes Codes 1, 2 & 3)

w/Ultraviolet Sensor - P/N 110918 (includes Codes 1, 2 & 4)

* P/N 135435 is a replacement flame sensor only kit for ADF or ADFH units manufactured prior to 11/94.

Hot Surface Kits below include all components needed to change RDF units from a spark pilot system with either a flame probe or ultraviolet sensor to hot surface ignition.


- for an RDF unit with a 200VA Transformer P/N 146268
- for a 115V RDF unit with a 80VA Transformer P/N 146318
- for a 208V RDF unit with a 80VA Transformer P/N 146319
- for a 240V. 480V or 575V RDF unit with a 80VA Transformer P/N 146320

NOTE: Model, Serial No. & Wiring Diagram No. **MUST** be provided when ordering these kits.

RDF with spark pilot

RDF with spark pilot


Instructions for connecting ignition lead on replacement spark pilots to Model G60 & G67 ignition controllers (applies to Pilot Kits in FIGURES 6, 9 & 10):





Effective with replacement pilots purchased 9/91, these parts are required (in the kit or separately) when the replacement pilot is for heater Models listed in **FIGURES 6, 9 or 10** equipped with a Model G60 or G67BG-NG-2 ignition controller. (NOTE: These parts are not required when the ignition controller is a Model G67BG-5 or G770NGC-4)

- Identify the ignitor wire attached to the pilot electrode. Slip the 90° protective boot to the wire, as shown below.
- On the "open" leg of the 90° crimp-on terminal (P/N 112647), locate a flat, triangular spike tab punched in the metal. With the tip of a small, straight screwdriver, force the spike towards the inside of the connector. Straighten the tab to a vertical position.
- 3. Insert the ignition wire into the same connector leg (just to the 90°bend) and push the wire onto the protruding spike tab, making sure that the tab penetrates the insulation. (Do not strip the ignitor wire). Using a crimping tool or pliers, squeeze the sides of the terminal to form a "C" shape. The ignitor wire should now be firmly held by the terminal.
- 4. Slide the protective boot over the terminal. Holding the boot, attach the 90°Rajah terminal to the ignitor lead Rajah connector on the Model G60 or G67BG/NG-2 ignition controller.



Specifications & illustrations subject to change without notice and without incurring obligations.

© Nortek Global HVAC, LLC 2015. All rights reserved.

All marks are the property of their respective organizations.

O'Fallon, MO I Printed in U.S.A. (11/15)

Form P-PILOTS (11-15), PN 131133R5