GENERAL INDUSTRIAL

Abrasive Cloths	69
Aerosols	74
Batteries By Rayovac®	72
Carton Sealing Tape and Dispenser	67
Contact Cleaners	71
Degreasers71	·72
Hand Cleaners	69
Industrial Towels	65
Lubricants	-71
Markers	73
Paints and Primers	73
Safety Supplies, Devices	64
Sealant, Epoxy, Glue	74
Sealing Compounds, Adhesive 67-	·68
Sheet Metal Screws 66-	·67
Wasp, Hornet, and Yellow Jacket Killers	72



R A L

Т

A

Leather Work Gloves

Versatile leather work gloves ideal for many industrial jobs. These leather work gloves offer: wing thumb pattern, continuous pull patch, seamless full leather index finger, leather knuckle strap, leather finger tips, full jersey lined palm and thumb with elastic gather on back. Generously sized for a good working fit.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
540-2114	Leather Glove w/Safety Cuff, 1 pair per pack	EA	1
540-2214	Leather Glove w/4-1/2" Waterproof Cuff, 1 pair per pack	EA	1
540-2144	Leather Glove w/Full Red Jersey Lining, 1 pair per pack	EA	1
540-2200	Renegade® Performance Glove w/Kevlar Thread, 1 pair per pack	EA	1

Heavy Duty Work Gloves

Your choice of durable work gloves. Washable, breathable, and durable for everyday use.

1 Star	, Box Handler Gloves
2	Heavy Utility Gloves
A	Leather Gloves

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
540-HU1M	Heavy Utility Gloves - Medium, 1 pair per pack	EA	1
540-HU1L	Heavy Utility Gloves - Large, 1 pair per pack	EA	1
540-BH1M	Box Handler Gloves - Medium, 1 pair per pack	EA	1
540-BH1L	Box Handler Gloves - Large, 1 pair per pack	EA	1
540-LG1M	Leather Gloves - Medium, 1 pair per pack	EA	1
540-LG1L	Leather Gloves - Large, 1 pair per pack	EA	1

Nitrile Gloves

Purple, foam control gloves for industrial use that provide a high level of wet and dry grip. Standard in applications where tactile sensitivity is required.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
540-1005M	Nitrile Gloves - Medium, 1 pair per pack	EA	1
540-1005L	Nitrile Gloves - Large, 1 pair per pack	EA	1

Latex Gloves

Disposable natural latex rubber which provide a natural feel and grip.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
23010	Latex Gloves, pack of 50 pairs	РК	1

Dust Masks

Extremely lightweight, disposable, nuisance dust mask for non-toxic particles. Metal noseclips to fit individual facial contours.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-500	Dust Masks, pack of 50	PK	1

Shoe Covers

Slip these shoe covers on in seconds to protect carpet, tile, or wood from dirt and scuff marks. Customers will appreciate your professional appearance.



CATALOG NO.	DESCRIPTION		ORDER MULTIPLE
SC-1	Dark Blue Shoe Covers, pack of 50 pairs	РК	1

First Aid Kits

10 and 25-unit first aid kits packaged in economy plastic boxes to assist when industrial accidents occur.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
FAK-10	10-Unit First Aid Kit	EA	1
FAK-25	25-Unit First Aid Kit	EA	1



64



WypAll Plus

Absorbs grease, oil, water and solvents from floors, hands, parts, tools and machinery. Tough enough for extra heavy jobs. Comes in a convenient pop-up box of 100 towels.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-05790	WypAll Plus Towels—White, pack of 100	РК	1

WypAll ShopPro X80 Towels

Like a rental shop towel, only more consistent. Engineered to feel like cloth and work even better. Absorbs more oil and water faster pound for pound than laundered shop towels. The ShopPro X80 is simply the heaviest duty towel in the Kimberly Clark line. 160 towels/box.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-41041	WypAll ShopPro X80 Towels, pack of 160	РК	1

Teri[®] Towels

The Teri[®] reinforced towels feature multi-ply tissue reinforced with nylon webbing for added strength on the job. Made from 100% recycled paper. Towel size is $9-3/4'' \times 16-3/4''$. Towel color is white. Comes in a convenient pop up box. 126 towels/box. 10 boxes/case.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-34790	Teri Reinforced Towels, pack of 126	PK	1

Workhorse[®] Manufactured Rags

The economical alternative to scrap rags. Workhorse[®] Manufactured Rags is the first product to be made from Kimberly-Clark's advanced new material – Hydroknit[®]. Durable, rag tough construction stands up to any task. Can be re-used time and time again. Available in white or blue.



CATALOG N	D. DESCRIPTION	UOM	ORDER MULTIPLE
5-41455	9-3/4" x 16-3/4" White, pack of 100	PK	1
5-41411	9-3/4" x 16-3/4" Blue, pack of 100	PK	1

Kimtex® Towels

Long lasting Kimtex[®] stands up to oils, chemicals and solvents better than ordinary shop towels. Cloth-like feel and performance. Towel size is 9-3/4" x 16-3/4". 100 towels/box. 5 boxes/case.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-33570	Kimtex Shop Towels, pack of 100	РК	1

Shop Towels

Heavy duty reusable towels. For wipe ups of grease, oil, water, etc. 100% cotton material is pre-shrunk and hemmed. Each towel measures $13'' \times 16''$.



ST-10

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
ST-4	Shop Towels, pack of 4	РК	1
ST-10	Shop Towels, pack of 10	РК	1
ST-24	Shop Towels, pack of 24	РК	1

Terry Towels

100% cotton. Minimum of 14" x 17". Pre-washed for absorbency, fully-hemmed, all-white, and reusable.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
DTT-10	Terry Towels, pack of 10	РК	1
DTT-24	Terry Towels, pack of 24	РК	1



Sheet Metal Screws – Taper Point

Hex washer slotted head. Burr-free. Full 1/4" head will not strip out of hex driver opening. Heat treated tapered point will not break or "walk". Packaged in resealable plastic cartons.





CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-SCR63-8	6 x 3/8 Taper Point, pack of 1,000	PK	1
5-SCR63-8BULK	6 x 3/8 Taper Point – Bulk, pack of 20,000	PK	1
5-SCR71-2	7 x 1/2 Taper Point, pack of 1,000	PK	1
5-SCR71-2BULK	7 x 1/2 Taper Point – Bulk, pack of 15,000	PK	1
5-SCR81-2	8 x 1/2 Taper Point, pack of 1,000	PK	1
5-SCR81-25M	8 x 1/2 Taper Point, pack of 5,000	PK	1
5-SCR81-2BULK	8 x 1/2 Taper Point – Bulk, pack of 12,000	PK	1
5-SCR83-4	8 x 3/4 Taper Point, pack of 1,000	PK	1
5-SCR83-4BULK	8 x 3/4 Taper Point – Bulk, pack of 10,000	PK	1
5-SCR81	8 x 1 Taper Point, pack of 500	PK	1
5-SCR81BULK	8 x 1 Taper Point – Bulk, pack of 7,500	PK	1
5-SCR81-12-100	8 x 1-1/2 Taper Point, pack of 100	PK	1
5-SCR81-12	8 x 1-1/2 Taper Point, pack of 250	PK	1
5-SCR81-12W	8 x 1-1/2 Taper Point w/White Head, pack of 250	PK	1
5-SCR81-12WTBUL	8 x 1-1/2 Taper Point w/White Head – Bulk, pack of 5,000	РК	1
5-SCR81-12BULK	8 x 1-1/2 Taper Point – Bulk, pack of 5,000	PK	1
5-SCR82-100	8 x 2 Taper Point, pack of 100	PK	1
5-SCR82	8 x 2 Taper Point, pack of 350	PK	1
5-SCR82W	8 x 2 Taper Point w/White Head, pack of 250	PK	1
5-SCR82BULK	8 x 2 Taper Point – Bulk, pack of 3,000	PK	1
5-SCR101-2	10 x 1/2 Taper Point, pack of 1,000	PK	1
5-SCR101-2BULK	10 x 1/2 Taper Point – Bulk, pack of 14,000	PK	1
5-SCR103-4	10 x 3/4 Taper Point, pack of 1,000	PK	1
5-SCR103-4BULK	10 x 3/4 Taper Point – Bulk, pack of 10,000	PK	1
5-SCR101	10 x 1 Taper Point, pack of 500	PK	1
5-SCR101BULK	10 x 1 Taper Point – Bulk, pack of 7,000	PK	1

Sheet Metal Screws – Drill Point

Self-drilling, self-tapping. Hex washer head. Produces the optimum hole size, resulting in a tighter fit. Made from special heat treated steel for extra strength. Packaged in resealable plastic cartons.



		HEAD		ORDER
CATALOG NO.	DESCRIPTION	SIZE	UOM	MULTIPLE
5-SCR61-2DP	6 x 1/2 Drill Point, pack of 1,000	1/4″	PK	1
5-SCR61-2DPBULK	6 x 1/2 Drill Point – Bulk, pack of 15,000	1/4″	PK	1
5-SCR81-2DP	8 x 1/2 Drill Point, pack of 1,000	1/4″	PK	1
5-SCR81-2DPBULK	8 x 1/2 Drill Point – Bulk, pack of 10,000	1/4″	PK	1
5-SCR83-4DP	8 x 3/4 Drill Point, pack of 500	1/4″	PK	1
5-SCR83-4DPBULK	8 x 3/4 Drill Point – Bulk, pack of 10,000	1/4″	PK	1
5-SCR81DP	8 x 1 Drill Point, pack of 500	1/4″	PK	1
5-SCR81DPBULK	8 x 1 Drill Point – Bulk, pack of 7,500	1/4″	PK	1
5-SCR81-12DP	8 x 1-1/2 Drill Point, pack of 500	1/4″	PK	1
5-SCR81-12DPBULK	8 x 1-1/2 Drill Point – Bulk, pack of 5,000	1/4″	PK	1
5-SCR82DP	8 x 2 Drill Point, pack of 350	1/4″	PK	1
5-SCR82DPBULK	8 x 2 Drill Point – Bulk, pack of 2,500	1/4″	PK	1
5-SCR101-2DP	10 x 1/2 Drill Point, pack of 500	5/16″	PK	1
5-SCR101-2DPBULK	10 x 1/2 Drill Point – Bulk, pack of 10,000	5/16″	PK	1
5-SCR103-4DP	10 x 3/4 Drill Point, pack of 500	5/16″	PK	1
5-SCR103-4DPBULK	10 x 3/4 Drill Point – Bulk, pack of 5,000	5/16″	PK	1
5-SCR101DP	10 x 1 Drill Point, pack of 500	5/16″	PK	1
5-SCR101DPBULK	10 x 1 Drill Point – Bulk, pack of 5,000	5/16″	PK	1
5-SCR101-12DP	10 x 1-1/2 Drill Point, pack of 250	5/16″	PK	1
5-SCR101-12DPBULK	10 x 1-1/2 Drill Point – Bulk, pack of 3,500	5/16″	PK	1
5-SCR102DP	10 x 2 Drill Point, pack of 350	5/16″	PK	1
5-SCR102DPBULK	10 x 2 Drill Point – Bulk, pack of 2,500	5/16″	PK	1

Masonry Bit





CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-SCRMS	Masonry Screw – 1/4" x 1-1/4", pack of 250	PK	1

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
540-DB6	Masonry Bit – 3/16" x 6"	EA	1

Masonry Screw



The 7 most po resealable, pla Contains: • 7 x 1/2 Tap • 8 x 1/2 Dril • 8 x 1 Taper • 8 x 2 Taper	etal Screw Assortment Kit pular sizes in one multi-compartmented, astic container. Perfect for the toolbox. er Point – 175 pieces l Point – 100 pieces Point – 50 pieces Point – 40 pieces er Point – 175 pieces		5-SCR-AK		Kit r kit for sheet rock applications. Kit anchors, screws and 1 masonry bit.		540-AK100
	er Point – 60 pieces			CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
 8 x 1-1/2 Ta 1/4" Nut Se 	aper Point – 50 pieces tter – 1 each			540-AK100	Anchor size 1/4 x 1, Screw Size 10 x 1-1/4 HWH Head Size 5/16 hex	EA	1
CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE				
5-SCR-AK	Sheet Metal Screw Assortment Pack	EA	1				

CARTON SEALING TAPE AND DISPENSER

Carton Tape Dispenser Carton Sealing Tape 540-2110C 2" nominal width, 110 yd. length, clear. 2.4 mil. Heavy duty, boxed. 540-DISE Carton Sealing Tape - 2" x 110 Yards - Clear 540-DISP 540-2110C ΕA 36 2" Carton Tape Dispenser EA

SEALING COMPOUNDS, ADHESIVE

DiversiGum Sealing Compound

Non-hardening. For plugging openings through foundations or around refrigeration tube entry.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6-202-1	DiversiGum Sealing Compound – 1 lb. Slug	EA	24
6-202-2	DiversiGum Sealing Compound – 2 lb. Slug	EA	20
AG-25	DiversiGum Sealing Compound – 3/8" x 25' Caulking Cord	EA	12

Silicone Sealant

Food grade 100% RTV Silicone Sealant. Can be used in applications for continuous use to 450°F. UV and water resistant. Long-term flexibility. Non-paintable. Available in 10.3 fl. oz. tube for use in standard caulk gun or in 3 fl. oz. squeeze tube.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
7-4000	Clear Silicone Sealant – 10.3 fl. oz. Tube	EA	12
7-4001	Clear Silicone Sealant – 3 fl. oz. Squeeze Tube	EA	48
7-4100	White Silicone Sealant – 10.3 fl. oz. Tube	EA	12
7-4101	White Silicone Sealant – 3 fl. oz. Squeeze Tube	EA	48
7-4200	Aluminum Silicone Sealant – 10.3 fl. oz. Tube	EA	12

Caulk Gun



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
7-100	Caulk Gun – Super Ratchet Type	EA	12
7-200	Caulk Gun – Standard Duty	EA	12

High Temp Red Silicone Sealant

A one part non-slumping paste that cures to a tough, rubbery solid at room temperature. Formulated to perform at temperatures ranging from -85°F to 500°F for continuous operation, and to 600°F for intermittent exposure. Tack free cure time - 15 minutes. Full cure time - 24 hours.

7-4300



FA

www.diversitech.com

UOM ORDER MULTIPLE

12

G

E

Ν

R

A

Ν D

S

1

High Temp Red Silicone Sealant – 10.1 oz. Cartridge



25 Year Acrylic Latex Painter's Caulk

For both interior and exterior use. DiversiTech's 25 Year Acrylic Latex Painter's Caulk forms a tough, paintable resilient bond to all building material surfaces. Excellent resistance to water, weathering and moisture vapor.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
7-4500	White Acrylic Latex Caulk – 10.1 oz. Cartridge	EA	12
7-4400	Clear Acrylic Latex Caulk – 10.1 oz. Cartridge	EA	12

Firestop Products for Class A Buildings



18001

U.L. Classified. Code Approved. Seal penetrations of plumbing, refrigeration and AC lines, ducts, vents and electrical cable through fire-rated floors, walls and ceilings. Easy-to-use, non-shrinking, non-toxic and permanently flexible. Blocks fire, gas, smoke, air and water migration. Use ceramic fiber filler together with putty or caulk for thick penetrations. Technical bulletins available.

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
16491	Firestop Caulk – Red – 10.3 fl. oz. cartridge	EA	12

Geocel Caulking Sealant

Exceptional bonding and sealing caulk for interior and exterior applications involving seams, joints, ductwork, flashing and any similar use. Excellent adhesion to virtually any surface (metals, fiberglass, wood, concrete, brick and most plastics) even if moisture is present. Resealable, paintable, flexible. Will not crack, chip or peel. Specially formulated for the HVACR industry.

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
18001	Clear Geocel Sealant – 11 oz. Cartridge	EA	24
18002	White Geocel Sealant – 11 oz. Cartridge	EA	24
18003	Aluminum/Gray Geocel Sealant – 11 oz. Cartridge	EA	24

Pro-Air Duct Sealant – UL 181 AM-BM Listed

Water-based fiber-reinforced duct sealant/mastic formulated for indoor/outdoor use. Meets U.L. Class 1 rating and local codes while featuring long term flexibility and strength. Use on metal heating, ventilating, and A/C duct systems; as well as fiberglass duct board systems and flex duct systems. Recommended for use to 10" of water column pressure without the need for fiberglass mesh reinforcement.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
800-008	Pro-Air Duct Sealant – 1/10 Gallon Tube – 10.5 oz.	EA	12
800-009	Pro-Air Duct Sealant — 1 Gallon Pail	EA	4

Foam Sealant – One Component

One component closed-cell expanding polyurethane foam sealant for lineal caulking applications. Airmoisture cure. Tack free in 20 minutes; fully cured in 12 hours. Paintable. Use for insulating and sealing around windows, doors, pipes, ducts and vents. Non-toxic when cured. Paint to protect from UV exposure. "R" value 4.7 (1" thickness). Foam contains fire retarding chemical and is U.L. Listed but not rated as a firestop product. Environmental concerns have led us to replace CFC's and HCFC's with hydrocarbon material in our one component foam products. See instructions on each product to ensure safe use and quality results.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
01714	Foam Sealant – 12 oz. Can – Yields 275' (3/8" bead)	EA	12
01724	Foam Sealant – 20 oz. Can – Yields 460' (3/8" bead)	EA	12

Foam Sealant – Two Component

Two component closed-cell expanding polyurethane foam sealant for cavity filling, surface coating and insulation applications. Rapid chemical cure (Component A and Component B). Tack free in 2 minutes, fully cured in 20 minutes. Use for insulation repairs in refrigerated enclosures. Spray coat and insulate tanks, pipes, tubs and panels. Non-toxic when cured. Paint to protect from UV exposure. "R" value 5 (1" thickness). Kits include dispensing nozzles, hose and flow control mechanism. Foam contains fire retarding chemicals and is U.L. Listed but is not rated as a firestop product.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
10012	Foam – 2 Kit – 15 bd. ft. Kit – Yields 1 cu. ft.	EA	12
10180	Foam – 2 Kit – 200 bd. ft. Kit – Yields 15 cu. ft.	EA	1
10600	Foam – 2 Kit – 600 bd. ft. Kit – Yields 50 cu. ft.	EA	1

Pro-Air Industrial Grade Spray Adhesive

A clear, pressure sensitive aerosol adhesive with exceptional tack and shear strength characteristics. An excellent choice for most permanent adhesive applications: duct liner and wrap, sheet aluminum, fiberglass insulation board, and much more. The aerosol package offers a specially designed web spray pattern for even, controlled distribution. Flammability meets aerosol flame extension test requirements. Coverage is approximately 90-100 square feet per pound.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
315-20	Sure Stick Heavy Duty Spray – 12 oz.	EA	12
GP1-40BL	Pro-Air Spray Adhesive – 38 lb. Disposable Cylinder	EA	1
GN-23H	Spray Gun	EA	1
SH-06	6' Spray Hose	EA	1
SH-12	12' Spray Hose	EA	1

Abrasive Cloth

Aluminum oxide, high quality 120 grit, abrasive cloth to thoroughly clean copper and steel tubing. Works wet or dry. Exceeds industry standards for abrasive cloth.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SC-10	Abrasive Cloth – 1-1/2" x 10 yds.	EA	24
SC-25	Abrasive Cloth – 1-1/2" x 25 yds.	EA	12

Grip-Cut[™]

Open mesh sand screen cloth. Aluminum oxide grain resin bonded to synthetic nylon cloth. 100% waterproof, but can also be used dry for sanding by hand or with portable tools. Most effective where clogging is a problem, such as soft materials. 180 grit.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-5	Grip-Cut [™] – 1-1/2" x 5 yds.	EA	24
SCM-10	Grip-Cut [™] – 1-1/2" x 10 yds.	EA	24
SCM-25	Grip-Cut [™] – 1-1/2″ x 25 yds.	EA	12
SCM-10MP	Grip-Cut [™] – 1-1/2" x 12" Strips – 10 strips	EA	50

All Purpose Cleaning Pads

For cleaning copper tubes and fittings. Nylon will not rust. Can be used wet or dry. Leaves no residue and is long lasting.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
ACP-10	All Purpose Cleaning Pads – pack of 10	РК	1

HAND CLEANERS

Fast Orange[®] Hand Cleaner

Three out of five people prefer Fast Orange® over other hand cleaners. The first biodegradable, waterless hand cleaner with aloe, lanolin, and jojoba. Smooth lotion and extra-fine pumice available. USDA Approved.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
HCO-7	Fast Orange® – 7-1/2 fl. oz. Smooth Squeeze Bottle	EA	12
HCO-15	Fast Orange® – 15 oz. Smooth Squeeze Bottle	EA	6
HCO-64	Fast Orange® – 1/2 Gallon Smooth with Dispenser	EA	6
HCO-128	Fast Orange® – 1 Gallon Smooth with Dispenser	EA	4
HCP-7	Fast Orange® – 7-1/2 fl. oz. Pumice Squeeze Bottle	EA	12
HCP-15	Fast Orange [®] – 15 oz. Pumice Squeeze Bottle	EA	12
HCP-128	Fast Orange® – 1 Gallon Pumice with Dispenser	EA	4

Kimberly-Clark Waterless Hand Wipes

These wipes go wherever hands go to get dirty. Full sized $12^{\prime\prime}$ x $12^{\prime\prime}$ wipes for full sized cleaning. Natural cleaning agent is tough on grease, grime, ink, and paint. Dual textured – smooth for wiping on one side and tough for scrubbing on the other. More wipes with our 75 count bucket.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-42272	Kimberly-Clark Waterless Hand Wipes – Bucket	EA	1

LUBRICANTS

Pull-A-Spout Oiler

All purpose oiler with a 14" telescoping spout. Zooms out for long shots, and in for short shots, even zooms around corners. Squeeze bottle action. Perfect lubricant for general industrial use. Contains four ounces of finest quality carbon free, rust and oxidation inhibited lubricating oil. Plastic container won't short out around electrical connections. No leakage.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CO -1	Pull-A-Spout Oiler – 4 oz. – (Display)	EA	12

Rust Breaker

CR-1

Quickly loosens rusted bolts, screws, shafts, piping, and all types of "Frozen" connections and assemblies. The answer for rusty or corroded fastenings on cars, trucks, trailers, tractors, farm machinery, appliances, washing machines, plumbing, water pumps, fishing reels, power tools, gardening equipment, and hundreds of other mechanisms. Packaged in a handy telescoping spout applicator.



NO.	DESCRIPTION	UOM	ORDER MULTIPLE
	Rust Breaker – 4 oz. – (Display)	EA	12

G

E

Ν

E

R

A

N

D

U

S

R

WD-40

G

D

П

Loosens rusted parts. Stops squeaks. Removes tar, grease and adhesives. Displaces moisture. Protects metal. New Smart Straw can.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
741-001	WD-40 – 8 oz.	EA	12
741-002	WD-40 – 11 oz.	EA	12

3-36[®] Multi-Purpose Lubricant & Corrosion Inhibitor



A multi-purpose petroleum based compound that forms a clear, thin film that lubricates and protects against wear and corrosion. The product also displaces moisture and cleans.

displaces moisture and cleans.		-			
	CATALOG NO.	DESCRIPTION			UON

CAIALOG NO.	DESCRIPTION	UOM	OKDEK MULTIPLE
CRC-2	3-36 [®] Multi-Purpose Lubricant & Corrosion Inhibitor – 11 oz.	EA	12
CRC-2G	3-36 [®] Multi-Purpose Lubricant & Corrosion Inhibitor – 1 Gallon	EA	4

SP-400[™] Corrosion Inhibitor

Long-term corrosion inhibitor that protects equipment subject to heat, humidity, chemicals or severely corrosive atmospheres. This product is best to use on machined surfaces and assemblies subjected to long periods of storage.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CRC-3	SP-400 [™] Corrosion Inhibitor – 10 oz.	EA	12

Zinc-It[®] Instant Cold Galvanize[™] Zinc Rich Galvanize Coating

High-performance zinc coating that electrochemically bonds with ferrous metals to form a galvanic cell. The product also fights rust and corrosion and can be used as a touch-up for damaged galvanized coatings. Zinc-It[®] Instant Cold Galvanize[™] Zinc Rich Galvanize Coating dries quickly.

Zincil	
	CRC-5

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CRC-5	Zinc-It [®] Instant Cold Galvanize [™] Zinc Rich Galvanize	EA	12
	Coating – 13 oz.		

Bright Zinc-It[®] Light Duty Instant Cold Galvanize[™] Zinc Rich Galvanize Coating

An epoxy-ester based coating that creates a barrier film between the environment and the base metal to prevent rust and corrosion from forming or spreading.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CRC-5BC	Bright Zinc-It [®] Light Duty Instant Cold Galvanize [™] Zinc Rich Galvanize Coating – 13 oz.	EA	12

Sta-Plex[™] Extreme Pressure Premium Red Grease

A superior multi-purpose certified lithium complex based grease which contains extreme pressure, anti-wear, and anti-oxidation additives. The product is very useful in high temperature and performance applications. The drop point is 500°F.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CRC-13	Sta-Plex [™] Extreme Pressure Premium Red Grease – 14 oz.	EA	12

Heavy Duty Silicone Mold Release

This product provides maximum releases and is useful in difficult to remove parts. The Heavy Duty Silicone Mold Release is colorless, odorless, nonstaining and non-corrosive.

Heavy Duty Silicone Mold Release - 12 oz.

osive.		CRC-6	
TION	UOM	ORDER MULTIPLE	ł

Ultra Lite 3-36[®] Ultra Thin Non Staining Lubricant

CRC-6

Ultra-thin, non-staining lubricant that resists oil, dirt and dust build-up. This lubricant also seals out moisture and protects against corrosion. It is excellent for drying out electrical components.



12

EA

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CRC-1	Ultra Lite 3-36® Ultra Thin Non Staining Lubricant – 11 oz.	EA	12

White Lithium Grease

White Lithium Grease has superior lubrication and durability in any weather or temperature. It is useful as a break-in lubricant for bearings or as a general purpose lubricant and corrosion inhibitor for tools, machinery and equipment.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CRC-9	White Lithium Grease – 10 oz.	EA	12

Screwloose[®] Industrial Penetrating Oil

A no-compromise penetrant that attacks corrosion to free corroded fasteners and mechanical components. A super-fast, powerful, concentrated penetrating solvent that loosens rust scale and corrosion and instantly penetrates minute and tightly fitted crevices.

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CRC-8	Screwloose® Industrial Penetrating Oil – 11 oz.	EA	12

Knock'er Loose[®] Penetrating Solvent

An industrial strength, low viscosity penetrant designed to rapidly loosen and free seized, bound or frozen fasteners. This product also quickly permeates rust, scale, gum, grease and corrosion. Independent tests reveal that it outperforms its competition.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CRC-1KB	Knock'er Loose® Penetrating Solvent – 13 oz.	EA	12

CONTACT CLEANERS

HF [™] Con	tact Cleaner	CRC-4-140
flash point of	Iistillate based precision cleaner with a 205°F. It can be an alternative to CFCs ions require higher flashpoints.	
CATALOG NO.	DESCRIPTION	UOM ORDER MULTIPLE
CRC-4-140	HF [™] Contact Cleaner – 11 oz.	EA 12

Electronic Degreaser

This Advanced Technology Formula is nonchlorinated, non-conductive, non-corrosive and nonstaining. It rapidly dissolves grease, oil and sludge for better efficiency of mechanical equipment. The Electronic Degreaser has no flash or fire point.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CRC-4NU	Electronic Degreaser – 15 oz.	EA	12

QD® Contact Cleaner This contact cleaner is suitable for cleaning sensitive electronics and electrical equipment and does not leave any residue. It evaporates quickly and is safe to use on all plastics. This product is more useful where lower flashpoint cleaners are acceptable. The QD® Contact Cleaner is NSF K2 Registered.

NT[™] Precision Cleaner This cleaner is classified as an HFE/HFC-based

contact cleaning solvent. There is no flash or fire point. It works fast to remove dirt, light oils and other contaminants.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CRC-4NS	NT [™] Precision Cleaner – 12 oz.	EA	12

DEGREASERS

CRC-4CF

Heavy Duty Degreaser II

The Heavy Duty Degreaser II is a non-chlorinated, zero VOC formula for cleaning where chlorinated solvents are prohibited. It has a high flashpoint of 180°F. This degreaser effectively removes soils with no residue build-up. Please exercise caution on plastics.

QD® Contact Cleaner - 11 oz.



FA

12

CATALOG NO.	DESCRIPTION		ORDER MULTIPLE
CRC-7-140	Heavy Duty Degreaser II – 15 oz.	EA	12

Chlor-Free® Degreaser

Non-chlorinated degreasing solvent which is used to remove oil, grease and other contaminants. It is especially useful for applications requiring a quick turnaround and where a low flashpoint solvent can be used.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CRC-7Z	Chlor-Free® Degreaser – 14 oz.	EA	12



CRC-8

G

Heavy Duty Degreaser

This degreaser rapidly and effectively removes grease, oil, tar, and other residue to increase operating efficiency of equipment. It has no flash or fire point, making it an excellent alternative to 1,1,1-based cleaners. Please use caution on plastics.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CRC-7X	Heavy Duty Degreaser – 19 oz.	EA	12

BATTERIES BY RAYOVAC®

Rayovac is the Industrial Product Leader! Rayovac is the leader in the industrial battery market and has been for years, with an estimated 50% share of the traditional industrial distribution channel. Rayovac introduced the top-selling industrial flashlight to the market, and set the quality standard by which all other industrial flashlights are measured today. Whether your customer is searching for a toolbox-tough flashlight or high-performance batteries, Rayovac offers a broad range of products to meet your needs.

Rayovac Industrial Maximum Alkaline Batteries – Contractor Packs

- Contractor preferred, clear, re-sealable package
- Greater battery per pack quantities command
- higher battery salesDisplays much more readily than other competitive batteries
- In an HVAC test market, the Contractor Packs outsold the standard packs by a greater than 2 to 1 ratio!



7-ALAA-24 Alkaline AA Battery - Contractor Pack, pack of 24 ΡK 1 7-ALAAA-18 Alkaline AAA Battery – Contractor Pack, pack of 18 ΡK 1 7-ALC-12 Alkaline C Battery – Contractor Pack, pack of 12 РΚ 7-ALD-12 Alkaline D Battery - Contractor Pack, pack of 12 ΡK 7-AL9V-8 Alkaline 9V Battery - Contractor Pack, pack of 8 ΡK

Rayovac Industrial Maximum

Alkaline Batteries – Shrink Packed

The Citrus Degreaser has a new Low VOC Formula.

The product removes grease, oil and lubricants with

no water wash-off. It evaporates quickly and leaves

no residue. The product gives off a pleasant citrus

Citrus Degreaser - 15 oz.

Citrus Degreaser

scent and is NSF C1 Registered.

CRC-7PS

- Same battery performance as the Contractor Packs at a lower cost
- Formulated specifically to exceed the everyday demands of industrial applications
- Outstanding dependability for "must work" applications

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
7-ALAA	Alkaline AA Battery – Shrink Packed, pack of 8	PK	1
7-ALAAA	Alkaline AAA Battery – Shrink Packed, pack of 8	PK	1
7-ALC	Alkaline C Battery – Shrink Packed, pack of 6	PK	1
7-ALD	Alkaline D Battery – Shrink Packed, pack of 6	PK	1
7-AL9V	Alkaline 9V Battery – Shrink Packed, pack of 6	PK	1

Rayovac Lantern Batteries

- Dependable performance for "must work" applications
- Available in General Purpose, Heavy Duty, and Alkaline Maximum



CRC-7PS

IOM ORDER MULTIPLE

12

EA

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
7-6VGP	6 Volt General Purpose – Spring Terminals, pack of 12	PK	1
7-6VHD	6 Volt Heavy Duty – Spring Terminals, pack of 12	PK	1
7-6VHDM	6 Volt Heavy Duty Maximum – Spring Terminals, pack of 12	PK	1
7-806	6 Volt Alkaline Maximum – Spring Terminals, pack of 6	PK	1
7-918	6 Volt General Purpose – Screw Terminals, pack of 6	PK	1
7-944	6 Volt Lantern Battery, pack of 6	PK	1

WASP, HORNET, AND YELLOW JACKET KILLERS

Sting Less Wasp & Hornet Spray - 14 oz. Aerosol

Sting Less Wasp & Hornet Killer

Kills wasps, hornets and yellow jackets. Very fast-acting when insects are hit directly. Allow approximately 24 hours for those that were not directly hit. This container delivers a 20-foot jet blast to knock down the insects and allow for the user to remain at a safe distance.



ΕA

OM ORDER MULTIPLE

12

Wasp & Hornet Killer by ENFORCER

Enforcer's Wasp & Hornet Killer shoots a 20-foot jet blast for instant knockdown of wasps, hornets, and yellow jackets. Enforcer's Wasp & Yellow Jacket Foam is a 20-foot blast of blanketing foam that plugs yellow jacket holes and clings to wasp and hornet nests, preventing their escape.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
8-WH16	Enforcer Wasp & Hornet Killer – 16 oz. Aerosol	EA	12
8-FWH16	Enforcer Wasp & Yellow Jacket Foam – 16 oz. Aerosol	EA	12



П

Simplify the way you Work[™]

436-20

Valve Action Marker

Large ink supply for increased mileage. Fast drying, smear and water resistant. Utilizes a patented valve-activated ink feed mechanism to supply ink as required, down to the last drop.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
540-799	Valve Action Marker-Regular Tip – Red	EA	12
540-800	Valve Action Marker-Regular Tip – Black	EA	12

Felt Tip Markers

Permanent markers for metal, glass, paper, and plastic. 20% more ink than competitors. Durable metal body.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
540-811	Metal Bodied Felt Tip Marker – Black	EA	12

PAINTS AND PRIMERS

Industrial Enamel

Finally an aerosol paint that sprays in any direction without clogging. We guarantee it! Dries tack free in 10 to 20 minutes; fully dry in just one hour. Excellent corrosion and solvent resistance. Resists heat up to 250°F. Now in 20 oz. cans. Product meets most recent VOC legislation and is currently compliant.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
799-020	Industrial Enamel – Gloss Black – 20 oz.	EA	6
799-021	Industrial Enamel – Flat Black – 20 oz.	EA	6
799-022	Industrial Enamel – Gloss White – 20 oz.	EA	6
799-023	Industrial Enamel – Machinery Dark Gray – 20 oz.	EA	6
799-024	Industrial Enamel – Machinery Light Gray – 20 oz.	EA	6
799-025	Industrial Enamel – Aluminum – 20 oz.	EA	6
799-026	Industrial Enamel – OSHA Red – 20 oz.	EA	6
799-031	All Purpose Enamel – Gray Primer – 20 oz.	EA	6

Valve Action Paint Marker

Bright, crisp, opaque colors. The oil-based paint is quick drying and permanent on most surfaces. These markers also feature the patented valveoperated feed mechanism and a medium point.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
540-805	Valve Action Paint Marker – Black	EA	12
540-806	Valve Action Paint Marker – Red	EA	12
540-807	Valve Action Paint Marker – White	EA	12
540-808	Valve Action Paint Marker – Yellow	EA	12

General Purpose Spray Paint

New, more complete line of professional quality fast drying spray paints. Color code compressors or refrigerant recovery cylinders to match standard refrigerant identifying colors. Touch up equipment housings. Product meets most recent VOC legislation and is currently compliant.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
799-001	Spray Paint – Gloss Black – 16 oz.	EA	6
799-002	Spray Paint – Flat Black – 16 oz.	EA	6
799-003	Spray Paint – Gloss White – 16 oz.	EA	6
799-004	Spray Paint – Flat White – 16 oz.	EA	6
799-005	Spray Paint — Dark Machinery Gray — 16 oz.	EA	6
799-006	Spray Paint – Gray Primer – 16 oz.	EA	6
799-007	Spray Paint – Red Primer – 16 oz.	EA	6
799-008	Spray Paint – Bright Yellow – 16 oz.	EA	6
799-009	Spray Paint – Astro Blue – 16 oz.	EA	6
799-010	Spray Paint – Orange – 16 oz.	EA	6
799-011	Spray Paint – Aluminum (Silver) – 16 oz.	EA	6
799-012	Spray Paint – Brite Zinc Galvanizing Spray – 20 oz.	EA	6
799-013	Spray Paint – Bright Red – 16 oz.	EA	6

High Heat Spray Paint

An ultra high temperature coating formulated to resist temperatures up to 1300°F. Great for use on boilers, furnaces, steam pipes, chimney collars, compressors and engine manifolds. Product meets most recent VOC legislation and is currently compliant.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
799-040	High Heat Spray Paint – Aluminum	EA	6
799-041	High Heat Spray Paint – Black	EA	6



J-B Weld

G

E

R

Б

П

The world's finest cold-weld compound for use when welding or soldering is out of the question due to cost, down time for repairs, or technical or environmental considerations. A remarkably easy, convenient, and inexpensive alternative to welding, soldering, and brazing. Literally pennies per use.



CATALO	G NO. DES	CRIPTION	UOM	ORDER MULTIPLE
JB826	5 J-B	Weld 2 Part Epoxy	EA	1

Thread Sealant with Tetion

General purpose sealant with the lubricity of Teflon for metal pipes. Won't shred like Teflon Tape. Allows easy disassembly. Resists common shop fluids. -60° to 400°F temp. resistance. Pressure resistance of 5000 PSI.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
7-80632	Thread Sealant – 1/4 Pint Brush Can	EA	12
7-80633	Thread Sealant – 1 Pint Brush Can., 12 per pack	EA	12

Super Glue



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
DEP052	Super Glue – 2 Gram Tube	EA	12

AEROSOLS

315-20

Sure-Stick Heavy Duty Adhesive Spray

Wide web spray adhesive ideal for both temporary or permanent bonding. Waterproof, transparent and nonstaining. Use for the toughest adhesive applications with leather, cardboard, most plastics, polyethylene sheeting and insulation in HVAC applications. Cleans with mineral spirits. Not for use on vinyl.

5-20	

EA

EA

770-

3

CBC II Contact Cleaner

Wagner Adhesive Sealant

For refrigerant sealing. Eliminates fastener loosening,

leakage, and corrosion. Cures between thread

flanks to seal against leakage and prevents thread

corrosion. Offers sealing with maximum solvent

resistance to the action of refrigerant (11, 12 and 22),

ammonia and sulfur dioxide. Withstands corrosive liquids used in metal finishings and process industries. Ideal sealant for refrigeration, A/C, and process equipment using corrosive chemicals.

Wagner Adhesive Sealant – 0.34 fl. oz.

CAS-2712

pound kits (DEP8001 and DEP8002).

A plastic safe, non-flammable electronic contact and circuit board cleaner. Dries fast, leaves no residue. No harsh fumes or odors.





CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
362-16	CBC II Contact Cleaner – 10 oz. Aerosol	EA	12

Sweat-Free Pipe Insulation Spray

Sure-Stick Adhesive Spray - 12 oz. Aerosol

An aerosol spray on insulation specifically developed for cold water pipes, refrigeration and air conditioning lines. Stops sweating and dripping problems. Dries to a clean, white, flexible and water-resistant coating. Adheres to galvanized, black iron, steel, brass, copper and PVC piping.

15	

12

12

ha	Soal	ant	with	To	flar

Fast Cure Epoxy	DEP8001
DEP056 contains 10 individually-wrapped, pre- measured packages. Each unique sealed package contains the exact A/B portion required for most small jobs. Easy peel-open containers press into shape to form handy mix-and-dispense cup. Re-closable cylinder contains: Ten 0.12 oz. mixer packs and mixing sticks. Epoxy is also available in 1	

CAS-2712

UOM ORDER MULTIPLE

10

DEP056

EA

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
DEP056	Epoxy Mixer Cups	EA	10
DEP8001	Aluminum Epoxy Putty – 1 lb. Kit	EA	24
DEP8002	White Epoxy Putty – 1 lb. Kit	EA	24

Simplify the way you Work[™]

