


Includes our
LEAD FREE*
product offering

Watts

2015 Canadian Price List

Water Safety, Flow Control and
Backflow Prevention Products



Effective March 30, 2015

All prices supersede previous issues, are
temporary and subject to change without notice.

Table of Contents

Terms & Conditions		2
Section 1	Pressure Regulators & Automatic Control Valves	3 – 20
Section 2	Relief Valves	21 – 25
Section 3	Water Heater Installation Products <i>(Drain Lines, Expansion Tanks, Water Heater Stands, Straps and Enclosures)</i>	26 – 29
Section 4	Backflow Preventers & Accessories	30 – 63
Section 5	Ball Valves	64 – 72
Section 6	Gate/Globe/Check Valves	73 – 76
Section 7	Strainers	77 – 84
Section 8	Balancing & Flow Measurement	85 – 86
Section 9	Butterfly Valves	87 – 89
Section 10	Hydronics/Steam Heating Products	90 – 101
Section 11	Tempering Valves	102 – 106
Section 12	Plumbing Specialties <i>(Wall Hydrants, Water Hammer Arrestors, Float Valves, Evaporative Cooler Kits)</i>	107 – 116
Section 13	Dielectric Unions	117 – 119
Section 14	Flexible Connectors	120 – 125
Section 15	Gauges <i>(Dial Pressure, Combination Pressure/Temperature, Hose Connection, Temperature Gauges)</i>	126 – 131

Throughout this book you will see products highlighted with **LEAD FREE***. These are Watts products that comply with Lead Free laws. For more information on our Lead Free products, please visit our Lead Free informational web site at WeAreLeadFree.net.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Your Discount



Terms and Conditions

FREIGHT TERMS:

All shipments are F.O.B. shipping point. Shipments from the factory of less than 500 lbs or \$3,500.00 net are F.O.B. factory. Factory shipments over 500 lbs, \$7,000.00 list or \$3,500.00 net will be prepaid and allowed within Canada when made at the lowest motor carrier transportation rate. Short-shipments and/or damaged goods must be reported within 72 hours.

PAYMENT TERMS:

Invoices are due and payable 30 days from the date of invoice.

STOCKING WHOLESALE MINIMUM CHARGE:

A minimum billing charge of \$75.00 applies to shipments F.O.B. factory. Stocking Wholesaler Customers are encouraged to order sufficient material to avoid this charge which is necessitated by increased costs of processing small orders.

SPECIAL PRODUCTS:

Orders for special or modified products are non-cancellable and non-returnable.

LIMITED WARRANTY:

This limited warranty is provided by WATTS Water Technologies (Canada) Inc., 5435 North Service Road Burlington, Ontario, Canada L7L 5H7 (the "Company"). The Company warrants each product to be free from defects in material and workmanship under normal usage for a period of one year from the date of original shipment. In the event of such defects within the warranty period, the Company will, at its option, replace or recondition the product without charge.

This warranty may be transferred to subsequent product owners.

Subject to applicable laws, including consumer protection legislation, the limited warranty set forth above is given expressly and is the only warranty given by the Company with respect to the product. The Company makes no other warranties, express or implied. The Company hereby specifically disclaims all other representations, warranties or conditions, express or implied, including but not limited to the implied representations, conditions and warranties of merchantability and fitness for a particular purpose.

Subject to applicable laws, including consumer protection legislation, the remedy described in the first paragraph of this warranty shall constitute the sole and exclusive remedy for breach of warranty, and the Company shall not be responsible for any incidental, special or consequential damages, including without limitation, lost profits or the cost of repairing or replacing other property which is damaged if this product does not work properly, other costs resulting from labour charges, delays, vandalism, negligence, fouling caused by foreign material, damage from adverse water conditions, chemical, or any other circumstances over which the Company has no control. The Company shall not be responsible for shipping or freight changes associated with warranty claims.

The warranty set forth above shall be invalidated by any abuse, misuse, misapplication, improper installation or improper maintenance or alteration of the product.

For claims within the warranty period, contact the Company at 1-888-208-8927.

THE COMPANY MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED EXCEPT AS PROVIDED IN THIS LIMITED WARRANTY.

RETURNED GOODS RESTOCKING CHARGE:

No material shall be returned without authorization. When credit is issued it will be at the price charged, or prevailing price if lower, less handling charges based on costs of reconditioning, boxing, etc. However, a minimum 25% handling charge will apply. A minimum handling charge of \$20.00 is applied whenever the 25% handling deduction does not total \$20.00. Products which are obsolete or made to special order are not returnable.

NOTE:

Prices and terms are subject to change without notice and supersede all previous quotations. The right is reserved to change or modify product design or construction without prior notice and without incurring any obligation to make such changes and modifications on products previously or subsequently sold.

WATTS Water Technologies (Canada) Inc. reserves the right to modify or change product design or construction without prior notice and without incurring any obligation to make similar changes and modifications to products previously or subsequently sold.

See your WATTS representative for any clarification.

Water Pressure Reducing Valves

Unless noted, all pressure reducing valves on this page are factory set at 50psi. Adjustable range is 25 – 75psi, Max. inlet 300psi.



U5B-Z3

SERIES U5B-Z3, 25AUB-Z3:

Standard Features

Z3 – Sealed spring cage and stainless steel corrosion resistant adjusting & cage screws for accessible outdoor or pit installations

Options

- G** – Gauge tapping; list price 5% extra
- GG** – Gauge tapping and 160psi gauge; add 15% to list price (1/2"–1"); add 5% to list price (1 1/4"–2")
- HP** – High pressure range; price 25% extra U5B-Z3 75 – 100psi; 25AUB-Z3 75 – 125psi
- LP** – Low pressure range 10 – 35psi; price 10% extra
- Z7** – 400psi initial pressure 1/2", 3/4" and 1" price 7.5% extra (25AUB-Z3 only)



25AUB-QC-Z3

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series U5B/LFU5B

With Built In Bypass Check Valve

U5B-Z3	0052977	1/2	098268002355	6	23	\$ 331.02
U5B-Z3	0053195	3/4	098268002393	6	32	388.26
U5B-Z3	0049524	1	098268002171	6	40	616.14
U5B-Z3	0054139	1 1/4	098268058215	4	40	1252.80
U5B-Z3	0054345	1 1/2	098268312270	1	15	1,410.48
U5B-Z3	0054350	2	098268312263	1	24	2,052.00
LFU5B-Z3	0009100	1/2	098268327335	6	23	382.64
LFU5B-Z3	0009118	3/4	098268327533	6	32	449.28
LFU5B-Z3	0009154	1	098268327991	6	40	713.12
LFU5B-Z3	0009180	1 1/4	098268328462	6	40	1,449.09
LFU5B-Z3	0009192	1 1/2	098268328677	1	15	1,632.20
LFU5B-Z3	0009204	2	098268329001	1	24	2,849.90

LEAD FREE*

For Low Pressure with Bypass Feature

U5B-LP-Z3	0059844	1/2	098268245295	6	23	331.02
U5B-LP-Z3	0059845	3/4	098268245301	6	32	388.26
U5B-LP-Z3	0057588	1	098268220209	6	40	616.14
U5B-LP-Z3	0059846	1 1/4	098268245318	4	40	1,252.80
U5B-LP-Z3	0059847	1 1/2	098268245325	1	15	1,410.48
U5B-LP-Z3	0059848	2	098268245332	1	24	2,052.00
LFU5B-LP-Z3	0009108	1/2	098268327427	6	23	382.54
LFU5B-LP-Z3	0009128	3/4	098268327670	6	32	449.28
LFU5B-LP-Z3	0009162	1	098268328073	6	40	713.07
LFU5B-LP-Z3	0009188	1 1/4	098268328608	6	40	1,448.60
LFU5B-LP-Z3	0009200	1 1/2	098268328769	1	15	1,632.15
LFU5B-LP-Z3	0009214	2	098268329100	1	24	2,374.79

LEAD FREE*

SPECIAL MODELS: Model 5M3-Z6 – with water meter threaded connections and 7 1/2" lay length for new or existing meter box installations. For 3/8" or 1/4" meter setters or resetters, ordering code 0049809, list price \$330.45

Series 25AUB/LF25AUB

Threaded Female Union Inlet x NPT Threaded Female Outlet - Bypass - Max. Inlet 300psi

25AUB-Z3	0068524	1/2	098268007800	6	21	223.56
25AUB-Z3	0069717	3/4	098268007916	6	23	223.56
25AUB-Z3	0069974	1	098268008043	6	33	363.96
25AUB-Z3	0070311	1 1/4	098268008173	4	40	532.44
25AUB-Z3	0070322	1 1/2	098268008265	4	41	594.00
25AUB-Z3	0070336	2	098268008388	1	22	1114.56
LF25AUB-Z3	0009217	1/2	098268329162	6	21	258.34
LF25AUB-Z3	0009257	3/4	098268329704	6	17	256.93
LF25AUB-Z3	0009309	1	098268330427	6	33	420.66
LF25AUB-Z3	0009392	1 1/4	098268331431	4	40	616.14
LF25AUB-Z3	0009431	1 1/2	098268331868	4	41	686.88
LF25AUB-Z3	0009465	2	098268332247	1	22	1288.12

LEAD FREE*

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series 25AUB/LF25AUB (cont.)

Solder Union Inlet x NPT Threaded Female Outlet

25AUB-S-Z3	0068516	1/2	098268007749	6	21	\$ 223.56
25AUB-S-Z3	0069722	3/4	098268291063	6	23	223.56
25AUB-S-Z3	0069986	1	098268291070	6	33	363.96
25AUB-S-Z3	0070317	1 1/4	098268008210	4	40	532.44
25AUB-S-Z3	0070323	1 1/2	098268008272	4	41	594.00
25AUB-S-Z3	0070338	2	098268008401	1	22	1,114.56
LF25AUB-S-Z3	0009237	1/2	098268329421	6	21	258.44
LF25AUB-S-Z3	0009282	3/4	098268330083	6	23	258.44
LF25AUB-S-Z3	0009331	1	098268330724	6	33	420.66
LF25AUB-S-Z3	0009391	1 1/4	098268331424	4	40	616.14
LF25AUB-S-Z3	0009430	1 1/2	098268331851	4	41	686.88
LF25AUB-S-Z3	0009464	2	098268332230	1	22	1,288.98

Threaded Female Union Inlet x Threaded Female Union Outlet

LF25AUB-DU-Z3	0009228	1/2	098268329315	6	25	401.76
LF25AUB-DU-Z3	0009258	3/4	098268329711	6	25	401.76
LF25AUB-DU-Z3	0009322	1	098268330588	6	50	524.07
LF25AUB-DU-Z3	0009353	1 1/4	098268330984	1	11	1,003.75
LF25AUB-DU-Z3	0009393	1 1/2	098268331448	1	13	1,059.59
LF25AUB-DU-Z3	0009442	2	098268331981	1	17	1,723.46

Solder Union Inlet x Solder Union Outlet

LF25AUB-S-DU-Z3	0009246	1/2	098268329513	6	25	258.39
LF25AUB-S-DU-Z3	0009283	3/4	098268330090	6	19	389.99
LF25AUB-S-DU-Z3	0009337	1	098268330786	6	50	508.79
LF25AUB-S-DU-Z3	0009382	1 1/4	098268331332	1	11	929.12
LF25AUB-S-DU-Z3	0009421	1 1/2	098268331752	1	13	1,038.10
LF25AUB-S-DU-Z3	0009455	2	098268332131	1	17	1,690.74

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series 25AUB/LF25AUB (cont.)

Threaded Female Union Inlet x Threaded Female Union Outlet - Less Fittings

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF25AUB-DU-LF-Z3	0009298	3/4	098268330298	6	3	\$ 324.11
	LF25AUB-DU-LF-Z3	0009320	1	098268330564	6	7	499.07
	LF25AUB-DU-LF-Z3	0009364	1 1/4	098268331134	4	40	884.84

Series X65B/LFX65B — Cartridge Style w/Bypass

Threaded Female Inlet X NPT Threaded Female Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65B	0009925	1/2	098268448221	12	19	236.95
	LFX65B	0009945	3/4	098268448276	12	20	244.08
	LFX65B	0009966	1	098268448337	6	14	334.15
	LFX65B	0009986	1 1/4	098268448382	6	23	773.17
	LFX65B	0010023	1 1/2	098268448436	1	9	1,220.29
	LFX65B	0010043	2	098268448481	1	10	1,631.23

Threaded Female Union Inlet X NPT Threaded Female Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BU	0009929	1/2	098268448238	12	8	261.14
	LFX65BU	0009949	3/4	098268448283	12	23	269.03
	LFX65BU	0009970	1	098268448344	6	17	368.39
	LFX65BU	0009990	1 1/4	098268448399	6	28	852.34
	LFX65BU	0010027	1 1/2	098268448443	1	10	1,345.46
	LFX65BU	0010047	2	098268448498	1	12	1,798.52

Solder Union Inlet X NPT Threaded Female Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BU-S	0009933	1/2	098268448245	12	8	261.14
	LFX65BU-S	0009953	3/4	098268448290	12	26	269.03
	LFX65BU-S	0009974	1	098268448351	6	17	368.39
	LFX65BU-S	0009994	1 1/4	098268448405	6	27	852.34
	LFX65BU-S	0010031	1 1/2	098268448450	1	10	1,345.46
	LFX65BU-S	0010051	2	098268448504	1	12	1,798.52

Unless noted, all pressure reducing valves on this page are factory set at 50psi. Adjustable range is 25 – 100psi, Max. inlet 300psi.



X65B

X65B Max. inlet 400psi.

SERIES X65B:

Options

- G** – Gauge tapping; list price 5% extra
- GG** – Gauge tapping and 160psi gauge; add 15% to list price (1/2"–1"); add 5% to list price (1 1/4"–2")
- HP** – High pressure range; price 25% extra

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight. Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series X65B/LFX65B — Cartridge Style w/Bypass (cont.)

Double Union/Threaded Female Union Inlet X Threaded Female Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BDU	0009937	1/2	098268448252	12	22	\$ 286.63
	LFX65BDU	0009957	3/4	098268448306	12	27	295.38
	LFX65BDU	0009978	1	098268448368	6	19	404.24
	LFX65BDU	0010015	1 1/4	098268448412	6	34	935.50
	LFX65BDU	0010035	1 1/2	098268448467	4	35	1,476.58
	LFX65BDU	0010055	2	098268448511	1	14	1,973.70

Double Union/Solder Union Inlet X Solder Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BDU-S	0009941	1/2	098268448269	12	22	286.63
	LFX65BDU-S	0009961	3/4	098268448313	12	29	295.38
	LFX65BDU-S	0009982	1	098268448375	6	21	404.24
	LFX65BDU-S	0010019	1 1/4	098268448429	6	31	935.50
	LFX65BDU-S	0010039	1 1/2	098268448474	4	43	1,476.58
	LFX65BDU-S	0010059	2	098268448528	1	13	1,973.70

Quick-Connect Union Inlet X NPT Threaded Female Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BU-QC	0010069	1/2	098268448597	12	23	276.37
	LFX65BU-QC	0010070	3/4	098268448603	12	28	284.69
	LFX65BU-QC	0010071	1	098268448610	6	20	389.34

Quick-Connect Union Inlet X Quick-Connect Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BDU-QC	0010072	1/2	098268448627	12	25	318.49
	LFX65BDU-QC	0009965	3/4	098268448320	12	34	328.43
	LFX65BDU-QC	0010073	1	098268448634	6	23	449.17

Double Union PEX Union Inlet X PEX Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BDU-PEX	0010074	1/2	098268448641	12	22	295.92
	LFX65BDU-PEX	0010075	3/4	098268448658	12	27	305.96
	LFX65BDU-PEX	0010076	1	098268448665	6	14	418.82

Double Union CPVC Union Inlet X CPVC Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BDU-CPVC	0010077	3/4	098268448672	12	26	339.88
	LFX65BDU-CPVC	0010078	1	098268448689	6	19	467.21



X65B-QC

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series X65B/LFX65B

Cartridge Assembly - Standard Pressure Setting

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65B CartAssy-STD	0045826	1/2-3/4	098268491487	12	10	\$ 167.94
	LFX65B CartAssy-STD	0045827	1	098268491494	12	15	208.12
	LFX65B CartAssy-STD	0045828	1 1/4	098268491500	6	12	500.36
	LFX65B CartAssy-STD	0045829	1 1/2-2	098268491517	6	35	1,054.19

Cartridge Assembly - High Pressure Setting

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65B CartAssy-HP	0045830	1/2-3/4	098268491524	12	11	178.74
	LFX65B CartAssy-HP	0045831	1	098268491531	12	17	233.50
	LFX65B CartAssy-HP	0045832	1 1/4	098268491548	1	2	525.64
	LFX65B CartAssy-HP	0045833	1 1/2-2	098268491555	1	11	1,054.19



X65B-Rough In Kit

Rough-In Kits

Series X65B/LFX65B

Threaded Female Union Inlet X NPT Threaded Female Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65B RIK	0010063	1/2	098268448535	12	8	82.62
	LFX65B RIK	0010064	3/4	098268448542	12	9	101.20
	LFX65B RIK	0010065	1	098268448559	12	11	128.84
	LFX65B RIK	0010066	1 1/4	098268448566	6	11	270.32
	LFX65B RIK	0010067	1 1/2	098268448573	6	20	428.00
	LFX65B RIK	0010068	2	098268448580	6	24	705.78

Union/Threaded Female Union Inlet X Threaded Female Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BU RIK	0010079	1/2	098268448696	12	11	85.10
	LFX65BU RIK	0010080	3/4	098268448702	12	14	271.51
	LFX65BU RIK	0010081	1	098268448719	12	15	371.74
	LFX65BU RIK	0010082	1 1/4	098268448726	6	18	860.00
	LFX65BU RIK	0010083	1 1/2	098268448733	6	31	1,357.45
	LFX65BU RIK	0010084	2	098268448740	6	36	1,814.51

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves



X65B-Rough In Kit

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Rough-In Kits (cont.)

Series LFX65B

Solder Union Inlet X NPT Threaded Female Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65B-U-S RIK	0010091	1/2	098268448818	12	11	\$ 263.52
	LFX65B-U-S RIK	0010092	3/4	098268448825	12	13	271.51
	LFX65B-U-S RIK	0010093	1	098268448832	12	15	371.74
	LFX65B-U-S RIK	0010094	1 1/4	098268448849	6	16	860.00
	LFX65B-U-S RIK	0010095	1 1/2	098268448856	6	29	1,357.45
	LFX65B-U-S RIK	0010096	2	098268448863	6	34	1,814.51

Double Union/Threaded Female Union Inlet X Threaded Female Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65B-DU RIK	0010085	1/2	098268448757	12	13	268.70
	LFX65B-DU RIK	0010086	3/4	098268448764	12	17	276.80
	LFX65B-DU RIK	0010087	1	098268448771	12	20	378.86
	LFX65B-DU RIK	0010088	1 1/4	098268448788	6	24	876.74
	LFX65B-DU RIK	0010089	1 1/2	098268448795	6	40	1,383.91
	LFX65B-DU RIK	0010090	2	098268448801	6	47	1,849.82

Double Union/Solder Union Inlet X Solder Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65B-DU-S RIK	0010097	1/2	098268448870	12	12	268.70
	LFX65B-DU-S RIK	0010098	3/4	098268448887	12	16	276.80
	LFX65B-DU-S RIK	0010099	1	098268448894	12	18	378.86
	LFX65B-DU-S RIK	0010100	1 1/4	098268448900	6	20	876.74
	LFX65B-DU-S RIK	0010101	1 1/2	098268448917	6	36	1,383.91
	LFX65B-DU-S RIK	0010102	2	098268448924	6	43	1,849.82

Quick-Connect Union Inlet X NPT Threaded Female Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65B-U-QC RIK	0010103	1/2	098268448931	12	14	258.12
	LFX65B-U-QC RIK	0010104	3/4	098268448948	12	19	266.98
	LFX65B-U-QC RIK	0010105	1	098268448955	12	21	364.18

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves



X65B-Rough In Kit



2300

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Rough-In Kits (cont.)

Series LFX65B

Quick-Connect Union Inlet X Quick-Connect Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65B-DU-QC RIK	0010106	1/2	098268448962	12	18	\$ 263.52
	LFX65B-DU-QC RIK	0010107	3/4	098268448979	12	27	271.51
	LFX65B-DU-QC RIK	0010108	1	098268448986	12	32	371.74

Threaded Female Inlet X PEX Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BU-PEX RIK	0045800	1/2	098268454635	12	11	268.70
	LFX65BU-PEX RIK	0045801	3/4	098268454642	12	14	276.80
	LFX65BU-PEX RIK	0045802	1	098268454659	12	15	378.86

Double Union PEX Union Inlet X PEX Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BDU-PEX RIK	0045803	1/2	098268454666	12	13	268.70
	LFX65BDU-PEX RIK	0045804	3/4	098268454673	12	17	276.80
	LFX65BDU-PEX RIK	0045805	1	098268454680	12	20	378.86

Threaded Female Inlet X CPVC Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BU-CPVC RIK	0045806	3/4	098268454697	12	14	101.20
	LFX65BU-CPVC RIK	0045807	1	098268454703	12	15	128.84

Double Union CPVC Union Inlet X CPVC Union Outlet

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFX65BDU-CPVC RIK	0045808	3/4	098268454710	12	17	107.24
	LFX65BDU-CPVC RIK	0045809	1	098268454727	12	20	136.51

Direct Operated Water Pressure Reducing Valves

Series 2300

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
2300	0681040	3	098268086850	1	108	17,332.92
2300	0681060	4	098268086867	1	198	24,743.88

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

Pressure Regulators & Automatic Control Valves

Model	Ordering Code	Size (in.)	Body	UPC	Carton Qty	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	------------	--------------------------	-------------------

High Performance and High Capacity

Series LF127W - Max Pressure 175psi

Pressure Range 25-100psi; Max. Pressure 175psi.

LEAD FREE*	LF127W-206	0009904	3	Bronze	098268430592	1	39	\$ 7,435.93
	LFF127W-206	0009905	3	Iron	098268430608	1	47	8,144.15
	LFF127W-206	0009906	4	Iron	098268430615	1	81	9,912.51

*Model N223B - 3" size can be used as an alternative to 127W. †Max. pressure 175psi.

Series 223/LF223

Without Strainer - Threaded Female Connections

LEAD FREE*	LF223	0298500	1/2	Bronze	098268349375	6	23	567.27
	LF223	0298514	3/4	Bronze	098268349511	6	32	577.80
	LF223	0298533	1	Bronze	098268349702	6	45	895.46
	LF223	0298553	1 1/4	Bronze	098268349917	6	59	1,598.94
	LF223	0298568	1 1/2	Bronze	098268350401	1	20	2,411.24
	LF223	0298585	2	Bronze	098268350623	1	33	3,583.22
	LF223	0298601	2 1/2	Bronze	098268350784	1	76	3,879.36
	LFN223-B-M2	0298602	2 1/2	Bronze	098268350791	1	76	4,412.88
	LFN223-B-M1	0298615	3	Bronze	098268350944	1	70	5,129.35
	LFN223F M2 (flanged)	0298620	3	Iron	098268350999	1	83	4,752.00
	LFN223FM2-S (flanged)	0298621	3	Iron	098268351002	1	125	6,799.95

With Bronze Strainer

LEAD FREE*	LF223-S	0298510	1/2	Bronze	098268349474	6	27	671.87
	LF223-S	0298524	3/4	Bronze	098268349610	6	34	695.95
	LF223-S	0298546	1	Bronze	098268349832	1	9	991.44
	LF223-S	0298561	1 1/4	Bronze	098268350272	1	11	1,838.16
	LF223-S	0298574	1 1/2	Bronze	098268350463	1	20	2,772.79
	LF223-S	0298594	2	Bronze	098268350715	1	34	4,120.31

†Max. pressure 175psi.



N223F-M2



223S

SERIES 223, 223S, N223B:

Options

- B** - Built-in bypass feature; list price 5% extra
- HP** - High pressure range 75 - 125psi; price 25% extra (223 Series only)
- LP** - Low pressure range 10 - 35psi; price 25% extra (223 Series only)
- Z3** - Sealed spring cage and stainless steel corrosion resistant adjusting & cage screws for accessible outdoor or pit installations list price 10% extra (1/2" - 1")

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

SERIES N45B:

Standard Features

Corrosion-resistant adjusting screw and sealed cage for waterworks pit installations



N45BU



N45BDU

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bypass - Max. inlet 400psi

Series N45B/LFN45B -

Threaded Female Inlet x NPT Threaded Female Outlet

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFN45BM1	0009470	1/2	098268332308	12	24	\$ 207.47
LFN45BM1	0009477	3/4	098268332391	12	24	228.74
LFN45BM1	0009489	1	098268332575	12	32	289.98
LFN45B	0009503	1 1/4	098268332728	1	7	727.38
LFN45B	0009514	1 1/2	098268332827	1	8	1,159.27
LFN45B	0009523	2	098268332926	1	9	1,556.82

Threaded Female Union Inlet x NPT Threaded Female Outlet

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFN45BM1-U	0009471	1/2	098268332315	12	24	172.85
LFN45BM1-U	0009478	3/4	098268332407	12	24	245.48
LFN45BM1-U	0009490	1	098268332582	12	33	325.94
LFN45BU	0009504	1 1/4	098268332735	1	7	820.26
LFN45BU	0009516	1 1/2	098268332858	1	8	1,320.19
LFN45BU	0009526	2	098268332940	1	9	1,694.30

Solder Union Inlet x NPT Threaded Female Outlet

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFN45BM1-U-S	0009473	1/2	098268332339	12	2	253.80
LFN45BM1-U-S	0009480	3/4	098268332438	12	24	256.93
LFN45BM1-U-S	0009492	1	098268332605	12	33	341.17
LFN45BU-S	0009505	1 1/4	098268332742	1	7	794.34
LFN45BU-S	0009517	1 1/2	098268332872	1	7	1,311.77
LFN45BU-S	0009527	2	098268332957	1	9	1,667.84

Bypass

Series N45B/LFN45B

Double Union/Threaded Female Union Inlet x Threaded Female Union Outlet

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFN45BM1-DU	0009472	1/2	098268332322	12	31	228.64
LFN45BM1-DU	0009479	3/4	098268332414	12	27	245.48
LFN45BM1-DU	0009491	1	098268332599	6	35	325.94
LFN45BDU	0009512	1 1/4	098268332803	1	8	820.26
LFN45BDU	0009520	1 1/2	098268527605	1	9	1,320.19
LFN45BDU	0009530	2	098268333015	1	10	1,694.30

Double Union/Solder Union Inlet x Solder Union Outlet

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFN45BM1-DU-S	0009474	1/2	098268332346	12	2	253.80
LFN45BM1-DU-S	0009481	3/4	098268332469	12	30	256.93
LFN45BM1-DU-S	0009493	1	098268332612	6	35	289.98
LFN45BDU-S	0009801	1 1/4	098268428612	1	8	861.19
LFN45BDU-S	0009800	1 1/2	098268428605	1	9	1,386.07
LFN45BDU-S	0009533	2	098268333046	1	11	1,778.87

Double Union PEX Union Inlet x PEX Union Outlet

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFN45BM1-DU-PEXxPEX	0009485	3/4	098268332520	12	2	258.01

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

Pressure Regulators & Automatic Control Valves

SERIES N55:
Standard Features
 Corrosion-resistant adjusting screw and sealed cage for waterworks pit installations

Options

G – 1/8" Gauge port tapped and plugged, add 5% to list price.

GG – 1/8" Gauge port and Gauge (160psi), add 15% to list price (1/2" - 1"), add 5% to list price (1 1/4" - 2")

LP – Low Pressure range (10–35psi, set pressure 30psi) add 10% to list price



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bypass

Series N55B/LFN55B

Threaded Female Inlet x NPT Threaded Female Outlet

LEAD FREE*	LFN55BM1	0009538	1/2	098268333084	12	26	\$ 229.50
	LFN55BM1	0009588	3/4	098268333688	12	26	251.21
	LFN55BM1	0009638	1	098268334265	12	34	311.90
	LFN55B	0009673	1 1/4	098268334630	1	9	749.63
	LFN55B	0009682	1 1/2	098268334685	1	7	1,181.09
	LFN55B	0009690	2	098268334739	1	11	1,578.96

Threaded Female Union Inlet x NPT Threaded Female Outlet

LEAD FREE*	LFN55M1-BU	0009539	1/2	098268333091	12	25	256.39
	LFN55BM1-U	0009589	3/4	098268333701	12	26	326.48
	LFN55BM1-U	0009639	1	098268334272	12	34	816.37
	LFN55BU	0009674	1 1/4	098268334647	4	9	1,305.18
	LFN55BU	0009683	1 1/2	098268334692	1	10	1,690.20
	LFN55BU	0009691	2	098268334746	1	11	1,565.00

Solder Union Inlet x NPT Threaded Female Outlet

LEAD FREE*	LFN55BM1-US	0009540	1/2	098268333107	12	24	225.50
	LFN55BM1-US	0009590	3/4	098268333718	12	26	241.81
	LFN55BM1-US	0009640	1	098268334289	12	34	307.91
	LFN55BU-S	0009675	1 1/4	098268334654	1	7	770.47
	LFN55BU-S	0009684	1 1/2	098268334708	1	8	1,221.91
	LFN55BU-S	0009692	2	098268334753	1	10	1,594.73

Double Union/Threaded Female Inlet x Threaded Female Outlet

LEAD FREE*	LFN55BM1-DU	0009536	1/2	098268333060	12	33	247.32
	LFN55BM1-DU	0009585	3/4	098268333633	12	29	264.17
	LFN55BM1-DU	0009635	1	098268334234	12	37	342.79
	LFN55BDU	0009671	1 1/4	098268334616	1	10	833.65
	LFN55BDU	0009680	1 1/2	098268334661	1	11	1,328.83
	LFN55BDU	0009688	2	098268334715	1	13	1,699.38

Double Union/Solder Union Inlet x Solder Union Outlet

LEAD FREE*	LFN55BM1-DU-S	0009537	1/2	098268333077	12	32	247.32
	LFN55BM1-DU-S	0009586	3/4	098268333640	12	32	264.17
	LFN55BM1-DU-S	0009636	1	098268334241	12	37	342.79
	LFN55BDU-S	0009672	1 1/4	098268334623	1	10	833.65
	LFN55BDU-S	0009681	1 1/2	098268334678	1	11	1,328.83
	LFN55BDU-S	0009689	2	098268334722	1	13	1,699.38

Double Union PEX Union Inlet x PEX Union Outlet

LEAD FREE*	LFN55BM1-DU-PEX	0009587	3/4	098268333657	12	26	298.51
	LFN55BM1-DU-PEX	0009637	1	098268334258	12	3	361.04

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
 Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

Model	Ordering Code	Size (in.)	Pressure Range (psi)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	----------------------	-----	-----------------	--------------------------	-------------------

Series LFN250/LFN250B - Max. Pressure 250psi

Iron Body Water Pressure Regulators

LEAD FREE*	Model	Ordering Code	Size (in.)	Pressure Range (psi)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFN250B	0121241	1/2	25-75	098268580501	12	44	\$ 175.37
	LFN250B	0121243	3/4	25-75	098268581348	6	22	247.32
	LFN250	0121242	3/4	25-75	098268581331	6	22	184.14

Suffix B - bypass feature



26A

Series 26A/LF26A

Standard Capacity - Water, No. 2 Fuel Oil - Max. initial pressure 300psi

Pressure range: "A" 1-25, "B" 3-50†, "C" 10-125, "D" 50-175psi

LEAD FREE*	Model	Ordering Code	Size (in.)	Pressure Range (psi)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF26A	0009810	1/4	1-25	098268428674	25	25	191.38
	LF26A 1-25	0009814	3/8	1-25	098268428711	25	25	205.20
	LF26A 1-25	0009818	1/2	1-25	098268428759	12	14	265.68
	LF26A 3-50	0009811	1/4	3-50	098268428681	25	25	191.43
	LF26A 3-50	0009815	3/8	3-50	098268428728	25	25	205.20
	LF26A 3-50	0009819	1/2	3-50	098268428766	12	14	266.63
	LF26A 10-125	0009812	1/4	10-125	098268428698	25	25	191.38
	LF26A 10-125	0009816	3/8	10-125	098268428735	25	25	178.61
	LF26A 10-125	0009820	1/2	10-125	098268428773	12	14	266.65
	LF26A 50-175	0009817	3/8	50-175	098268428742	25	25	178.20



263A 3-way

Series 263A/LF263A

Compact Water Pressure Regulators

LEAD FREE*	Model	Ordering Code	Size (in.)	Pressure Range (psi)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF263A 3-50	0009821	1/4	3-50	098268428780	25	25	205.20
	LF263A 3-50	0009827	3/8	3-50	098268428841	25	25	205.20
	LF263A 3-50	0009835	1/2	3-50	098268428926	12	14	293.22
	LF263A 10-125	0009823	1/4	10-125	098268428803	25	25	191.84
	LF263A 10-125	0009828	3/8	10-125	098268428858	25	25	191.70
	LF263A 10-125	0009836	1/2	10-125	098268428933	12	14	293.22
	LF263A 1-25	0009826	3/8	1-25	098268428834	25	25	191.84
	LF263A 1-25	0009834	1/2	1-25	098268428919	12	14	274.32
	LF263A 50-175	0009837	1/2	50-175	098268428940	12	14	293.22
	LF263AP 20-175	0009898	1/2	20-175	098268430530	12	15	293.22

Compact Water Pressure Regulator - Stainless Steel Body

"A" 1-25, "B" 3-50, "C" 10-125, "D" 50-175, "E" 100-300psi

LEAD FREE*	Model	Ordering Code	Size (in.)	Pressure Range (psi)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	SS263AP-M1 "A"	0335115	1/2	1-25	098268081046	12	25	1,123.20
	SS263AP-M1 "B"	0335077	1/2	3-50	098268197617	12	25	1,123.20
	SS263AP-M1 "C"	0335078	1/2	10-125	098268197624	12	25	1,123.20
	SS263AP-M1 "D"	0335079	1/2	20-175	098268197631	12	25	1,123.20
	SS263AP-M1 "E"	0335080	1/2	100-300	098268197648	12	25	1,123.20

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

Model	Ordering Code	Size (in.)	Pressure Range (psi)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	----------------------	-----	-----------------	--------------------------	-------------------



123LP

High Performance Low Pressure Water Regulators Series LF123LP

Max. Pressure 200psi; Factory Set at 30psi

LEAD FREE*	LF123-LP	0121224	1/2	10-30	098268580235	12	23	\$ 415.80
	LF123-LP	0121225	3/4	10-30	098268580242	6	19	480.20



H560G

Water Pressure Fill Valves Series LFH560

Max. Pressure 150psi; Factory Preset to 40psi

LEAD FREE*	LFH560	0121264	3/4 HT	10-60	098268582079	24	22	162.65
	LFH560-G	0121265	3/4 HT	10-60	098268582086	24	23	216.68
	LFH560-G	0121265	3/4 HT	10-60	098268582086	24	23	216.68

Compact Water Pressure Regulators Series LF560

Max Pressure 300psi

LEAD FREE*	LF560 0-60	0121250	1/8	0-60	098268581508	50	45	153.90
	LF560-G 0-60	0121253	1/8	0-60	098268581553	24	24	145.40
	LF560 0-60	0121257	1/4	0-60	098268581591	50	28	145.40
	LF560-G 0-60	0121256	1/4	0-60	098268581584	24	19	221.94

0-25 and 0-125psi pressure ranges also available. Consult factory for ordering codes.

Ordering Code reflects 0-60 setting.



215

Precision High Capacity Brass Pressure Regulators Series LF215

Max Pressure 300psi - Water, No. 2 Fuel Oil

LEAD FREE*	LF215M1 0-50	0009840	1/4	0-50	098268428971	6	14	504.36
	LF215M1 0-50	0009842	3/8	0-50	098268428995	6	14	522.45

0-8 and 0-20psi pressure ranges also available. Consult factory for ordering codes.



P60M5

Compact Plastic Pressure Fluid Regulator Series P60M5

For general purpose, OEM and irrigation applications - Max. inlet 300psi

Pressure range: "A" 0-25,"B" 0-60, "C" 0-125†psi

LEAD FREE*	P60M5	†0363003	1/4		098268243918	50	8.5	103.95
------------	-------	----------	-----	--	--------------	----	-----	--------

† Indicates ordering code numbers for the pressure range shown with (†).

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves



152A

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Medium Capacity Process Pressure Regulators

Series 152A

Max. pressure 200psi - Stainless Steel Disc, Seat and Strainer - For Steam or Liquid Service - Iron Body

152A 3-15	†0830886	1/2	098268095692	4	44	\$ 807.30
152A 10-50	†0830910	1/2	098268095784	4	44	807.30
152A 30-140	†0830905	1/2	098268095760	4	44	807.30
152A 3-15	†0830918	3/4	098268095821	4	44	972.00
152A 10-50	†0830920	3/4	098268095845	4	44	972.00
152A 30-140	†0830928	3/4	098268095869	4	44	972.00
152A 3-15	†0830946	1	098268095968	1	20	1,271.16
152A 10-30	†0830945	1	098268095951	1	20	1,271.16
152A 30-140	†0830950	1	098268095999	1	20	1,271.16
152A 3-15	†0830957	1 1/4	098268096026	1	20	1,752.84
152A 10-30	†0830960	1 1/4	098268096040	1	20	1,752.84
152A 30-140	†0830965	1 1/4	098268096057	1	20	1,752.84
152A 5-40	†0830985	1 1/2	098268096064	1	40	1,967.76
152A 30-100	†0830988	1 1/2	098268096071	1	40	1,967.76
152A 5-40	†0831010	2	098268096088	1	40	2,856.60
152A 30-100	†0831015	2	098268096118	1	40	2,856.60

†152AT for extra tight seating in liquid service. Available in these sizes. List Price 10% extra.

Series 252A

Max. Pressure 300psi - Bronze Body

252A 3-15	†0839720	1/2	098268102758	4	48	1,037.88
252A 10-50	†0839721	1/2	098268102765	4	48	1,166.40
252A 30-140	†0839740	1/2	098268102802	4	48	1,166.40
252A 3-15	†0839828	3/4	098268102895	4	48	1,385.64
252A 10-50	†0839831	3/4	098268102925	4	48	1,385.64
252A 30-140	†0839827	3/4	098268102888	4	48	1,385.64
252A 3-15	†0839982	1	098268199178	1	21	1,825.20
252A 10-50	†0839981	1	098268103052	1	21	1,825.20
252A 30-140	†0840000	1	098268103069	1	21	1,825.20

†252AT for extra tight seating in liquid service. List Price 10% extra.

Series 152SS

Stainless Steel Body - 152SS (Up to 300psi @ 420°F),


152SST (300psi @ 300°F - 200psi @ 400°F)

152SS 3-15	†0842076	1/2	098268234817	4	44	6,225.12
152SS 10-50	†0842072	1/2	098268103090	4	44	6,225.12
152SS 30-140	†0842073	1/2	098268213263	4	44	6,225.12
152SS 3-15	†0842087	3/4	098268234824	4	44	6,880.68
152SS 10-50	†0842086	3/4	098268103137	4	44	6,880.68
152SS 30-140	†0842088	3/4	098268234831	4	44	6,880.68
152SS 3-15	†0842107	1	098268234848	1	20	7,206.84
152SS 10-50	†0842106	1	098268103205	1	20	7,206.84
152SS 30-140	†0842108	1	098268307559	1	20	7,206.84

†152SST for extra tight seating in liquid service. List Price 10% extra. For Specification Table on 152A and 252A Series, send for F-127.

Water Pressure Reducing Valves

Model	Ordering Code	Size (in.)	Body	UPC	Carton Qty	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	------------	--------------------------	-------------------



Process Steam Pressure Regulators
High Capacity Diaphragm Operated Steam Pressure Regulators
Series 127

Threaded Connections

127SS-206	0826229	1/2	Bronze	098268094589	26		\$ 3,696.84
127SS-206	0826543	3/4	Bronze	098268094633	25		3,290.76
127SS-206	0826861	1	Bronze	098268094688	25		3,677.40
127SS-208	0827187	1 1/4	Bronze	098268094763	29		4,062.96
127SS-208	0827314	1 1/2	Bronze	098268094817	28		4,983.12
127SS-208	0827334	2	Bronze	098268094879	30		5,691.60
127SS-208	0828250	2 1/2	Bronze	098268094923	38		7,133.40
127SS-208	0828290	3	Bronze	098268095012	40		9,135.72

Series F127

Flange Connections

F127SS-208	0828292	3	Iron	098268095029	51		10,006.20
F127SS-208	0828330	4	Iron	098268095098	84		11,225.52

Standardly furnished with stainless steel valve disc.
 For reduced pressure below 10psi, prices subject to \$85.85 list extra, whenever special extra large diaphragm is required.
 When ordering Series 127, be sure to specify initial pressure and reduced pressure setting or range required.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
 Consult factory for ordering code numbers of special models/options.

Automatic Control Valves

Pressure Regulators & Automatic Control Valves

Model	Size† (in.)	Qty Per Carton	Estimated Weight Per Carton (lbs.)	Threaded List Price	Iron Body 150#FLG. List Price	Iron Body 300#FLG. List Price
-------	----------------	----------------------	--	------------------------	-------------------------------------	-------------------------------------



Automatic Control Valve Features – Classic Series

ACV110-10 Globe / 1110-10 Angle

Float Control - Modulating (Constant Level)

110-10/1110-10	1 1/4"	1	25		\$2,130.24	
110-10/1110-10	1 1/2"	1	25		2,130.24	
110-10/1110-10	2"	1	25		2,152.64	
110-10/1110-10	2 1/2"	1	60		2,285.92	
110-10/1110-10	3"	1	60		2,709.28	
110-10/1110-10	4"	1	100		3,828.16	
110-10/1110-10	6"	1	195		5,854.24	
110-10/1110-10	8"	1	415		8,126.72	

Brass Isolation Cocks for valves 1 1/4" - 3"...add \$217.00

ACV110-14 Globe / 1110-14 Angle On/Off (open/closed)

LFF110-14 or LFM110-14 Globe / LFF1110-14 or LFM1110-14 Angle

Float Control Valve (Adjustable Hi/Lo level) On/Off Float Valve

110-14/1110-14	1 1/4"	1	30		2,653.28	
110-14/1110-14	1 1/2"	1	30		2,653.28	
110-14/1110-14	2"	1	30		2,653.28	
110-14/1110-14	2 1/2"	1	65		2,843.68	
110-14/1110-14	3"	1	65		3,486.56	
110-14/1110-14	4"	1	115		4,009.60	
110-14/1110-14	6"	1	215		6,311.20	
110-14/1110-14	8"	1	430		9,677.92	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	1 1/4"	1	40		3,070.82	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	1 1/2"	1	40		3,070.82	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	2"	1	40		3,070.82	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	2 1/2"	1	80		3,290.11	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	3"	1	80		4,034.69	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	4"	1	130		4,639.82	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	6"	1	230		7,303.52	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	8"	1	450		11,201.12	

Valve standard with brass rods/plastic float. Size 2" - 6" std. with (2) 12" brass rods. Sizes 8" - 16" std. with (4) 12" brass rods.

Brass Isolation Cocks for valves 1 1/4" - 3"...add \$217.00

Additional Rods: Brass 12" ...add \$36.00 each; Stn. Stl. 12" ...add \$60.00 each. Note: Specify if valve mounted pilot is required.

Specify discharge: horizontal or vertical.

Additional Rods: LF Series Stainless Steel 12" ...add \$60.00 each.

Option: LF Series Stainless Steel Isolation Cocks for valves 1 1/4" - 3" ... add \$378.00.

Standard Production Valves:

Globe pattern 1 1/4" – 24",

Angle pattern 1 1/4" – 12",

Ductile Iron body and cover with NSF Approved heat fusion bonded epoxy coated 100% (inside & out), Exclusive "Quad Seal" seat disc for positive, drip-tight closure, Long life non-edged stainless steel seat, FDA Approved Buna-N diaphragm, Top and bottom guided stem. Consult factory for specifications and ordering codes.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Automatic Control Valves

Model	Size (in.)	Qty Per Carton	Estimated Weight Per Carton (lbs.)	Threaded List Price	Iron Body 150#FLG. List Price	Iron Body 300#FLG. List Price
-------	------------	----------------	------------------------------------	---------------------	-------------------------------	-------------------------------



ACV113-12 Globe / 1113-12 Angle LFF113-12 or LFM113-12 Globe / LFF1113-12 or LFM1113-12 Angle

Solenoid On/Off (open/closed) sizes: 1 1/4" - 4"

Model	Size (in.)	Qty Per Carton	Estimated Weight Per Carton (lbs.)	Threaded List Price	Iron Body 150#FLG. List Price	Iron Body 300#FLG. List Price
113-12/1113-12	1 1/4"	1	30		\$1,861.44	
113-12/1113-12	1 1/2"	1	30		1,861.44	
113-12/1113-12	2"	1	30		1,861.44	
113-12/1113-12	2 1/2"	1	65		2,386.72	
113-12/1113-12	3"	1	65		2,386.72	
113-12/1113-12	4"	1	110		3,969.28	
LFF113-12 / LFM113-12 / LFF1113-12 / LFM1113-12	1 1/4"	1	40		2,153.54	
LFF113-12 / LFM113-12 / LFF1113-12 / LFM1113-12	1 1/2"	1	40		2,153.54	
LFF113-12 / LFM113-12 / LFF1113-12 / LFM1113-12	2"	1	40		2,153.54	
LFF113-12 / LFM113-12 / LFF1113-12 / LFM1113-12	2 1/2"	1	80		2,762.26	
LFF113-12 / LFM113-12 / LFF1113-12 / LFM1113-12	3"	1	80		2,762.26	
LFF113-12 / LFM113-12 / LFF1113-12 / LFM1113-12	4"	1	130		4,594.13	

LEAD FREE*

Brass Isolation Cocks for valves 1 1/4" - 3" ...add \$217.00. Brass Isolation cocks standard 4".
Option: LF Series Stainless Steel Isolation Cocks for valves 1 1/4" - 3" ... add \$378.00.
Note: Manual Operator Standard, specify voltage, specify energize to open or close main valve.


ACV113-6RFP Globe / 1113-6RFP Angle

Flood Prevention Solenoid On/Off valve

Available in sizes 1 1/4" - 10". Price includes Classic Series Basic Valve with anti-scale trim (Xylan coated seat and stem), Single Limit Switch, JB113 junction box and FS99 flow sensor. 110-120 VAC - Power to Solenoid closes valve.

Model	Size (in.)	Qty Per Carton	Estimated Weight Per Carton (lbs.)	Threaded List Price	Iron Body 150#FLG. List Price	Iron Body 300#FLG. List Price
113-6RFP/1113-6RFP	1 1/4"	1	55		9,010.40	
113-6RFP/1113-6RFP	1 1/2"	1	55		9,010.40	
113-6RFP/1113-6RFP	2"	1	60		9,240.00	
113-6RFP/1113-6RFP	2 1/2"	1	90		10,281.00	
113-6RFP/1113-6RFP	3"	1	90		10,496.64	
113-6RFP/1113-6RFP	4"	1	140		11,145.12	
113-6RFP/1113-6RFP	6"	1	240		13,081.60	
113-6RFP/1113-6RFP	8"	1	460		13,341.44	

Brass Isolation Cocks for valves 1 1/4" - 3" ...add \$217.00. Isolation cocks standard 4" - 10".



*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Automatic Control Valves

AUTOMATIC CONTROL VALVE FEATURES – CLASSIC “A” SERIES

Standard Production Valves: Globe pattern 1-1/4” – 24”, Angle pattern 1-1/4” – 12”, Cast Iron body and cover with NSF Approved heat fusion bonded epoxy coated 100% (inside & out), Exclusive “Quad Seal” seat disc for positive, drip-tight closure, Long life non-edged seat*, FDA Approved Buna-N diaphragm, Top and bottom guided stem. Consult factory for specifications.



Standard Production Valves:

Globe pattern 1 1/4” – 24”,

Angle pattern 1 1/4” – 12”,

Ductile Iron body and cover with NSF Approved heat fusion bonded epoxy coated 100% (inside & out), Exclusive “Quad Seal” seat disc for positive, drip-tight closure, Long life non-edged stainless steel seat, FDA Approved Buna-N diaphragm, Top and bottom guided stem. Consult factory for specifications and ordering codes.

Model	Size† (in.)	Qty Per Carton	Estimated Weight Per Carton (lbs.)	List Price (Each)
-------	-------------	----------------	------------------------------------	-------------------

Pressure Reducing With Opening Speed Control

PV10M/T THD	1 1/4”	1	30	\$ 2,614.08
PV10M/T THD	1 1/2”	1	30	2,614.08
PV10M/T THD	2”	1	30	2,614.08
PV10M/T THD	2 1/2”	1	60	3,585.12
PV10M/T THD	3”	1	60	3,585.12
PV10M/T 125#	2”	1	30	2,723.84
PV10M/T 125#	2 1/2”	1	60	3,628.80
PV10M/T 125#	3”	1	60	3,628.80
PV10M/T 125#	4”	1	150	5,149.76
PV10M/T 125#	6”	1	290	8,476.16
PV10M/T 125#	8”	1	495	14,868.00
PV10M/T 250#	2”	1	30	3,112.48
PV10M/T 250#	2 1/2”	1	60	4,215.68
PV10M/T 250#	3”	1	60	4,215.68
PV10M/T 250#	4”	1	150	5,608.96
PV10M/T 250#	6”	1	290	9,434.88
PV10M/T 250#	8”	1	495	16,633.12

Pressure Reducing With Opening Speed Control & Low Flow Bypass

PV10M/T-06 THD	1 1/4”	1	38	3,252.48
PV10M/T-06 THD	1 1/2”	1	38	3,252.48
PV10M/T-06 THD	2”	1	59	3,157.28
PV10M/T-06 THD	2 1/2”	1	75	4,039.84
PV10M/T-06 THD	3”	1	75	3,489.92
PV10M/T-06 125#	2”	1	38	3,181.92
PV10M/T-06 125#	2 1/2”	1	75	4,241.44
PV10M/T-06 125#	3”	1	75	4,241.44
PV10M/T-06 125#	4”	1	165	5,755.68
PV10M/T-06 125#	6”	1	305	9,517.76
PV10M/T-06 250#	2”	1	38	3,983.84
PV10M/T-06 250#	2 1/2”	1	75	4,820.48
PV10M/T-06 250#	3”	1	75	4,820.48
PV10M/T-06 250#	4”	1	165	6,230.56
PV10M/T-06 250#	6”	1	305	10,302.88

Pressure Relief, Pressure Sustaining or Backpressure Control

PV20M/T THD	1 1/4”	1	30	3,456.32
PV20M/T THD	1 1/2”	1	30	3,456.32
PV20M/T THD	2”	1	30	4,269.44
PV20M/T THD	2 1/2”	1	60	4,269.44
PV20M/T THD	3”	1	60	3,952.82
PV20M/T 125#	2”	1	30	3,379.04
PV20M/T 125#	2 1/2”	1	60	4,369.12
PV20M/T 125#	3”	1	60	4,369.12
PV20M/T 125#	4”	1	150	6,291.04
PV20M/T 125#	6”	1	290	9,549.12
PV20M/T 125#	8”	1	500	16,770.88
PV20M/T 250#	2”	1	30	3,663.52
PV20M/T 250#	2 1/2”	1	60	5,091.52
PV20M/T 250#	3”	1	60	5,091.52
PV20M/T 250#	4”	1	150	6,919.52
PV20M/T 250#	6”	1	290	10,663.52
PV20M/T 250#	8”	1	500	18,576.32

Notes: 10” thru 16” sizes also available – consult factory.

Grooved end available – consult factory.

Cast iron valve bodies fused epoxy coated (inside & out) / Full 316 stainless steel seat).

Available in Globe or Angle pattern. Pressure range 20-175 psig.



740

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

High Capacity Water Pressure Relief Valves

Series 740

For Hot Water Space Heating Boiler - ASME RATED - Female inlet NPTF

For Low Pressure Hot Water Heating Boilers - Iron Body -

(† Standard settings 30, 50, 75psi.)

740	** 0382330	3/4		12	21	\$ 124.74
740	** 0382540	1		6	22	258.66
740	** 0383015	1 1/4		6	34	393.66
740	** 0383500	1 1/2		6	50	559.98
740	** 0384010	2		1	16	819.72

† Also available in 5psi increments 30 – 75psi, add 10% to list price. Contact factory for ordering codes.

** Ordering code for 30psi set pressure.



174A

ASME Rated - Water Pressure Relief Valves -

For Hot Water Supply Boilers

Series 374 and Series 174A

For Hot Water Supply Boilers - Bronze body -

Female inlet NPTF - († Standard setting 30psi)

374A	0358553	3/4		25	28	72.36
174A	† 0274431	3/4		25	35	124.74
174A	† 0274840	1		12	26	237.60
174A	† 0275584	1 1/4		6	34	400.68
174A	† 0276255	1 1/2		6	47	550.80
174A	† 0278010	2		1	14	830.52

• Setting 30psi only.

† Also available in 5psi increments 30-150psi, add 10% to list price. Contact factory for ordering codes.

740, 374A, 174A Steam Discharge Ratings

Model	Size	30 BTU/Hr.	125 BTU/Hr.	150 BTU/Hr.	Model	Size	30 BTU/Hr.	50 BTU/Hr.	75 BTU/Hr.
374A	3/4"	550,000	—	—	740	3/4" x 1"	925,000	1,352,000	1,886,000
174A	3/4"	650,000	2,070,000	2,445,000	740	1" x 1 1/4"	1,300,000	1,899,000	2,649,000
174A	1"	1,005,000	3,215,000	3,795,000	740	1 1/4" x 1 1/2"	2,105,000	3,075,000	4,285,000
174A	1 1/4"	1,682,000	5,370,000	6,340,000	740	1 1/2" x 2"	2,900,000	4,237,000	5,909,000
174A	1 1/2"	2,020,000	6,460,000	7,630,000	740	2" x 2 1/2"	5,250,000	7,672,000	10,700,000
174A	2"	3,815,000	12,170,000	14,370,000					

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.



530C

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series 530 Specialty Relief Valves

Poppet Type - Pressure Relief Valves

LEAD FREE*

530C	▲ 0371271	1/2	098268018233	50	26	\$ 38.61
530C	▲ 0372271	3/4	098268018240	50	28	41.31
LF530-C	0556035	1/2	098268435191	50	26	44.69
LF530-C	0556036	3/4	098268435207	50	28	47.63
530FP	● 0371270	1/2	098268221657	50	26	49.14

Series 53

53	■ 0185131	1/2	098268010138	50	28	28.62
53	■ 0185643	3/4	098268010190	50	28	30.51
FP53L	✱ 0190893	1/2	098268329278	50	28	46.44

▲ Model 530C sizes 1/2" and 3/4" adjustments are between 50 and 175psi. For 100 – 300psi adjustments, 3/4" only, specify ordering code 0372273.

■ Set at 75, Available in 125 and 150psi settings. For other settings, specify 1/2" 53L and 3/4" 3L ASME Relief Valves.

✱ Fire line thermal expansion relief valve. Set at 175psi – UL Listed.

● Fire line thermal expansion valve – Set at 150psi, adjustable range between 50 – 175psi.

□ Hose connection thermal expansion relief valve.

Series 53L, 3L, and LF3L

Poppet Type - Pressure Relief Valves

LEAD FREE*

53L	■ 0004621	1/2	098268010244	50	31	32.13
3L	**■ 0004619	3/4	098268001402	50	33	32.13
LF3L-075	0556032	3/4	098268435160	50	25.6	36.94
LF3L-125	0556033	3/4	098268435177	50	26.0	36.94
LF3L-150	0556034	3/4	098268435184	50	25.2	36.94

**For Solar, specify Model 3L-Z9 with stainless steel lever and pin for outside solar applications.

■ Set at 125psi, available in 75 and 150psi settings.



N30L

Series 30L and N30

Diaphragm Type - Water Pressure Relief Valves

LEAD FREE*

30L	■ 0120606	1/2	098268009378	25	28	207.36
30L-Z1	■ 0120617	1/2	098268009415	25	28	207.36
N30L	† 0111926	1/2	098268009248	25	29	207.36
N30 (adj.5-25)	0109265	1/2	098268009187	25	29	207.36
LFN30	0121397	1/2	098268583892	25	34	354.24

■ Set at 75psi, available in 100, 125 or 150psi.

† Set at 30psi, available in 45psi.



5300A

Bypass Control Valves

Series 5300A and BP30A

For Pumping Equipment - Bronze Body

5300A	0391600	1/2	098268025699	25	14	56.16
BP30A	**0114039	1/2	098268009347	12	15	208.44

**Furnished with special Teflon disc.

Standard pressure range 10-50psi.

Available in 45 – 100psi and 75 – 175psi ranges.

Temperature & Pressure Relief Valves



40XL,
40XL-8



LF340

PLEASE NOTE: Temperature and pressure safety relief valves constructed of standard materials (non-lead free) are permitted to be used as a component part of a water heater that meets the definition of lead free under Section 1417 of the Safe Drinking Water Act.

Temperature & Pressure Relief Valves

T&P Relief Valves on this page are certified by CSA and meet current F.H.A. requirements and American National Standard Z21.22.

Standard Relief Valve Settings:

Due to excessive costs of producing non-standard "special" settings in small quantities, we find it necessary to limit available pressure relief settings to 75,100,125,150psi. Temperature 210°F.

If "special" settings are necessary for large quantity requirements, we will approve pricing at little or no extra cost, depending on type of valve, setting and quantity. Please consult factory.

Model	Ordering Code	Size (in.)	Thermostat Length (in.)	CSA Temp. Steam BTU/Hr	ASME Pressure Steam Rating BTU/Hr @75psi set pres.	ASME Pressure Steam Rating BTU/Hr @150psi set pres.	UPC	Qty. Per Carton	Per Carton Wgt. (lbs.)	List Price (Each)
		Inlet Outlet								

ASME Self-Closing T&P Relief Valves

Series 40, LL40, LLL40, 140, 240, 340, LF40, LFLL40, LFLLL40, LF140, LF240, LF340

40L 150/210	0153614	3/4 M	3/4 F	3	180,000	777,600	1,437,600	098268009620	12	20	\$ 184.68
40XL 150/210	0156731	3/4 M	3/4 F	5	205,000	777,600	1,437,600	098268009767	12	18	208.44
40XL8 150/210	0158774	3/4 M	3/4 F	8	205,000	777,600	1,437,600	098268009835	12	21	228.42
LL40XL 150/210	0163801	3/4 M	3/4 F	3 1/2	205,000	777,600	1,437,600	098268921328	12	35	272.16
LLL40XL 150/210	0163803	3/4 M	3/4 F	5	205,000	777,600	1,437,600	098268921342	12	35	347.76
LEAD FREE* LF40L 150/210	0121406	3/4 M	3/4 F	3	180,000	777,600	1,437,600	098268584080	12	20	213.73
LEAD FREE* LF40L 125/210	0556013	3/4 M	3/4 F	3	180,000	777,600	1,437,600	098268432480	12	35	250.34
LEAD FREE* LF40XL 125/210	0556015	3/4 M	3/4 F	5	205,000	777,600	1,437,600	098268432503	12	20	264.60
LEAD FREE* LF40XL 150/210	0556016	3/4 M	3/4 F	5	205,000	777,600	1,437,600	098268432510	12	20	240.30
LEAD FREE* LF40XL8 150/210	0121421	3/4 M	3/4 F	8	205,000	777,600	1,437,600	098268584516	12	21	264.28
LEAD FREE* LFLL40XL 150/210	0121429	3/4 M	3/4 F	3 1/2	205,000	777,600	1,437,600	098268584622	12	35	314.82
LEAD FREE* LFLLL40XL 150/210	0121430	3/4 M	3/4 F	5	205,000	777,600	1,437,600	098268584660	12	35	288.90
140S3 150/210	0254702	3/4 F	3/4 F	3	180,000	777,600	1,437,600	098268012347	12	21	208.44
140X5 150/210	0257564	3/4 F	3/4 F	5	205,000	777,600	1,437,600	098268012422	12	21	227.34
140X8 150/210	0259850	3/4 F	3/4 F	8	205,000	777,600	1,437,600	098268012538	12	25	244.08
LEAD FREE* LF140S3 150/210	0121449	3/4 F	3/4 F	3	180,000	777,600	1,437,600	098268585254	12	21	241.38
LEAD FREE* LF140X5 150/210	0121453	3/4 F	3/4 F	5	205,000	777,600	1,437,600	098268585346	12	21	262.98
LEAD FREE* LF140X8 150/210	0121459	3/4 F	3/4 F	8	205,000	777,600	1,437,600	098268585445	12	25	282.42
40L 150/210	0154830	1 M	1 F	2	450,000	1,155,000	2,134,000	098268009675	12	21	301.32
40XL 150/210	0163725	1 M	1 F	4	500,000	1,155,000	2,134,000	098268009897	12	23	320.22
40XL7 150/210	0163765	1 M	1 F	7	500,000	1,155,000	2,134,000	098268009989	12	26	335.34
LL40XL 150/210	0163805	1 M	1 F	3	500,000	1,155,000	2,134,000	098268921366	12	36	279.18
LEAD FREE* LF40L 150/210	0121409	1 M	1 F	2	450,000	1,155,000	2,134,000	098268584110	12	38	348.84
LEAD FREE* LF40XL 100/210	0556006	1 M	1 F	4	450,000	1,155,000	2,134,000	098268432411	12	23	287.28
LEAD FREE* LF40XL 125/210	0556007	1 M	1 F	4	500,000	1,155,000	2,134,000	098268432428	12	24	305.10
LEAD FREE* LF40XL 150/210	0556008	1 M	1 F	4	500,000	1,155,000	2,134,000	098268432435	12	23	319.68
LEAD FREE* LF40XL7 150/210	0121428	1 M	1 F	7	500,000	1,155,000	2,134,000	098268584615	12	26	388.26
LEAD FREE* LFLL40XL 150/210	0121431	1 M	1 F	3	500,000	1,155,000	2,134,000	098268584677	12	36	314.82
140S3 150/210 **	0256661	1 F	1 F	3	570,000	1,670,000	3,085,000	098268012385	6	14	329.94
140X6 150/210 **	0259705	1 F	1 F	6	670,000	1,670,000	3,085,000	098268012477	12	28	362.88
140X9 150/210 **	0259930	1 F	1 F	9	670,000	1,670,000	3,085,000	098268012576	12	30	389.88
N240X-6 150/210**	0315130	1 F	1 F	6	730,000	2,195,000	4,059,000	098268016345	12	35	562.14
N240X-9 150/210**	0315180	1 F	1 F	9	730,000	2,195,000	4,059,000	098268016383	12	34	632.88
LEAD FREE* LF140S3 150/210 **	0121451	1 F	1 F	3	570,000	1,670,000	3,085,000	098268585322	6	14	241.06
LEAD FREE* LF140X6 150/210 **	0121457	1 F	1 F	6	670,000	1,670,000	3,085,000	098268585384	12	28	420.12
LEAD FREE* LF140X9 150/210 **	0121460	1 F	1 F	9	670,000	1,670,000	3,085,000	098268585476	12	30	451.22
LEAD FREE* LFN240X 150/210 **	0556019	1 F	1 F	6	730,000	2,195,000	4,059,000	098268432541	12	35	650.16
LEAD FREE* LFN240X9 150/210 **	0121589	1 F	1 F	9	730,000	2,195,000	4,059,000	098268587227	12	49	732.78
N241X5 150/210 **	0318825	1 1/4 M	1 F	5	730,000	2,195,000	4,059,000	098268016437	12	39	616.14
N241X8 150/210**	0318861	1 1/4 M	1 F	8	730,000	2,195,000	4,059,000	098268016475	12	44	705.24

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Relief Valves

PLEASE NOTE: Temperature and pressure safety relief valves constructed of standard materials (non-lead free) are permitted to be used as a component part of a water heater that meets the definition of lead free under Section 1417 of the Safe Drinking Water Act.

Model	Ordering Code	Size (in.)	Thermostat Length (in.)	CSA Temp. Steam BTU/Hr	ASME Pressure Steam Rating BTU/Hr @75psi set pres.	ASME Pressure Steam Rating BTU/Hr @150psi set pres.	UPC	Qty. Per Carton	Per Carton Wgt. (lbs.)	List Price (Each)
		Inlet Outlet								

ASME Self-Closing T&P Relief Valves (cont.)

Series 40, LL40, LLL40, 140, 240, 340, LF40, LFLL40, LFLLL40, LF140, LF240, LF340

Model	Ordering Code	Size (in.)	Thermostat Length (in.)	CSA Temp. Steam BTU/Hr	ASME Pressure Steam Rating BTU/Hr @75psi set pres.	ASME Pressure Steam Rating BTU/Hr @150psi set pres.	UPC	Qty. Per Carton	Per Carton Wgt. (lbs.)	List Price (Each)	
LFN241X5 150/210 **	0121592	1 1/4 M	1 F	5	730,000	2,195,000	4,059,000	098268587258	12	39	\$ 713.34
LFN241X8 150/210 **	0121595	1 1/4 M	1 F	8	730,000	2,195,000	4,059,000	098268587302	12	44	815.94
340 150/210 **	0344276	1 1/2 F	1 1/2 F	3	1,150,000	3,450,000	6,379,000	098268017571	6	44	1,177.20
340X8 150/210 **	0348470	1 1/2 F	1 1/2 F	8	1,150,000	5,403,000	6,379,000	098268017625	6	39	1,250.64
LF340 150/210 **	0121602	1 1/2 F	1 1/2 F	3	1,150,000	3,450,000	6,379,000	098268587487	6	44	1,361.88
LF340X8 150/210 **	0121605	1 1/2 F	1 1/2 F	8	1,150,000	5,403,000	6,379,000	098268587517	6	39	1,447.20
342-3 150/210 **	0352478	2 M	1 1/2 F	3	1,150,000	3,450,000	6,379,000	098268017663	6	40	1,285.20
342X-8 150/210 **	0352620	2M	1 1/2 F	8	1,150,000	3,450,000	6,379,000	098268017700	6	37	1,364.04
LF342 150/210 **	0121608	2 M	1 1/2 F	3	1,150,000	3,450,000	6,379,000	098268587548	6	40	1,487.16
LF342X8 150/210 **	0121610	2M	1 1/2 F	8	1,150,000	3,450,000	6,379,000	098268587586	6	37	1,578.96

340X-8 M4Z, Temperature Relief 210°F, 175psi, Certified CSA only, Ordering code 0348475 List Price \$2065.00.

**Standardly furnished with stainless steel thermostat tube.

Model	Ordering Code	Size (in.)	CSA Temp. Steam BTU/Hr	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------------------------	-----	-----------------	--------------------------	-------------------

Standard Self-Closing T&P Relief Valves -

Series 1, 1XL

Thermo-bonded (non-metallic) protective coating on thermostat

1L-2	† 0004611	1/2	15,000	098268000313	50	32	26.73
1XL-4	† 0004615	1/2	15,000	098268000429	25	17	26.73
1XL-8	† 0004618	1/2	15,000	098268000443	25	20	31.59

† Set @ 150psi pressure relief. Consult factory for additional pressure settings.

ASME Self-Closing T&P Relief Valves

Series 10L, 100XL

Thermo-bonded (non-metallic) protective coating on thermostat

10L-2 150	0004266	3/4	80,000	098268006988	50	35	26.73
100XL-4 150	0066166	3/4	105,000	098268000016	50	37	25.38
100XL-8 150	0066168	3/4	105,000	098268007237	50	40	34.02
SL100XL-Z5 150		3/4	105,000	098268739770	50	41	30.78
L100XL-3 150	0066133	3/4	105,000	098268214673	50	41	34.56
LL100XL-2.5 150	0066171	3/4	105,000	098268214666	50	41	42.12
LLL100XL-Z5 150	0066446	3/4	105,000	098268739787	50	46	61.83
LF100XL 150/210	0556000	3/4	105,000	098268432350	50	37	29.16
LF100XL8 150/210	0556001	3/4	105,000	098268432367	50	40	39.31
LFLL100XL3M7 150/210	0556003	3/4	105,000	098268432381	50	41	39.96
LFLL100XL-2 1/2 M7	0556002	3/4	105,000	098268432374	50	41	48.49
LFLLL100XLZ5 150/210	0556004	3/4	105,000	098268432398	50	46	71.28

Set @ 150psi pressure relief. Consult factory for additional pressure settings.

OPTION: SOLAR – Model 100XL/1XL, specify Suffix Z9 stainless steel lever and pin for outside solar applications. Net price \$1.70 extra.

Suffix Z11 for 180°F thermostat. Net price \$2.00 extra. Consult factory for additional pressure settings and ordering codes.



100XL

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Relief / Safety Valves

Model	Ordering Code	Size (in.)	CSA Temp. Steam BTU/Hr	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------------------------	-----	-----------------	--------------------------	-------------------

Temperature Gas Shutoff Valves

Series 210

Design Certified to ANSI Z21.87 - Automatic Gas Shutoff devices for hot water supply systems

210-5	0295395	3/4 x 1/2	150,000 (natural gas) 243,000 (LP gas)	098268014891	25	28	\$ 230.58
L210	0295396	3/4 x 1/2	150,000 (natural gas) 243,000 (LP gas)	098268288094	25	28	267.84
LL210	0295397	3/4 x 1/2	150,000 (natural gas) 243,000 (LP gas)	098268288100	25	29	291.06
LLL210	0295398	3/4 x 1/2	150,000 (natural gas) 243,000 (LP gas)	098268288117	25	29	299.70
LF210-5 M2	0556025	3/4	150,000 (natural gas) 243,000 (LP gas)	098268432602	25	28	267.08
LFL210-5 M2	0556026	3/4	150,000 (natural gas) 243,000 (LP gas)	098268432619	25	28	267.08
LFL210-5 M2	0556027	3/4	150,000 (natural gas) 243,000 (LP gas)	098268432626	25	29	287.82

LEAD FREE



315-M1

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Steam Safety Valves - ASME Section IV Series 315 and Series 415

For Low Pressure Steam Heating Boilers Furnished with special Teflon® disc. (Set at 15psi)

315-M1	0342615	3/4 x 3/4	098268609325	25	17	\$ 40.23
415-M1	0346045	3/4 x 3/4	098268609332	25	27	68.85
415-M1	0346044	1 x 1	098268699203	25	29	82.89
415	0364195	1 1/4 x 1 1/2	098268903034	6	13	115.56
415	0364200	1 1/2 x 2	098268903041	6	19	156.06



Figure 31, 41, 41A Bronze

FIGURE 31/ 41/41A Bronze Safety Valves

Inlet	Valve Size Orifice	Outlet	Pipe Connection NPT X Outlet	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
1/2"	D	3/4"	NPT x NPT	1	3	\$512.74
3/4"	E	1"	NPT x NPT	1	4	578.82
1"	F	1 1/4"	NPT x NPT	1	6	663.04
1 1/4"	G	1 1/2"	NPT x NPT	1	8	861.84
1 1/2"	H	2"	NPT x NPT	1	17	1,036.56
2"	J	2 1/2"	NPT x NPT	1	22	1,438.86
2 1/2"	J	2 1/2"	NPT x NPT	1	22	1,916.99



Figure 31, 41, 41A Cast Iron

FIGURE 31/ 41/41A Cast Iron Safety Valves

1 1/2"	J	2 1/2"	250 FLG x NPT	1	24	3,460.46
1 1/2"	J	2 1/2"	NPT x NPT	1	20	3,460.46
2"	J	3"	250 FLG x NPT	1	42	3,334.91
2"	K	3"	250 FLG x NPT	1	42	4,005.23
2"	K	3"	NPT x NPT	1	36	4,005.23
2 1/2"	K	3"	250 FLG x NPT	1	45	4,523.23
2 1/2"	L	4"	250 FLG x NPT	1	105	5,377.12
2 1/2"	L	4"	NPT x NPT	1	97	5,377.12
3"	K	3"	250 FLG x NPT	1	48	4,644.19
3"	L	4"	250 FLG x NPT	1	107	5,946.98
3"	M	4"	250 FLG x NPT	1	107	6,883.18
3"	M	4"	NPT x NPT	1	99	6,883.18
4"	N	6"	250 FLG/125 FLG	1	212	11,925.87
4"	P	6"	250 FLG/125 FLG	1	212	15,738.24
6"	Q	8"	250 FLG/125 FLG	1	675	24,487.90
6"	R	8"	250 FLG/125 FLG	1	675	31,517.81

Model	Ordering Code	Size (in.)	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----------------	--------------------------	-------------------

High Capacity Safety Valves

ASME Section IV - for steam heating boiler

Fig 10	630015	3/4"X1"	1	1	939.60
Fig 10	630035	1"X1 1/4"	1	2	908.28
Fig 10	630055	1 1/4"X1 1/2"	1	3	1,009.26
Fig 10	630075	1 1/2"X2"	1	4	1,026.00
Fig 10	630095	2"X2 1/2"	1	8	1,050.84
Fig 10	0630115	2 1/2"X3"	1	14	1,561.28
Fig 10	630135	3"X3"	1	22	1,765.80

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight. Consult factory for ordering code numbers of special models/options.

Water Heater Installation Products

3

Water Heater Installation Products



N36



N360



100DT



PLT-12



DETA

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Vacuum Relief Valves - CSA/ANSI Z21.22 - Series N36, N36M1, N360, N360I

Water and Steam Service

LEAD FREE*

N36	0138515	1/2	098268695717	24	35	\$ 36.99
N36	0138516	3/4	098268695724	24	38	67.23
LFN36M1	0556030	1/2	098268450408	24	35	42.66
LFN36M1	0556031	3/4	098268450415	24	38	77.76
N360	0138465	1/2	098268297966	50	21	70.47
N360	0138466	3/4	098268297911	50	21	89.37
N360I	0138467	3/4 x 3/4	098268297959	25	17	113.94

Drain Line For T&P Relief Valves - Series 100DT, 100DTA-60

For use on water heaters up to 100,000 BTU/Hr

		Conn. Size	Drop Length				
100DT	0066125	3/4	48	098268007329	75	14	\$ 13.23
100DTA-60	0066129	3/4	60	098268026665	12	24	63.18
100DTA-60-12	0066060	3/4	60	098268902006	12	24	54.27
100DT-72	0066335	3/4	72	098268216523	25	5	20.52

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Potable Water Expansion Tanks Series PLT

Max. temp. 160° - Max. pressure 150psi - Precharge 20psi

LEAD FREE*

PLT-5	†0067370	-	098268095739	1	5.5	\$ 164.16
PLT-12	†0067371	-	098268095753	1	11	218.16
PLT-20	0067372	-	098268483161	1	21	431.46
PLT-35	0067373	-	098268483178	1	25	550.80

†Available in pallet quantities (PLT-5-M1, 180), (PLT-12-M1, 70).

ASME Pressurized Expansion Tanks For Potable Hot Water Series DETA


LEAD FREE*

DETA-5	0212026	-	098268913484	1	22	2,309.04
DETA-12	0212027	-	098268913491	1	28	2,657.88
DETA-20	0212028	-	098268913507	1	34	2,957.04
DETA-30	0212029	-	098268913514	1	64	3,333.96
DETA-42	0212030	-	098268913521	1	88	3,561.84
DETA-60	0212031	-	098268913538	1	93	4,000.32
DETA-80	0212032	-	098268913545	1	109	4,602.96
DETA-100	0212033	-	098268913552	1	148	5,207.76
DETA-125	0212034	-	098268913569	1	175	5,811.48
DETA-160	0212035	-	098268913576	1	259	6,416.28
DETA-180	0212036	-	098268913583	1	268	7,016.76
DETA-210	0212037	-	098268913590	1	283	7,131.24


*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Heater Installation Products




Outside Water Heater Enclosure



Water Heater Stand





DPS-20





ENS-20

Free Standing Water Heater Restraint System



Wall Mounted Water Heater Stands/Restraint

Heavy Duty Water Heater Restraint System



E-75

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Outside Water Heater Enclosures

R-24 BL	0070001	24" square x 72 1/2" tall	098268928327	1	37	\$ 310.50
R-26	0070002	26" wide x 24" deep x 72 1/2" tall	098268928334	1	40	324.00
R-30 BL	0070004	30" square x 72 1/2" tall 80 gal. capacity	098268928358	1	42	342.36
C-36 Com	0070005	36" square x 72 1/2" tall 100 gal. capacity	098268928365	1	94	561.06
WPE-24	0070006	24" cabinet w/o venting or louvres	098268928372	1	30	97.74
B-24	0070007	24" back section for R24BL enclosures	098268928389	1	12	107.19
B-26	0070008	26" back section for R-26 enclosures	098268928396	1	13	140.40
B-30	0070009	30" back section for R-30BL enclosures	098268928402	1	14	35.84
B-36	0070010	36" back section for C-36 enclosures	098268928419	1	22	140.40
B-24 WPE	0070011	back sections for WPE-24	098268928426	1	10	95.31

Water Heater Stands

AS-20	◆0070012	20" X 20" X 16" 50 gal. capacity	098268928433	4	10	115.02
AS-22	◆0070014	22" x 22" x 16" 65 gal. capacity	098268928457	4	13	123.66
AS-26	◆0070016	26" x 26" x 16" 75 gal. capacity	098268928471	1	27	158.06
AS-30	0070018	30" x 30" x 16" 100 gal. capacity	098268928495	1	14	171.18

◆Pallet quantity AS-20 @ 40 pcs., AS-22 @ 20 pcs., AS-26 @ 20 pcs.

DPS-20 Water Heater Stands -

clip together design, built-in drain pan, PVC drain connector

DPS-20	0070020	20" X 20" X 16" up to 50 gallon water heaters	098268928518	4	12	167.40
--------	---------	---	--------------	---	----	--------

ENS-20 Water Heater Stands - enclosed for use in food processing areas

ENS-20	0070021	16" tall	098268928525	4	10	162.54
--------	---------	----------	--------------	---	----	--------

Free Standing Water Heater Restraint Systems - Heavy duty angle iron frame

FS-26	0070022	26" square up to 65 gallon water heaters	098268928532	1	56	947.70
FS-36	0070023	36" square up to 120 gallon water heaters	098268928549	1	59	1,017.36

Wall Mounted Water Heater Stands / Restraint - includes a E-100 restraint

WM-26	0070024	26" square up to 65 gallon water heaters	098268928556	1	45	947.70
WM-30	0070025	30" square up to 120 gallon water heaters	098268928563	1	57	1,017.36

Heavy Duty Water Heater Restraint Systems - endorsed by GLAA-PHCC - double strapping system

E-50	0070026	up to 65 gallon water heaters	098268928570	8	7.5	105.03
E-100	0070028	up to 100 gallon water heaters	098268928594	4	15	142.02

TSE-75 Water Heater Straps - across the front installation for zero clearance water heaters

TSE-75	0070029	-	098268928600	12	3	46.44
TSE-75P plastic	0070030	-	098268928617	12	3	44.01

49.00E-75 Water Heater Straps - across the front or wrap around installation

E-75	0070031	-	098268928624	12	4	57.24
E-120	0070032	-	098268928631	12	5	76.14

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Heater Installation Products

3

Water Heater Installation Products



LFWDS

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Water Detector Shutoffs Series WDS and LFWDS Complete Valves

LEAD FREE*	LFWDS-SP-L	0121577	3/4	098268587029	1	5.3	\$ 462.78
	LFWDS-SP-R	0121578	3/4	098268587050	1	5.3	499.82
	LFWDS-SI	0121579	3/4	098268587067	1	5.2	443.88
	LFWDS-E220	0121580	3/4	098268587074	1	7.0	577.37
	LFWDS-SP-L	0301015	1	098268460056	1	5.5	489.78
	LFWDS-SP-R	0121581	1	098268587081	1	5.5	489.78
	LFWDS-SI	0301017	1	098268460070	1	5.4	469.26
	LFWDS-E220	0121582	1	098268587098	1	7.2	604.80
	LFWDS-PV	0121583	3/4	098268587104	1	7.0	629.26
	LFWDS-PV	0121584	1	098268587111	1	7.0	591.84

Components

WDS- BB	0301008		098268356229	1	5.3	249.76
WDS- L Therm.	0301009		098268356236	12	3.2	72.09
WDS- R Therm.	0301010		098268356243	12	3.2	74.76

Tankless Water Heater Valves Series LFTWH

LEAD FREE*	LFTWH-UT-HC-RV	0120001	3/4	098268442854	5	25	238.14
	LFTWH-UT-HCN-RV	0125110	3/4	098268849035	5	28	259.74
	LFTWH-FT-HCN	0100155	3/4	098268483475	5	19	133.38
	LFTWH-UTS-HCN	0120002	3/4	098268454758	5	26	214.81
	LFTWH-FT-HCN-RV	0100156	3/4	098268483482	5	22	218.16
	LFTWH-UTS-HCN-RV	0120003	3/4	098268454765	5	28	235.22
	LFTWH-QC-HCN-RV	0120005	3/4	098268454789	5	28	242.46
	LFTWH-FT-CN	0100150	3/4	098268465686	5	7.7	133.38
	LFTWH-UTS-HCN Valve Set	0100165	1	098268548952	5	29	360.72
	LFTWH-FS-HCN	0120007	3/4	098268542523	5	19	218.70
	LFTWH-FS-HCN-RV	0120006	3/4	098268542516	5	22	282.96



LFTWH-UT-HC



LFTWH-FS-HCN-RV

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Vacuum Breakers

4

Backflow Preventers & Accessories



8A



8FR



TWS



NLF9

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Hose Connection Atmospheric Vacuum Breaker Series 8/LF8

			Inlet	Outlet			
	8	0061982	3/4 f	3/4 m	098268308006	72	20 \$ 18.63
LEAD FREE*	8P	0061868	3/4 f	3/4 m	098268004137	72	18 22.41
	8B	0061983	3/4 f	3/4 m	098268308020	72	14 23.76
	8BC	+0065986	3/4 f	3/4 m	098268307993	72	14 77.76
	8C	+0061985	3/4 f	3/4 m	098268307986	72	20 28.35
	8A	0061877	3/4 f	3/4 m	098268004212	72	22 28.08
	8AC	+0063055	3/4 f	3/4 m	098268006681	72	22 31.86
	S8	**0061853	1/2 f	1/2 m	098268003994	50	25 39.69
	S8C	***0061852	1/2 f	1/2 m	098268003987	72	22 49.14
	S8C	***0061867	3/8 f	1/2 m	098268004120	50	25 61.83
	8FR	+0062029	3/4 f	3/4 m	098268920413	50	25 60.75
LEAD FREE*	LF8	0792085	3/4 f	3/4 m	98268434729	72	19 25.25
	LF8B	0792086	3/4 f	3/4 m	98268434736	72	19 22.25
	LF8BC	0792090	3/4 f	3/4 m	98268434774	72	19 22.25
	LF8C	0792087	3/4 f	3/4 m	98268434743	72	19 32.90
	LF8A	0792091	3/4 f	3/4 m	98268434781	72	22 57.10
	LF8AC	0792092	3/4 f	3/4 m	98268434798	72	22 34.00
	LF8FR	0792094	3/4 f	3/4 m	98268434811	50	23 65.00

+Chrome plated. **Female threaded inlet x male NPT outlet connection.

Series NF8/LFNF8

With Manual Draining For Freezing Conditions

LFNF8	0792093	3/4 f	3/4 m	098268434804	50	16.85	46.98
-------	---------	-------	-------	--------------	----	-------	-------

Series TWS

Through The Wall Shutoff For Use With PVB, DC and RP - Key Operated

			Size	Length			
	TWS-8	0722050	3/4	8	098268611977	4	32 526.50
	TWS-10	0722051	3/4	10	098268611984	4	32 590.22
	TWS-12	0722052	3/4	12	098268611991	4	36 632.34
	TWS-8	0722045	1	8	098268569278	4	32 525.96
	TWS-10	0722046	1	10	098268569285	4	32 590.22
	TWS-12	0722047	1	12	098268569292	4	36 632.34

Series HB-1

Hose Bibb Type Boiler Drain With Vacuum Breaker

HB-1	0035010	1/2 I.P. Male or 1/2 Nom. Copper x H.T.	098268001952	12	9	35.64
------	---------	---	--------------	----	---	-------

Series NLF9/LFNLF9

Lab Faucet Vacuum Breaker - Chrome Finish

LEAD FREE*	LFNLF9	0792095	3/8 m	3/8 f	098268434828	50	21 98.50
------------	--------	---------	-------	-------	--------------	----	----------

Series N9CD

Field Testable, Hose Connection Backflow Preventer

N9CD	0063456	3/4 f	3/4 m	098268652963	50	30 104.22
------	---------	-------	-------	--------------	----	-----------

Series N9/LFN9

In-Line, Continuous Pressure Backflow Preventer

LEAD FREE*	LFN9	0792097	3/8 f	3/8 f	098268434842	50	24 109.08
	LFN9C	0792098	3/8 f	3/8 f	098268434859	50	24 116.10

Series 9BD

Vented Triple Check - For Carbonated Beverage Vending Machines

LEAD FREE*	9BD	0061894	3/8 FCT	3/8 FCT	098268004328	50	22 322.38
	9BD	0061911	1/4 NPT	1/4 NPT	098268004496	50	22 322.38
	9BD	0061913	3/8 NPT	3/8 NPT	098268004519	50	22 322.38

+C = Chrome plated ◆ Solder Ends Suffix SC - Satin chrome finish. Consult factory.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Vacuum Breakers



9D

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series 9D

Dual Check With Atmospheric Port

9D M3	0062025	1/2 f	1/2 f	098268221794	12	24	\$ 129.06
9DS M3	◆0061600	1/2 f	1/2 f	098268290417	12	24	129.06
9D M2	0066026	3/4 f	3/4 f	098268004281	12	22	129.06
9DS M2	◆0061601	3/4 f	3/4 f	098268195347	12	22	129.06

+C = Chrome plated ◆ Solder Ends Suffix SC – Satin chrome finish. Consult factory.



912HP

Series 912HP

High Pressure Hose Drop Backflow Preventer

912HP	0386447	3/4	Bronze	098268873306	1	3	446.58
912HP	0386448	1	Bronze	098268873313	1	4	474.66



SD2

Series SD2

Stainless Steel Dual Check For Carbonated Beverage Machines

LEAD FREE SD2-MF	0061651	1/4 FCT	1/4 FCT	098268848892	50	15	157.68
SD2-MF	0061655	3/8 FCT	3/8 FCT	098268848939	50	15	164.16



SD3

Series SD3

Stainless Steel Vented Dual Check For Carbonated Beverage Machines

LEAD FREE SD3-MF	0061653	1/4 FCT	1/4 FCT	098268848915	25	18	227.34
SD3-MF	0061657	3/8 FCT	3/8 FCT	098268848953	25	18	210.06

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Anti-Siphon Ball Cock With Thermal Expansion Relief Valve

Series Gov80-M1

Relief valve set at 80psi - CSA

Gov.80-10 M1	0721505	10	098268921762	6	7	\$ 108.50
Gov.80-11.5 M1	0721506	11 1/2	098268921779	6	7	108.50
Gov.80-12.5 M1	0721507	12 1/2	098268921786	6	7	108.50



Gov. 80

Irrigation Vacuum Breakers

Series 188A

Brass Body

188A	0340971	3/4	098268209808	24	20	78.84
188A	0340972	1	098268209815	12	20	139.86
188A	0340973	1 1/4	098268209822	12	24	220.32
188A	0340974	1 1/2	098268209839	6	20	257.04
188A	0340975	2	098268209846	6	34	385.56

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Anti-Siphon Vacuum Breakers (cont.)

Series 288A/LF288A

LEAD FREE*	LF288A	0792036	1/4	098268434224	50	22	\$ 71.15
	LF288A	0792037	3/8	098268434231	50	20	86.83
	LF288A	0792038	1/2	098268434248	50	31	90.61
	LF288A	0792039	3/4	098268434255	24	20	93.69
	LF288AM4	0792040	1	098268434262	12	20	161.89
	LF288AM2	0792041	1 1/4"	098268434279	12	12	263.20
	LF288AM2	0792042	1 1/2"	098268434286	6	11	306.87
	LF288AM2	0792043	2"	098268434293	6	29	460.00
	LF288AM2	0792044	2 1/2"	098268434309	1	12	1,465.00
	LF288AM2	0122748	3"	098268646245	1	15	2,161.50

Chrome Body

LEAD FREE*	LF288AC	0792051	1/4	098268434378	50	19	162.97
	LF288AC	0792053	3/8	098268434408	50	17	117.61
	LF288AC	0792052	1/2	098268434385	50	24	125.01
	LF288AC	0792054	3/4	098268434415	24	17	137.81
	LF288ACM4	0792055	1	098268434422	24	22	219.51

**Satin chrome model available, specify Suffix SC.



289

Spill-Resistant Atmospheric Vacuum Breakers

Series LF289

LEAD FREE*	LF289	0792047	1/2	098268434330	24	28	169.29
	LF289	0792048	3/4	098268434347	1	3.4	402.84

Series N388

Bronze Body - With Bottom Inlet and Outlet Connections

N388	**0354819	1/4	098268017922	50	20	63.72
N388	**0354917	3/8	098268017946	50	20	63.72

Chrome Body

N388C	0354817	1/4	098268017915	50	20	83.16
N388C	0354919	3/8	098268017953	50	20	110.70

**Satin chrome model available, specify Suffix SC.



N388

Pressure Vacuum Breakers

Series 800M4QT

With Quarter-Turn Shutoffs

800M4QT	0387096	1/2	098268279351	1	4	314.82
800M4QT	0388001	3/4	098268279375	1	4	314.82
800M4QT	0388002	1	098268279399	1	6	325.08
800M4QT	0387126	1 1/4	098268235951	1	11	558.36
800M4QT	0387114	1 1/2	098268208894	1	14	679.32
800M4QT	0387122	2	098268208931	1	19	743.04

Bronze Body

LEAD FREE*	LF800M4-QT	0792010	1/2	098268433807	1	4	363.85
	LF800M4-QT	0792011	3/4	098268433814	1	4	363.96
	LF800M4-QT	0792012	1	098268433821	1	7	376.27

With Union Connections and Quarter-Turn Shutoffs

U800M4QT	0388005	3/4	098268300833	1	4	320.76
U800M4QT	0388006	1	098268300840	1	6	332.10



800M4QT

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Backflow Preventers



800M

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Pressure Vacuum Breakers Series 800M4QT (cont.)

With Stainless Steel Handles

800M4QT SH	0388100	1/2	098268875409	1	4	\$ 340.74
800M4QT SH	0388101	3/4	098268875416	1	4	340.74
800M4QT SH	0388102	1	098268875423	1	6	349.92
800M4QT SH	0388103	1 1/4	098268875430	1	11	588.60
800M4QT SH	0388104	1 1/2	098268875447	1	14	734.94
800M4QT SH	0388105	2	098268875454	1	19	810.54

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Freeze Protection Pressure Vacuum Breakers - Series 800M4FR

Designed to be left out in the cold.



800M4FR

800M4FR	0388013	1/2	098268823578	1	4	\$ 314.82
800M4FR	0388014	3/4	098268823585	1	4	314.82
800M4FR	0388015	1	098268597059	1	7	325.08
800M4FR	0388016	1 1/4	098268798647	1	11	558.36
800M4FR	0388017	1 1/2	098268798654	1	14	679.32
800M4FR	0388018	2	098268798661	1	19	743.04
LF800M4-FR	0792016	1/2	098268433883	1	4	363.96
LF800M4-FR	0792017	3/4	098268433890	1	4	363.96
LF800M4-FR	0792018	1	098268433906	1	7	376.27

LEAD FREE

With Stainless Steel Handles

800M4FR SH	0388120	1/2	098268876437	1	4	345.60
800M4FR SH	0388121	3/4	098268876444	1	4	345.60
800M4FR SH	0388122	1	098268876451	1	7	355.86
800M4FR SH	0388123	1 1/4	098268876468	1	11	415.80
800M4FR SH	0388124	1 1/2	098268876475	1	14	750.60
800M4FR SH	0388125	2	098268876482	1	19	814.86

With Union Connections and Quarter-Turn Shutoffs

U800M4FR	0388007	3/4	098268349313	1	4	374.22
U800M4FR	0388008	1	098268349320	1	6	387.18



008PCQT

Spill-Resistant, Anti-Siphon Vacuum Breakers Series 008PCQT

With Polymer Coating

LEAD FREE

LF008PC-QT	0792023	3/8	098268434064	1	2	321.52
LF008PC-QT	0792024	1/2	098268434071	1	2	335.34
LF008PC-QT	0792025	3/4	098268434088	1	4	412.88
LF008PC-QT	0792026	1	098268434095	1	5	443.45

With Satin Chrome Finish

LEAD FREE

008PCQT-SC	0385432	3/8	098268882674	1	2	579.42
008PCQT-SC	0385433	1/2	098268882681	1	2	585.36
008PCQT-SC	0385434	3/4	098268882698	1	4	650.70
008PCQT-SC	0385435	1	098268882704	1	5	714.42
LF008PCSC-QT	0792027	3/8	098268434101	1	2	670.14
LF008PCSC-QT	0792028	1/2	098268434118	1	2	677.38

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Backflow Preventers

4

Backflow Preventers & Accessories

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Dual Check Valves Series 7

			Size Inlet	Size Outlet				
LEAD FREE*	LF7	0792076	3/8		098268434637	12	20	232.34
	LF7C	†0792077	3/8		098268434644	12	20	166.54

† C = Chrome plated

Series LF7R



LF7R

LEAD FREE*	Model	Ordering Code	Size Inlet	Size Outlet	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF7RU2-2	0072203	1/2	1/2	098268533576	25	19	80.03
	LF7RU2-2	0072204	3/4	3/4	098268533583	25	19	85.86
	LF7RU2-2	0072205	1	1	098268533590	25	20	103.68
	LF7RU2-U2	0072206	1/2	1/2	098268533606	25	24	86.51
	LF7R10-U2	0072207	1	3/4	098268533613	25	41	95.26
	LF7R10-U3	0072208	1	3/4	098268533620	25	41	100.22

Residential Fire Line Dual Check Valves

LEAD FREE*	Model	Ordering Code	Size Inlet	Size Outlet	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF07S	0122588	1"	1"	098268638646	6	19	244.25
	LF07S	0061943	1 1/2"	1 1/2"	098268572247	1	3.9	435.00
	LF07S	0061945	1 1/4"	1 1/4"	098268572254	1	4.3	580.00

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Valve Assemblies



007QT

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 007

With Quarter-Turn Shutoff Valves

007QT	0062131	1/2	Bronze	098268302004	1	3	\$ 280.80
007M3QT	0062020	3/4	Bronze	098268802153	1	7	319.14
007M1QT	0062306	1	Bronze	098268005080	1	10	360.72
007M2QT	0062681	1 1/4	Bronze	098268739091	1	23	656.10
007M2QT	0062616	1 1/2	Bronze	098268279337	1	25	656.10
007M1QT	0062427	2	Bronze	098268295573	1	26	721.98
LF007-QT	0063230	1/2	Bronze	098268209723	1	5	324.00
LF007M3-QT	0063231	3/4	Bronze	098268209730	1	10	551.56
LF007M1-QT	0063232	1	Bronze	098268209747	1	12	416.88
LF007M2-QT	0063233	1 1/4	Bronze	098268209754	1	28	757.84
LF007M2-QT	0063234	1 1/2	Bronze	098268209761	1	29	759.13
LF007M1-QT	0063235	2	Bronze	098268209778	1	32	883.22
LF007-QT	0063236	2 1/2	**Iron	098268507522	1	150	2,622.56
LF007-QT	0063237	3	**Iron	098268507539	1	158	6,457.97

LEAD FREE*

With Polymer Coating and Quarter-Turn Shutoff Valves

007PCQT	0062559	1/2	Bronze	098268556889	1	3	348.84
007M2PCQT	0062560	3/4	Bronze	098268556896	1	9	382.86
007M1PCQT	0062561	1	Bronze	098268556902	1	10	483.30
007M2PCQT	0062682	1 1/4	Bronze	098268739107	1	23	787.32
007M2PCQT	0062562	1 1/2	Bronze	098268556919	1	25	787.32
007M1PCQT	0062563	2	Bronze	098268556926	1	26	915.84

With Quarter-Turn Shutoff Valves and Bronze Strainer

007QT-S	0062132	1/2	Bronze	098268383485	1	5	509.22
007M3QT-S	0062021	3/4	Bronze	098268846713	1	9	612.90
007M1QT-S	0062308	1	Bronze	098268198850	1	13	710.64
007M2QT-S	0062450	1 1/4	Bronze	098268738254	1	26	754.74
007M2QT-S	0062436	1 1/2	Bronze	098268471205	1	29	1,280.88
007M1QT-S	0062428	2	Bronze	098268350128	1	34	1,524.96

With Locking Handles (Open Position) padlocks not furnished

007QT-LH	0062040	1/2	Bronze	098268835151	1	3	308.88
007M3QT-LH	0063215	3/4	Bronze	098268937619	1	9	351.00
007M1QT-LH	0062042	1	Bronze	098268835137	1	10	377.46
007M2QT-LH	0062057	1 1/4	Bronze	098268863079	1	23	721.98
007M2QT-LH	0062043	1 1/2	Bronze	098268835120	1	25	721.98
007M1QT-LH	0062044	2	Bronze	098268835113	1	26	799.74

With Quarter-Turn Shutoff Valves-Inlet/Outlet Fire Hydrant Fittings (2.5" Inlet Female Hose Thread Swivel x 2.5" Outlet Male NST)

007M1QT HC	0063210	2	Bronze	098268914771	1	31	1,708.56
------------	---------	---	--------	--------------	---	----	----------

With Stainless Steel Handles

007QT SH	0063200	1/2	Bronze	098268875263	1	3	337.50
007M3QT SH	0063206	3/4	Bronze	098268875324	1	9	367.20
007M1QT SH	0063202	1	Bronze	098268875287	1	10	414.18
007M2QT SH	0063203	1 1/4	Bronze	098268875294	1	23	754.38
007M2QT SH	0063204	1 1/2	Bronze	098268875300	1	25	718.74
007M1QT SH	0063205	2	Bronze	098268875317	1	26	835.92

With Union Connections and Quarter-Turn Shutoffs

U007M2QT	0062120	3/4	Bronze	098268325997	1	10	464.94
U007M1QT	0062311	1	Bronze	098268307764	1	11	540.00
U007M2QT	0062683	1 1/4	Bronze	098268739114	1	26	997.38
U007M2QT	0062141	1 1/2	Bronze	098268350531	1	28	991.98
U007M1QT	0062430	2	Bronze	098268350142	1	31	1,169.64

**FDA fused epoxy coated cast iron body.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Valve Assemblies

4

Backflow Preventers & Accessories

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 007 (cont.)

With Union Connections, Quarter-Turn Shutoffs and Bronze Strainer

U007M2QT-S	0062121	3/4	Bronze	098268567304	1	11	\$ 546.48
U007M1QT-S	0062565	1	Bronze	098268554694	1	13	666.36
U007M2QT-S	0062685	1 1/4	Bronze	098268739121	1	27	2,005.56
U007M2QT-S	0062437	1 1/2	Bronze	098268471199	1	29	1,260.36
U007M1QT-S	0062431	2	Bronze	098268350159	1	34	1,602.72
LFU007M2-QT	0122597	3/4	Silicon Bronze	098268638783	1	7.2	409.86
LFU007M1-QT	0122611	1	Silicon Bronze	098268639643	1	11	475.74
LFU007M2-QT	0124326	1 1/4	Silicon Bronze	098268829990	1	19	795.96
LFU007M2-QT	0122603	1 1/2	Silicon Bronze	098268639094	1	21	873.18
LFU007M1-QT	0122618	2	Silicon Bronze	098268639728	1	31	1,028.70

LEAD FREE*

Stainless Steel Body with Quarter-Turn Shutoff

SS007M3QT	0062695	1/2	S.S.	098268817119	1	3	1,627.56
SS007M3QT	0062696	3/4	S.S.	098268817126	1	9	1,699.92
SS007M1QT	0062692	1	S.S.	098268572056	1	10	2,273.40

LEAD FREE*

Less Shutoff Valves

007LF	0062130	1/2	Bronze	098268383478	1	2	238.68
007M3LF	0062022	3/4	Bronze	098268924862	1	7	254.88
007M1LF	0062299	1	Bronze	098268211481	1	8	293.76
007M2LF	0062680	1 1/4	Bronze	098268739084	1	18	545.40
007M2LF	0062435	1 1/2	Bronze	098268471212	1	20	679.32
007M1LF	0062426	2	Bronze	098268350111	1	21	693.36

With Epoxy-Coated Quarter-Turn Ball Valve Shutoffs

007QT-FDA	0062553	2 1/2	**Iron	098268471601	1	150	4,742.28
007QT-FDA	0062557	3	**Iron	098268471649	1	158	5,314.68

With NRS Resilient Seated Shutoff Valves

LF007-NRS	0792150	2 1/2	**Iron	098268437324	1	203	3,124.33
LF007-NRS	0792151	3	**Iron	098268437331	1	225	3,366.68

LEAD FREE*

With OSY Resilient Seated Shutoff Valves

LF007-OSY	0792148	2 1/2	**Iron	098268437300	1	207	3,742.20
LF007-OSY	0792149	3	**Iron	098268437317	1	225	3,941.78

LEAD FREE*

Less Shutoff Valves

007LF	0062550	2 1/2	**Iron	098268471571	1	82	2,342.52
007LF	0062554	3	**Iron	098268471618	1	82	2,522.88

Series 719

With Quarter-Turn Shutoff Valves

719QT	0062760	1/2	Bronze	098268068740	1	4	515.16
719QT	0062761	3/4	Bronze	098268068801	1	6	581.58
719QT	0062762	1	Bronze	098268068832	1	9	659.88
719QT	0062763	1 1/4	Bronze	098268068856	1	16	968.76
719QT	0062764	1 1/2	Bronze	098268068863	1	19	1,221.48
719QT	0062765	2	Bronze	098268068986	1	28	1,369.44
LF719-QT	0065301	1/2	Bronze	098268236613	1	4	642.71
LF719-QT	0065302	3/4	Bronze	098268236620	1	6	672.62
LF719-QT	0065303	1	Bronze	098268236637	1	9	763.34
LF719-QT	0065304	1 1/4	Bronze	098268236644	1	16	1,121.15
LF719-QT	0065305	1 1/2	Bronze	098268236651	1	19	1,413.50
LF719-QT	0065306	2	Bronze	098268236668	1	28	1,582.96

LEAD FREE*



SS007QT



007NRS



719QT

**FDA fused epoxy coated cast iron body.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Valve Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 719 (cont.)

With Quarter-Turn Shutoff Valves and Bronze Strainer



719QT

719QT-S	0062766	1/2	Bronze	098268069006	1	5	\$ 574.02
719QT-S	0062767	3/4	Bronze	098268069013	1	7	657.18
719QT-S	0062768	1	Bronze	098268069044	1	10	770.58
719QT-S	0062769	1 1/4	Bronze	098268069136	1	18	1,109.16
719QT-S	0062770	1 1/2	Bronze	098268069143	1	27	1,466.64
719QT-S	0062771	2	Bronze	098268069150	1	36	1,778.76
LF719-QT	0065301	1/2	Silicon Bronze	098268236613	1	3.7	642.71
LF719-QT	0065302	3/4	Silicon Bronze	098268236620	1	5.3	672.42
LF719-QT	0065303	1	Silicon Bronze	098268236637	1	8.2	388.26
LF719-QT	0065304	1 1/4	Silicon Bronze	098268236644	1	14	570.24
LF719-QT	0065305	1 1/2	Silicon Bronze	098268236651	1	16	1,413.50
LF719-QT	0065306	2	Silicon Bronze	098268236668	1	24	1,582.96

LEAD FREE*

With Locking Handles (Open Position) padlocks not furnished

719QT-LH	0064270	1/2	Bronze	098268202427	1	4	566.46
719QT-LH	0064271	3/4	Bronze	098268202441	1	6	639.36
719QT-LH	0064272	1	Bronze	098268202465	1	9	725.76
719QT-LH	0064273	1 1/4	Bronze	098268202472	1	16	1,065.96
719QT-LH	0064274	1 1/2	Bronze	098268202496	1	19	1,343.52
719QT-LH	0064275	2	Bronze	098268202632	1	28	1,506.60

With Stainless Steel Handles

719QT SH	0064282	1/2	Bronze	098268207576	1	4	595.08
719QT SH	0064283	3/4	Bronze	098268207583	1	6	665.28
719QT SH	0064284	1	Bronze	098268207590	1	9	761.94
719QT SH	0064285	1 1/4	Bronze	098268207606	1	16	1,118.88
719QT SH	0064286	1 1/2	Bronze	098268207613	1	19	1,411.56
719QT SH	0064287	2	Bronze	098268207620	1	28	1,582.20

With Quarter-Turn Shutoff Valves-Inlet/Outlet Fire Hydrant Fittings (2.5" inlet female hose thread swivel x 2.5" outlet male NST)

719QT HC	0064288	2	Bronze	098268207637	1	30	1,722.60
----------	---------	---	--------	--------------	---	----	----------

Series 709

With NRS Resilient Seated Shutoff Valves

LF709-DNRS	0792172	2 1/2	**Iron	098268437546	1	167	3,280.82
LF709-DNRS	0792173	3	**Iron	098268437553	1	167	3,535.38
LF709-DNRS	0792174	4	**Iron	098268437560	1	368	4,575.96
LF709-DNRS	0792175	6	**Iron	098268437577	1	627	7,677.72
LF709-DNRS	0792176	8	**Iron	098268437584	1	1201	14,153.83
LF709-DNRS	0792177	10	**Iron	098268437591	1	2003	20,615.58

LEAD FREE*



*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Double Check Valve Assemblies

4

Backflow Preventers & Accessories



7090SY

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 709 (cont.)

With OSY Resilient Seated Shutoff Valves

LEAD FREE*	Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF709-DOSY	0792166	2 1/2	**Iron	098268437485	1	170	\$ 3,929.15
	LF709-DOSY	0792167	3	**Iron	098268437492	1	170	4,138.88
	LF709-DOSY	0792168	4	**Iron	098268437508	1	383	5,346.22
	LF709-DOSY	0792169	6	**Iron	098268437515	1	707	8,360.39
	LF709-DOSY	0792170	8	**Iron	098268437522	1	1307	15,307.70
	LF709-DOSY	0792171	10	**Iron	098268437539	1	2073	22,441.97

With FDA Fused Epoxy-Coated Quarter-Turn Ball Valve Shutoffs

LEAD FREE*	Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF709-QT-FDA	0124334	2 1/2	**Iron	098268830682	1	210	4,761.72
	LF709-QT-FDA	0124327	3	**Iron	098268830002	1	236	4,760.23
	LF709-QT-FDA	0124329	4	**Iron	098268830545	1	368	6,527.20
	LF709-QT-FDA	0124331	6	**Iron	098268830651	1	785	9,157.32
	LF709-QT-FDA	0122826	8	**Iron	098268647235	1	2269	19,509.12

With FDA Fused Epoxy-Coated Strainer and Fused Epoxy-Coated Ball Valve Shutoffs

LEAD FREE*	Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF709-QT-S-FDA	0124335	2 1/2	**Iron	098268830712	1	250	5,243.40
	LF709-QT-S-FDA	0124328	3	**Iron	098268830538	1	288	5,738.04
	LF709-QT-S-FDA	0124330	4	**Iron	098268830606	1	400	6,341.76
	LF709-QT-S-FDA	0124332	6	**Iron	098268830668	1	950	10,404.72
	LF709-QT-S-FDA	0122829	8	**Iron	098268647266	1	2544	21,323.52

Less Shutoff Valves

LEAD FREE*	Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF709LF	0792160	2 1/2	**Iron	098268437423	1	130	2,480.76
	LF709LF	0792161	3	**Iron	098268437430	1	132	2,937.38
	LF709LF	0792162	4	**Iron	098268437447	1	298	3,977.96
	LF709LF	0792163	6	**Iron	098268437454	1	597	5,871.96
	LF709LF	0792164	8	**Iron	098268437461	1	928	10,160.64
	LF709LF	0792165	10	**Iron	098268437478	1	1573	13,122.00

*FDA fused epoxy coated cast iron body.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Valve Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 774

With NRS Resilient Seated Shutoff Valves

774NRS	0437700	2 1/2	S.S.	098268877991	1	140	\$ 2,945.16
774NRS	0437708	3	S.S.	098268878073	1	215	2,965.68
774NRS	0438000	4	S.S.	098268795417	1	225	4,489.56
774NRS	0438008	6	S.S.	098268795516	1	375	7,217.64
774NRS	0438024	8	S.S.	098268795493	1	680	14,472.00
774NRS	0438040	10	S.S.	098268795615	1	763	19,258.56
774NRS	0438080	12	S.S.	098268877335	1	1033	27,529.20

With OSY Resilient Seated Shutoff Valves

7740SY	0437701	2 1/2	S.S.	098268878004	1	140	3,703.32
7740SY	0437709	3	S.S.	098268878172	1	215	3,897.72
7740SY	0438001	4	S.S.	098268795424	1	265	4,980.96
7740SY	0438009	6	S.S.	098268795523	1	420	7,787.88
7740SY	0438025	8	S.S.	098268795486	1	745	15,396.48
7740SY	0438041	10	S.S.	098268795608	1	773	20,198.16
7740SY	0438081	12	S.S.	098268877342	1	1033	27,994.68

With OSY Resilient Seated Shutoff Valves (Grooved Inlet x Flanged Outlet)


774 OSY GxF	0439501	2 1/2	S.S.	098268264111	1	140	3,595.32
774 OSY GxF	0439504	3	S.S.	098268264159	1	215	3,784.32
774 OSY GxF	0439507	4	S.S.	098268264180	1	265	4,836.24
774 OSY GxF	0439510	6	S.S.	098268264210	1	420	7,561.08
774 OSY GxF	0439513	8	S.S.	098268264241	1	745	14,948.28
774 OSY GxF	0439516	10	S.S.	098268264272	1	773	19,609.56

With OSY Resilient Seated Shutoff Valves (Flanged Inlet x Grooved Outlet)

774 OSY FxG	0439502	2 1/2	S.S.	098268264128	1	140	3,703.32
774 OSY FxG	0439505	3	S.S.	098268264166	1	215	3,897.72
774 OSY FxG	0439508	4	S.S.	098268264197	1	265	4,980.96
774 OSY FxG	0439511	6	S.S.	098268264227	1	420	7,787.88
774 OSY FxG	0439514	8	S.S.	098268264258	1	745	15,396.48
774 OSY FxG	0439517	10	S.S.	098268264289	1	773	21,207.96

Less Shutoff Valves

774LF	0437702	2 1/2	S.S.	098268878011	1	53	2,669.76
774LF	0437710	3	S.S.	098268878080	1	53	2,965.68
774LF	0438002	4	S.S.	098268795370	1	58	3,394.44
774LF	0438010	6	S.S.	098268795585	1	105	6,436.80
774LF	0438026	8	S.S.	098268795509	1	169	12,003.12
774LF	0438042	10	S.S.	098268795660	1	179	15,156.72
774LF	0438082	12	S.S.	098268877359	1	209	17,599.68



7740SY

LEAD FREE*

LEAD FREE*

LEAD FREE*

LEAD FREE*


LEAD FREE*

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Double Check Valve Assemblies

4

Backflow Preventers & Accessories



7570SY



757N BFG



757 QT

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 757

With OSY Resilient Seated Shutoff Valves

LEAD FREE*	Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	757 OSY	0111510	2 1/2	S.S.	098268117639	1	125	\$ 3,989.52
	757 OSY	0111511	3	S.S.	098268117646	1	145	4,058.64
	757 OSY	0111512	4	S.S.	098268117653	1	161	4,980.96
	757 OSY	0111513	6	S.S.	098268117684	1	295	7,417.44
	757 OSY	0111514	8	S.S.	098268117691	1	480	14,664.24
	757 OSY	0111515	10	S.S.	098268118117	1	781	20,198.16

N-Pattern with OSY Resilient Seated Shutoff Valves

LEAD FREE*	Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	757N OSY	0111516	2 1/2	S.S.	098268118858	1	133	5,654.88
	757N OSY	0111517	3	S.S.	098268118865	1	158	5,754.24
	757N OSY	0111518	4	S.S.	098268118902	1	184	6,724.08
	757N OSY	0111519	6	S.S.	098268118940	1	336	10,513.80
	757N OSY	0111520	8	S.S.	098268118995	1	555	20,785.68
	757N OSY	0111521	10	S.S.	098268119008	1	951	28,630.80

With NRS Resilient Seated Shutoff Valves

LEAD FREE*	Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	757 NRS	0111522	2 1/2	S.S.	098268119022	1	115	3,673.08
	757 NRS	0111523	3	S.S.	098268119039	1	131	3,798.36
	757 NRS	0111524	4	S.S.	098268119091	1	161	4,714.20
	757 NRS	0111525	6	S.S.	098268119428	1	273	7,578.36
	757 NRS	0111526	8	S.S.	098268119602	1	438	15,194.52
	757 NRS	0111527	10	S.S.	098268119664	1	721	20,220.84

N-Pattern with NRS Resilient Seated Shutoff Valves

LEAD FREE*	Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	757N NRS	0111528	2 1/2	S.S.	098268119732	1	123	4,958.28
	757N NRS	0111529	3	S.S.	098268120295	1	144	5,127.84
	757N NRS	0111530	4	S.S.	098268120301	1	184	6,364.44
	757N NRS	0111531	6	S.S.	098268120318	1	314	10,229.76
	757N NRS	0111532	8	S.S.	098268120325	1	513	20,512.44
	757N NRS	0111533	10	S.S.	098268120332	1	891	27,299.16

With UL/FM Butterfly Valve Shutoffs (Gear operated)

LEAD FREE*	Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	757 BFG	0111534	2 1/2	S.S.	098268120349	1	56	4,307.04
	757 BFG	0111535	3	S.S.	098268120356	1	54	4,381.56
	757 BFG	0111536	4	S.S.	098268120363	1	61	5,119.20
	757 BFG	0111537	6	S.S.	098268120370	1	117	8,006.04
	757 BFG	0111538	8	S.S.	098268120547	1	261	15,828.48

N-Pattern with UL/FM Butterfly Valve Shutoffs (Gear operated)

LEAD FREE*	Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	757N BFG	0111540	2 1/2	S.S.	098268120578	1	64	5,536.08
	757N BFG	0111541	3	S.S.	098268120608	1	67	5,633.28
	757N BFG	0111542	4	S.S.	098268120622	1	84	6,582.60
	757N BFG	0111543	6	S.S.	098268120776	1	157	10,293.48
	757N BFG	0111746	8	S.S.	098268125764	1	337	22,026.60

With Quarter-turn Ball Valve Shutoffs

LEAD FREE*	Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	757 QT	0111757	2 1/2	S.S.	098268300628	1	35	3,269.16
	757 QT	0111758	3	S.S.	098268231861	1	45	3,380.40

N-Pattern with Quarter-Turn Ball Valve Shutoffs

LEAD FREE*	Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	757N QT	0111765	2 1/2	S.S.	098268126129	1	43	4,125.60
	757N QT	0111766	3	S.S.	098268126136	1	53	4,101.84

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------



009QT

Series 009
With Quarter-Turn Shutoff Valves

009QT	0062098	1/4	Bronze	098268080988	1	5	\$ 392.04
009QT	0062096	3/8	Bronze	098268080971	1	5	392.04
009QT	0062094	1/2	Bronze	098268080964	1	5	427.14
009M3QT	0063030	3/4	Bronze	098268802214	1	10	511.92
009M2QT	0063020	1	Bronze	098268647525	1	12	602.10
009M2QT	0062920	1 1/4	Bronze	098268240511	1	28	893.70
009M2QT	0062921	1 1/2	Bronze	098268240528	1	29	1,001.70
009M2QT	0063010	2	Bronze	098268591781	1	32	1,122.12
LF009-QT	0391002	1/2	Bronze	098268051100	1	4.7	534.06
LF009M3-QT	0391003	3/4	Bronze	098268051117	1	6.4	639.90
LF009M2-QT	0391004	1	Bronze	098268051131	1	12	752.76
LF009M2-QT	0391005	1 1/4	Bronze	098268051148	1	17	1,117.80
LF009M2-QT	0391006	1 1/2	Bronze	098268051155	1	18	1,117.80
LF009M2-QT	0391007	2	Bronze	098268051162	1	28	1,402.92

LEAD FREE



009M2QT HC

With Inlet/Outlet Fire Hydrant Fittings
(2.5" Inlet Female Hose Thread Swivel x 2.5" Outlet Male NST)

009M2QT HC	0436020	2	Bronze	098268914788	1	37	2,560.68
------------	---------	---	--------	--------------	---	----	----------

With Locking Handles (Open Position) Padlocks not furnished.

009QT-LH	0062980	1/2	Bronze	098268835212	1	5	535.68
009M3QT-LH	0063032	3/4	Bronze	098268937602	1	11	713.34
009M2QT-LH	0437011	1	Bronze	098268875676	1	12	883.98
009M2QT-LH	0062983	1 1/4	Bronze	098268835182	1	28	1,386.72
009M2QT-LH	0062984	1 1/2	Bronze	098268835175	1	29	1,425.60
009M2QT-LH	0062985	2	Bronze	098268835168	1	32	1,640.52



SS009QT

Stainless Steel Body - with Quarter-Turn Shutoff Valve

SS009M3QT	0062967	1/2	S.S.	098268817096	1	5	2,266.92
SS009M3QT	0062968	3/4	S.S.	098268817102	1	11	2,430.00
SS009QT	0062962	1	S.S.	098268572087	1	12	2,567.16

LEAD FREE

With Quarter-Turn Shutoff Valves and Bronze Strainer

009QT-S	0062181	1/4	Bronze	098268587296	1	7	475.20
009QT-S	0062180	3/8	Bronze	098268587289	1	7	475.20
009QT-S	0062095	1/2	Bronze	098268237320	1	7	490.86
009M3QT-S	0063031	3/4	Bronze	098268846706	1	13	596.70
009M2QT-S	0063021	1	Bronze	098268647532	1	15	731.70
009M2QT-S	0062950	1 1/4	Bronze	098268489224	1	31	1,069.20
009M2QT-S	0062952	1 1/2	Bronze	098268489248	1	33	1,272.24
009M2QT-S	0063011	2	Bronze	098268591798	1	39	1,569.24
LF909-QT-S	0122774	3/4	Bronze	098268646665	1	13	690.23
LF909-QT-S	0122775	1	Bronze	098268646672	1	15	846.83
LF909M1-QT-S	0122765	1 1/4	Bronze	098268646566	1	31	1,237.14
LF909M1-QT-S	0122766	1 1/2	Bronze	098268646573	1	33	1,471.39
LF909M1-QT-S	0122767	2	Bronze	098268646580	1	39	1,815.91

LEAD FREE

With Union Connections and Quarter-Turn Shutoffs

U009QT	0062085	1/2	Bronze	098268256918	1	9	554.58
U009M2QT	0062288	3/4	Bronze	098268325331	1	11	614.52
U009M2QT	0437012	1	Bronze	098268875683	1	12	780.30
U009M2QT	0062922	1 1/4	Bronze	098268271003	1	28	1,270.08
U009M2QT	0062923	1 1/2	Bronze	098268271010	1	29	1,406.16
U009M2QT	0436073	2	Bronze	098268824339	1	34	1,766.88

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

4

Backflow Preventers & Accessories

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 009 (cont.)

With Union Connections, Quarter-Turn Shutoffs and Bronze Strainer

U009QT-S	0062086	1/2	Bronze	098268260649	1	10	\$ 615.60
U009M2QT-S	0062287	3/4	Bronze	098268325348	1	13	727.92
U009M2QT-S	0437013	1	Bronze	098268875690	1	15	906.66
U009M2QT-S	0062951	1 1/4	Bronze	098268489231	1	31	1,504.44
U009M2QT-S	0062953	1 1/2	Bronze	098268489262	1	33	1,593.00
U009M2QT-S	0436074	2	Bronze	098268827408	1	38	2,201.04
LFU009-QT	0122594	1/2	Silicon Bronze	098268638714	1	6.0	444.96
LFU009M2-QT	0122607	3/4	Silicon Bronze	098268639605	1	7.8	583.20
LFU009M2-QT	0122847	1	Silicon Bronze	098268647440	1	13	694.98
LFU009M2-QT	0122686	1 1/4	Silicon Bronze	098268643022	1	20	1,069.20
LFU009M2-QT	0122687	1 1/2	Silicon Bronze	098268643039	1	23	1,184.76
LFU009M2-QT	0122841	2	Silicon Bronze	098268647389	1	36	1,418.04

LEAD FREE

With Polymer Coating and Quarter-Turn Shutoffs

009PCQT	0062170	1/2	Bronze	098268493610	1	6	727.92
009M2PCQT	0436040	3/4	Bronze	098268420197	1	6	792.72
009M2PCQT	0436076	1	Bronze	098268874419	1	12	936.36
009M2PCQT	0436042	1 1/4	Bronze	098268420210	1	28	1,469.88
009M2PCQT	0436043	1 1/2	Bronze	098268420227	1	29	1,587.60
009M2PCQT	0436039	2	Bronze	098268741803	1	30	1,827.36
LF009PC-QT	0122604	1/2	Silicon Bronze	098268639162	1	5	545.94
LF009M2-PC-QT	0122837	3/4	Silicon Bronze	098268647341	1	6	595.62
LF009M2-PC-QT	0122844	1	Silicon Bronze	098268647419	1	11	702.54
LF009M2-PC-QT	0122838	1 1/4	Silicon Bronze	098268647358	1	17	1,102.68
LF009M2-PC-QT	0122839	1 1/2	Silicon Bronze	098268647365	1	18	1,192.32
LF009M2-PC-QT	0122836	2	Silicon Bronze	098268647334	1	30	1,370.52

LEAD FREE

With Union Connections, Polymer Coating and Quarter-Turn Shutoffs

U009M2PCQT	0436077	1	Bronze	098268874426	1	13	1,044.36
U009M2PCQT	0436070	2	Bronze	098268824315	1	31	2,114.64

With Union Angle Inlet x Union Angle Outlet

U009AQT	0062451	3/4	Bronze	098268322088	1	8	596.70
U009M2AQT	0437014	1	Bronze	098268875706	1	13	980.10
U009M2AQT	0062465	1 1/2	Bronze	098268350555	1	37	1,571.40
U009M2AQT	0436072	2	Bronze	098268824322	1	44	2,045.52

With Stainless Steel Handles

009QT SH	0436010	1/2	Bronze	098268875331	1	5	464.40
009M3QT SH	0436016	3/4	Bronze	098268875393	1	10	551.88
009M2QT SH	0436012	1	Bronze	098268875355	1	12	685.80
009M2QT SH	0436013	1 1/4	Bronze	098268875362	1	28	989.28
009M2QT SH	0436014	1 1/2	Bronze	098268875379	1	29	1,122.12
009M2QT SH	0436015	2	Bronze	098268875386	1	32	1,175.04

Less Shutoff Valves

009LF	0062087	1/2	Bronze	098268648591	1	4.5	368.28
009M3LF	0062973	3/4	Bronze	098268924879	1	6	455.76
009M2LF	0437010	1	Bronze	098268875669	1	12	532.44
009M2LF	0062956	1 1/4	Bronze	098268744699	1	25	822.96
009M2LF	0062954	1 1/2	Bronze	098268639391	1	28	928.80
009M2LF	0063022	2	Bronze	098268783209	1	30	1,008.18



009PCQT



U009AQT



009NRS

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 009 (cont.)

With NRS Resilient Seated Shutoff Valves

LEAD FREE*	LF009-NRS	0122612	2 1/2	**Iron	098268639650	1	185	4,400.73
LEAD FREE*	LF009-NRS	0122613	3	**Iron	098268639667	1	225	4,945.59

With OSY Resilient Seated Shutoff Valves

LEAD FREE*	LF009-DOSY	0792156	2 1/2	Bronze	098268437409	1	203	4,872.42
LEAD FREE*	LF009-DOSY	0792157	3	Bronze	098268437416	1	225	5,291.46

With Quarter-Turn Resilient Seated Ball Shutoff Valves

LEAD FREE*	LF009-QT-FDA	0122645	2 1/2	**Iron	098268642544	1	150	4,680.72
LEAD FREE*	LF009-QT-FDA	0122653	3	**Iron	098268642667	1	158	5,428.08

Less Shutoff Valves

	009LF	0062570	2 1/2	**Iron	098268471656	1	82	3,046.68
	009LF	0062578	3	**Iron	098268471731	1	82	3,261.60


*FDA fused epoxy coated cast iron body.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

4

Backflow Preventers & Accessories



Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 919

With Quarter-Turn Shutoff Valves

919QT	0062773	3/4	Bronze	098268069525	1	8	\$ 989.28
919QT	0062774	1	Bronze	098268069686	1	12	1,170.72
919QT	0062775	1 1/4	Bronze	098268069754	1	22	888.30
919QT	0062776	1 1/2	Bronze	098268069761	1	28	1,921.32
919QT	0062777	2	Bronze	098268069778	1	37	2,279.88
LF919QT	0065372	3/4	Bronze	098268238518	1	8	1,142.64
LF919QT	0065373	1	Bronze	098268238556	1	12	1,353.24
LF919QT	0065374	1 1/4	Bronze	098268238631	1	22	2,123.60
LF919QT	0065375	1 1/2	Bronze	098268238648	1	28	2,223.29
LF919QT	0065376	2	Bronze	098268238709	1	37	2,638.76

LEAD FREE*

With Quarter-Turn Shutoff Valves and Bronze Strainer

919QT-S	0062779	3/4	Bronze	098268069792	1	10	1,070.82
919QT-S	0062780	1	Bronze	098268069808	1	15	1,304.64
919QT-S	0062781	1 1/4	Bronze	098268069860	1	25	2,005.56
919QT-S	0062782	1 1/2	Bronze	098268069877	1	37	2,183.76
919QT-S	0062783	2	Bronze	098268069884	1	46	2,714.04

*FDA fused epoxy coated cast iron body.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------



909QT

Series 909

With Quarter-Turn Shutoff Valves

LEAD FREE*	LF909-QT	0391008	3/4	Bronze	098268051179	1	15	\$ 1,265.76
	LF909-QT	0391009	1	Bronze	098268051186	1	17	1,529.28
	LF909M1-QT	0391010	1 1/4	Bronze	098268051193	1	37	2,222.64
	LF909M1-QT	0391011	1 1/2	Bronze	098268051209	1	39	2,460.24
	LF909M1-QT	0391012	2	Bronze	098268051230	1	43	3,081.24



909M1QT HC

With Inlet/Outlet Fire Hydrant Fittings

(2.5" Inlet Female Hose Thread Swivel x 2.5" Outlet Male NST)

	909M1QT HC	0436064	2	Bronze	098268914795	1	49	2,639.52
--	------------	---------	---	--------	--------------	---	----	----------

With Quarter-Turn Shutoff Valves and Bronze Strainer

LEAD FREE*	LF909-QT-S	0122774	3/4		098268646665	x	x	1,266.95
	LF909-QT-S	0122775	1		098268646672	x	x	1,561.14
	LF909M1-QT-S	0122765	1 1/4		098268646566	x	x	2,255.15
	LF909M1-QT-S	0122766	1 1/2		098268646573	x	x	2,581.31
	LF909M1-QT-S	0122767	2		098268646580	x	x	3,355.45

With Quarter-Turn Shutoff Valves and Stainless Steel Check Modules

LEAD FREE*	LF909HW-QT	0792031	3/4	Bronze	098268434149	1	16	1,606.50
	LF909HW-QT	0792032	1	Bronze	098268434156	1	17	2,003.40
	LF909HWM1-QT	0792033	1 1/4	Bronze	098268434163	1	38	2,847.96
	LF909HWM1-QT	0792034	1 1/2	Bronze	098268434170	1	401	3,522.20
	LF909HWM1-QT	0792035	2	Bronze	098268434187	1	44	4,505.00

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

4 Backflow Preventers & Accessories



909QT


Series 909 (cont.)

With NRS Resilient Seated Shutoff Valves

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	
LEAD FREE*	LF909-DNRS	0792200	2 1/2	**Iron	098268437829	1	195	4,624.13
	LF909-DNRS	0792201	3	**Iron	098268437836	1	225	5,193.61
	LF909-DNRS	0792202	4	**Iron	098268437843	1	455	7,185.24
	LF909-DNRS	0792203	6	**Iron	098268437850	1	718	10,824.84
	LF909M1-DNRS	0792204	8	**Iron	098268437867	1	1350	23,058.86
	LF909M1-DNRS	0792205	10	**Iron	098268437874	1	2160	30,898.04

With OSY Resilient Seated Shutoff Valves

LEAD FREE*	LF909-DOSY	0792194	2 1/2	**Iron	098268437768	1	198	5,122.33
	LF909-DOSY	0792195	3	**Iron	098268437775	1	230	5,558.11
	LF909-DOSY	0792196	4	**Iron	098268437782	1	470	7,719.19
	LF909-DOSY	0792197	6	**Iron	098268437799	1	798	11,942.96
	LF909M1-DOSY	0792198	8	**Iron	098268437805	1	1456	23,980.64
	LF909M1-DOSY	0792199	10	**Iron	098268437812	1	2230	32,233.46



9090SY

Iron Body With FDA Epoxy-Coated Quarter-Turn Ball Valve Shutoffs

LEAD FREE*	LF909-QT-FDA	0122777	2 1/2	**Iron	098268646696	1	227	9,223.85
	LF909-QT-FDA	0122779	3	**Iron	098268646719	1	250	9,144.36
	LF909-QT-FDA	0122781	4	**Iron	098268646733	1	477	10,084.72
	LF909-QT-FDA	0122783	6	**Iron	098268646757	1	864	21,577.73
	LF909M1-QT-FDA	0122808	8	**Iron	098268647051	1	2160	26,397.36



909QT-S-FDA

Less Shutoff Valves

LEAD FREE*	LF909LF	0792188	2 1/2	**Iron	098268437706	1	114	3,294.00
	LF909LF	0792189	3	**Iron	098268437713	1	114	4,422.92
	LF909LF	0792190	4	**Iron	098268437720	1	246	5,116.23
	LF909LF	0792191	6	**Iron	098268437737	1	466	7,710.12
	LF909M1LF	0792192	8	**Iron	098268437744	1	836	18,658.94
	LF909M1LF	0792193	10	**Iron	098268437751	1	1246	24,038.96

*FDA fused epoxy coated cast iron body.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Uses smaller enclosures and minimizes space requirements for retrofit installations.

Series 994

With NRS Resilient Seated Shutoff Valves

994NRS	0437800	2 1/2	S.S.	098268882926	1	148	\$ 4,228.20
994NRS	0437804	3	S.S.	098268882964	1	226	4,748.76
994NRS	0438048	4	S.S.	098268795936	1	235	6,382.80
994NRS	0438056	6	S.S.	098268795707	1	380	9,898.20
994NRS	0438064	8	S.S.	098268795790	1	571	21,082.68
994NRS	0438072	10	S.S.	098268795844	1	773	28,257.12

With OSY Resilient Seated Shutoff Valves

994OSY	0437801	2 1/2	S.S.	098268882933	1	148	4,546.80
994OSY	0437805	3	S.S.	098268882971	1	226	4,934.52
994OSY	0438049	4	S.S.	098268795981	1	235	6,852.60
994OSY	0438057	6	S.S.	098268795677	1	380	10,601.28
994OSY	0438065	8	S.S.	098268795783	1	571	21,286.80
994OSY	0438073	10	S.S.	098268795868	1	773	29,469.96

With OSY Resilient Seated Shutoff Valves (Grooved Inlet x Flanged Outlet)

994 OSY GxF	0438601	2 1/2	S.S.	098268263558	1	148	4,546.80
994 OSY GxF	0438604	3	S.S.	098268263589	1	226	4,934.52
994 OSY GxF	0438607	4	S.S.	098268263619	1	235	6,852.60
994 OSY GxF	0438610	6	S.S.	098268263640	1	380	10,601.28
994 OSY GxF	0438613	8	S.S.	098268263671	1	571	21,286.80
994 OSY GxF	0438616	10	S.S.	098268263701	1	773	28,612.44

With OSY Resilient Seated Shutoff Valves (Flanged Inlet x Grooved Outlet)

994 OSY FxG	0438602	2 1/2	S.S.	098268263565	1	148	4,546.80
994 OSY FxG	0438605	3	S.S.	098268263596	1	226	4,934.52
994 OSY FxG	0438608	4	S.S.	098268263626	1	235	6,852.60
994 OSY FxG	0438611	6	S.S.	098268263657	1	380	10,601.28
994 OSY FxG	0438614	8	S.S.	098268263688	1	571	21,286.80
994 OSY FxG	0438617	10	S.S.	098268263718	1	773	28,612.44

Less Shutoff Valves

994LF	0437802	2 1/2	S.S.	098268882940	1	60	3,225.96
994LF	0437806	3	S.S.	098268882988	1	62	3,623.40
994LF	0438050	4	S.S.	098268795929	1	65	5,012.28
994LF	0438058	6	S.S.	098268795684	1	110	7,552.44
994LF	0438066	8	S.S.	098268795820	1	179	16,085.52
994LF	0438074	10	S.S.	098268795899	1	189	21,552.48

Portable Hydrant Backflow


994 BLT	0437815	2 1/2 - 3	S.S.	098268262230	1	211	7,440.12
---------	---------	-----------	------	--------------	---	-----	----------

Hydrant Meter Backflow


994 HMB-GPM	0437808	3	S.S.	098268923391	1	120	8,398.08
994 HMB-CFM	0437809	3	S.S.	098268262223	1	120	8,398.08



994OSY



994BLT



994HMB

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

4

Backflow Preventers & Accessories



Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Uses smaller enclosures and minimizes space requirements for retrofit installations.

Series 957

With OSY Resilient Seated Shutoff Valves

957 OSY	0111584	2 1/2	S.S.	098268121971	1	128	\$ 4,683.96
957 OSY	0111585	3	S.S.	098268121988	1	148	5,082.48
957 OSY	0111586	4	S.S.	098268122008	1	164	7,057.80
957 OSY	0111587	6	S.S.	098268122152	1	298	10,919.88
957 OSY	0111588	8	S.S.	098268122169	1	483	21,926.16
957 OSY	0111589	10	S.S.	098268122176	1	783	29,469.96

N-Pattern with OSY Resilient Seated Shutoff Valves

957N OSY	0111590	2 1/2	S.S.	098268122183	1	136	6,138.72
957N OSY	0111591	3	S.S.	098268122190	1	151	6,661.44
957N OSY	0111592	4	S.S.	098268122220	1	187	9,511.56
957N OSY	0111593	6	S.S.	098268122237	1	339	14,312.16
957N OSY	0111594	8	S.S.	098268122244	1	558	29,703.24
957N OSY	0111595	10	S.S.	098268122251	1	950	38,626.20

Z-Pattern with OSY Resilient Seated Shutoff Valves

957Z OSY	0111596	2 1/2	S.S.	098268122268	1	136	6,138.72
957Z OSY	0111597	3	S.S.	098268122275	1	151	6,661.44
957Z OSY	0111598	4	S.S.	098268122282	1	187	9,511.56
957Z OSY	0111599	6	S.S.	098268122299	1	339	14,312.16
957Z OSY	0111600	8	S.S.	098268122367	1	558	29,703.24
957Z OSY	0111601	10	S.S.	098268122435	1	950	38,626.20

With NRS Resilient Seated Shutoff Valves

957 NRS	0111602	2 1/2	S.S.	098268122459	1	118	4,228.20
957 NRS	0111603	3	S.S.	098268122534	1	134	4,748.76
957 NRS	0111604	4	S.S.	098268122541	1	164	6,382.80
957 NRS	0111605	6	S.S.	098268122626	1	276	9,898.20
957 NRS	0111606	8	S.S.	098268122657	1	441	21,082.68
957 NRS	0111607	10	S.S.	098268122701	1	723	28,257.12

N-Pattern with NRS Resilient Seated Shutoff Valves

957N NRS	0111608	2 1/2	S.S.	098268122732	1	126	5,227.20
957N NRS	0111609	3	S.S.	098268122749	1	147	6,083.64
957N NRS	0111610	4	S.S.	098268122985	1	187	8,129.16
957N NRS	0111611	6	S.S.	098268123319	1	317	10,642.32
957N NRS	0111612	8	S.S.	098268123449	1	516	26,850.96
957N NRS	0111613	10	S.S.	098268123494	1	893	34,940.16

Z-Pattern with NRS Resilient Seated Shutoff Valves

957Z NRS	0111614	2 1/2	S.S.	098268123531	1	126	5,707.80
957Z NRS	0111615	3	S.S.	098268123548	1	147	6,260.76
957Z NRS	0111616	4	S.S.	098268123555	1	187	8,617.32
957Z NRS	0111617	6	S.S.	098268123562	1	317	12,974.04
957Z NRS	0111618	8	S.S.	098268123579	1	516	27,632.88
957Z NRS	0111619	10	S.S.	098268123586	1	893	37,036.44

With NRS Resilient Seated Shutoff Valves and Cast Iron Strainer

957 NRS-S	0111825	2 1/2	S.S.	098268260137	1	146	4,867.56
957 NRS-S	0111826	3	S.S.	098268260144	1	168	5,584.68
957 NRS-S	0111827	4	S.S.	098268260175	1	224	7,675.56
957 NRS-S	0111828	6	S.S.	098268260182	1	426	12,331.44
957 NRS-S	0111829	8	S.S.	098268260199	1	711	24,485.76
957 NRS-S	0111830	10	S.S.	098268260212	1	1093	28,312.20

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Uses smaller enclosures and minimizes space requirements for retrofit installations.

Series 957 (cont.)

With Quarter-Turn Ball Valve Shutoffs

LEAD FREE	957 QT	0111760	2 1/2	S.S.	098268300635	1	46	\$ 4,460.40
	957 QT	0111761	3	S.S.	098268336689	1	56	4,840.56

N-Pattern with Quarter-Turn Ball Valve Shutoffs

LEAD FREE	957N QT	0111668	2 1/2	S.S.	098268124750	1	54	4,330.80
	957N QT	0111669	3	S.S.	098268124767	1	64	4,840.56

Z-Pattern with Quarter-Turn Ball Valve Shutoffs


LEAD FREE	957Z QT	0111777	2 1/2	S.S.	098268126211	1	54	4,330.80
	957Z QT	0111778	3	S.S.	098268126228	1	64	4,840.56

N-Pattern with UL/FM Butterfly Valve Shutoffs (Gear Operated)


LEAD FREE	957N BFG	0111780	2 1/2	S.S.	098268126242	1	85	7,080.48
	957N BFG	0111781	3	S.S.	098268126259	1	90	5,803.92
	957N BFG	0111782	4	S.S.	098268126266	1	200	14,142.60
	957N BFG	0111783	6	S.S.	098268126273	1	300	15,723.72

Z-Pattern with UL/FM Butterfly Valve Shutoffs (Gear Operated)

LEAD FREE	957Z BFG	0111784	2 1/2	S.S.	098268126280	1	90	10,642.32
	957Z BFG	0111785	3	S.S.	098268126297	1	93	10,345.32
	957Z BFG	0111786	4	S.S.	098268126303	1	205	14,142.60
	957Z BFG	0111787	6	S.S.	098268126310	1	305	15,723.72



957 QT



957Z BFG

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Detector Assemblies

4

Backflow Preventers & Accessories

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

DCDA - Standard shutoffs are resilient seated outside stem and yoke (OSY), UL/FM listed

Series 007DCDA

Less Shutoffs - CFM/GPM Meter

007DCDA-LF-CFM	0062667	2	Bronze	098268898040	1	30	\$ 4,695.84
007DCDA-LF-CFM	0062516	2 1/2	**Iron	098268489279	1	170	5,033.88
007DCDA-LF-CFM	0062518	3	**Iron	098268489293	1	200	5,520.96
007DCDA-LF-GPM	0062668	2	Bronze	098268898057	1	30	4,695.84
007DCDA-LF-GPM	0062515	2 1/2	**Iron	098268488104	1	170	5,033.88
007DCDA-LF-GPM	0062517	3	**Iron	098268489286	1	200	5,520.96

With OSY Shutoffs - CFM/GPM Meter

007DCDAOSY-CFM	0062665	2	†Bronze	098268574876	1	120	6,038.28
007DCDAOSY-CFM	0062511	2 1/2	**Iron	098268316827	1	179	6,091.20
007DCDAOSY-CFM	0062513	3	**Iron	098268316803	1	211	6,760.80
007DCDAOSY-GPM	0062666	2	†Bronze	098268574883	1	120	6,038.28
007DCDAOSY-GPM	0062510	2 1/2	**Iron	098268316834	1	179	6,395.76
007DCDAOSY-GPM	0062512	3	**Iron	098268316810	1	211	6,760.80


Series 709DCDA

Less Shutoffs - CFM/GPM Meter

709DCDA-LF-CFM	0384741	3	**Iron	098268278187	1	150	5,960.52
709DCDA-LF-CFM	0384815	4	**Iron	098268021394	1	320	4,547.88
709DCDA-LF-CFM	0384816	6	**Iron	098268021400	1	450	5,971.32
709DCDA-LF-CFM	0384817	8	**Iron	098268021417	1	946	11,062.44
709DCDA-LF-CFM	0384818	10	**Iron	098268021424	1	1332	13,907.16
709DCDA-LF-GPM	0384740	3	**Iron	098268278170	1	150	5,960.52
709DCDA-LF-GPM	0384662	4	**Iron	098268021035	1	320	6,865.56
709DCDA-LF-GPM	0384666	6	**Iron	098268021042	1	450	7,907.76
709DCDA-LF-GPM	0387064	8	**Iron	098268023824	1	946	14,785.20
709DCDA-LF-GPM	0387068	10	**Iron	098268023862	1	1332	20,147.40

With OSY Shutoffs - CFM/GPM Meter

709DCDAOSY-CFM	0387052	3	**Iron	098268023725	1	240	7,812.72
709DCDAOSY-CFM	0387058	4	**Iron	098268023770	1	522	7,994.16
709DCDAOSY-CFM	0387069	6	**Iron	098268023879	1	785	10,380.96
709DCDAOSY-CFM	0387088	8	**Iron	098268024005	1	1439	18,762.84
709DCDAOSY-CFM	0387090	10	**Iron	098268024029	1	2353	25,642.44
709DCDAOSY-GPM	0387745	3	**Iron	098268025408	1	240	8,381.88
709DCDAOSY-GPM	0385680	4	**Iron	098268022216	1	522	8,904.60
709DCDAOSY-GPM	0387082	6	**Iron	098268023961	1	785	12,529.08
709DCDAOSY-GPM	0387070	8	**Iron	098268023886	1	1439	18,762.84
709DCDAOSY-GPM	0387092	10	**Iron	098268080940	1	2353	32,145.12



709DCDA OSY

*FDA fused epoxy coated cast iron body.

† Bronze body with epoxy coated cast iron OSY gate valves.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Detector Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Standard shutoffs are resilient seated outside stem and yoke (OSY), UL/FM listed
Series 774DCDA

Less Shutoffs — CFM/GPM Meter

774DCDA-LF-CFM	0437706	2 1/2	S.S.	098268878059	1	68	\$ 4,503.60
774DCDA-LF-CFM	0437714	3	S.S.	098268878127	1	70	4,800.60
774DCDA-LF-CFM	0438006	4	S.S.	098268795387	1	73	3,724.92
774DCDA-LF-CFM	0438014	6	S.S.	098268795547	1	120	6,564.24
774DCDA-LF-CFM	0438030	8	S.S.	098268795479	1	180	12,221.28
774DCDA-LF-CFM	0438046	10	S.S.	098268795622	1	190	15,728.04
774DCDA-LF-CFM	0438086	12	S.S.	098268877397	1	220	20,922.84
774DCDA-LF-GPM	0437707	2 1/2	S.S.	098268878066	1	68	4,503.60
774DCDA-LF-GPM	0437715	3	S.S.	098268878134	1	70	4,800.60
774DCDA-LF-GPM	0438007	4	S.S.	098268795356	1	73	5,211.00
774DCDA-LF-GPM	0438015	6	S.S.	098268795554	1	120	6,564.24
774DCDA-LF-GPM	0438031	8	S.S.	098268795455	1	180	12,221.28
774DCDA-LF-GPM	0438047	10	S.S.	098268795639	1	190	15,728.04
774DCDA-LF-GPM	0438087	12	S.S.	098268877403	1	220	20,922.84

With OSY Shutoffs — CFM/GPM Meter


774DCDAOSY-CFM	0437704	2 1/2	S.S.	098268878035	1	155	5,733.72
774DCDAOSY-CFM	0437712	3	S.S.	098268878103	1	230	6,200.28
774DCDAOSY-CFM	0438004	4	S.S.	098268795394	1	280	9,664.92
774DCDAOSY-CFM	0438012	6	S.S.	098268795530	1	435	9,641.16
774DCDAOSY-CFM	0438028	8	S.S.	098268795448	1	760	17,267.04
774DCDAOSY-CFM	0438044	10	S.S.	098268795592	1	774	24,736.32
774DCDAOSY-CFM	0438084	12	S.S.	098268877373	1	1044	31,504.68
774DCDAOSY-GPM	0437705	2 1/2	S.S.	098268878042	1	155	5,733.72
774DCDAOSY-GPM	0437713	3	S.S.	098268878110	1	230	8,884.08
774DCDAOSY-GPM	0438005	4	S.S.	098268795363	1	280	6,852.60
774DCDAOSY-GPM	0438013	6	S.S.	098268795578	1	435	10,519.20
774DCDAOSY-GPM	0438029	8	S.S.	098268795462	1	760	15,369.48
774DCDAOSY-GPM	0438045	10	S.S.	098268795646	1	774	24,736.32
774DCDAOSY-GPM	0438085	12	S.S.	098268877380	1	1044	33,080.40

Less Shutoffs and Less Meter

774DCDA-LF-LM	0438130	2 1/2	S.S.	098268262247	1	66	3,386.88
774DCDA-LF-LM	0438131	3	S.S.	098268262254	1	68	3,643.92
774DCDA-LF-LM	0438132	4	S.S.	098268262261	1	71	4,793.04
774DCDA-LF-LM	0438133	6	S.S.	098268262278	1	118	5,972.40
774DCDA-LF-LM	0438134	8	S.S.	098268262285	1	178	5,972.40
774DCDA-LF-LM	0438135	10	S.S.	098268262292	1	188	14,908.32
774DCDA-LF-LM	0438136	12	S.S.	098268262308	1	218	19,950.84

With OSY Shutoffs and Less Meter

774DCDAOSY-LM	0438137	2 1/2	S.S.	098268262315	1	155	6,637.68
774DCDAOSY-LM	0438138	3	S.S.	098268262322	1	230	8,026.56
774DCDAOSY-LM	0438139	4	S.S.	098268262339	1	350	8,766.36
774DCDAOSY-LM	0438140	6	S.S.	098268262346	1	535	9,577.44
774DCDAOSY-LM	0438141	8	S.S.	098268262353	1	765	15,910.56
774DCDAOSY-LM	0438142	10	S.S.	098268262360	1	1156	21,791.16
774DCDAOSY-LM	0438143	12	S.S.	098268262377	1	1520	31,740.12



774DCDA OSY

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Detector Assemblies

4

Backflow Preventers & Accessories

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 774DCDA

With OSY Resilient Seated Shutoff Valves (Grooved Inlet x Flanged Outlet) — CFM/GPM Meter

774DCDA OSY Gx F CFM	0439521	2 1/2	S.S.	098268264302	1	155	\$ 7,089.12
774DCDA OSY Gx F CFM	0439527	3	S.S.	098268264371	1	230	8,625.96
774DCDA OSY Gx F CFM	0439533	4	S.S.	098268264432	1	280	9,383.04
774DCDA OSY Gx F CFM	0439539	6	S.S.	098268264494	1	435	10,212.48
774DCDA OSY Gx F CFM	0439545	8	S.S.	098268264555	1	760	16,764.84
774DCDA OSY Gx F CFM	0439551	10	S.S.	098268264616	1	774	23,505.12
774DCDA OSY Gx F GPM	0439524	2 1/2	S.S.	098268264340	1	155	7,089.12
774DCDA OSY Gx F GPM	0439530	3	S.S.	098268264401	1	230	8,625.96
774DCDA OSY Gx F GPM	0439536	4	S.S.	098268264463	1	280	9,383.04
774DCDA OSY Gx F GPM	0439542	6	S.S.	098268264524	1	435	10,212.48
774DCDA OSY Gx F GPM	0439548	8	S.S.	098268264586	1	760	16,764.84
774DCDA OSY Gx F GPM	0439554	10	S.S.	098268264647	1	774	22,820.40


With OSY Resilient Seated Shutoff Valves (Flanged Inlet x Grooved Outlet) — CFM/GPM Meter

774DCDA OSY Fx G CFM	0439522	2 1/2	S.S.	098268264319	1	155	7,089.12
774DCDA OSY Fx G CFM	0439528	3	S.S.	098268264388	1	230	8,625.96
774DCDA OSY Fx G CFM	0439534	4	S.S.	098268264449	1	280	9,383.04
774DCDA OSY Fx G CFM	0439540	6	S.S.	098268264500	1	435	10,212.48
774DCDA OSY Fx G CFM	0439546	8	S.S.	098268264562	1	760	16,764.84
774DCDA OSY Fx G CFM	0439552	10	S.S.	098268264623	1	774	22,820.40
774DCDA OSY Fx G GPM	0439525	2 1/2	S.S.	098268264357	1	155	7,089.12
774DCDA OSY Fx G GPM	0439531	3	S.S.	098268264418	1	230	8,625.96
774DCDA OSY Fx G GPM	0439537	4	S.S.	098268264470	1	280	9,383.04
774DCDA OSY Fx G GPM	0439543	6	S.S.	098268264531	1	435	10,212.48
774DCDA OSY Fx G GPM	0439549	8	S.S.	098268264593	1	760	16,764.84
774DCDA OSY Fx G GPM	0439555	10	S.S.	098268264654	1	774	22,820.40

Series 757DCDA

With OSY Resilient Seated Shutoff Valves — CFM/GPM Meter

757DCDA OSY CFM	0111544	2 1/2	S.S.	098268120783	1	139	6,339.60
757DCDA OSY CFM	0111545	3	S.S.	098268120790	1	159	6,889.32
757DCDA OSY CFM	0111546	4	S.S.	098268120806	1	175	6,852.60
757DCDA OSY CFM	0111547	6	S.S.	098268120813	1	309	9,641.16
757DCDA OSY CFM	0111548	8	S.S.	098268120936	1	494	17,267.04
757DCDA OSY CFM	0111549	10	S.S.	098268121193	1	795	24,736.32
757DCDA OSY GPM	0111550	2 1/2	S.S.	098268121247	1	139	6,339.60
757DCDA OSY GPM	0111551	3	S.S.	098268121254	1	159	6,449.76
757DCDA OSY GPM	0111552	4	S.S.	098268121261	1	175	6,852.60
757DCDA OSY GPM	0111553	6	S.S.	098268121278	1	309	9,641.16
757DCDA OSY GPM	0111554	8	S.S.	098268121360	1	494	17,267.04
757DCDA OSY GPM	0111555	10	S.S.	098268121377	1	795	24,736.32



757DCDA OSY

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Detector Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 757DCDA

N-Pattern with OSY Resilient Seated Shutoff Valves — CFM/GPM Meter

757N DCDA OSY CFM	0111556	2 1/2	S.S.	098268121407	1	147	\$ 8,238.24
757N DCDA OSY CFM	0111557	3	S.S.	098268121414	1	172	8,381.88
757N DCDA OSY CFM	0111558	4	S.S.	098268121421	1	198	8,904.60
757N DCDA OSY CFM	0111559	6	S.S.	098268121438	1	350	12,529.08
757N DCDA OSY CFM	0111560	8	S.S.	098268121445	1	569	22,439.16
757N DCDA OSY CFM	0111561	10	S.S.	098268121452	1	965	32,145.12
757N DCDA OSY GPM	0111562	2 1/2	S.S.	098268121469	1	147	8,238.24
757N DCDA OSY GPM	0111563	3	S.S.	098268121490	1	172	8,381.88
757N DCDA OSY GPM	0111564	4	S.S.	098268121506	1	198	8,904.60
757N DCDA OSY GPM	0111565	6	S.S.	098268121513	1	350	12,529.08
757N DCDA OSY GPM	0111566	8	S.S.	098268121520	1	569	22,439.16
757N DCDA OSY GPM	0111567	10	S.S.	098268121568	1	965	32,145.12

With UL/FM Butterfly Valves Shutoffs — CFM/GPM Meter

757DCDA BFG CFM	0111568	2 1/2	S.S.	098268121575	1	70	6,392.52
757DCDA BFG CFM	0111569	3	S.S.	098268121582	1	68	6,889.32
757DCDA BFG CFM	0111570	4	S.S.	098268121773	1	75	7,256.52
757DCDA BFG CFM	0111571	6	S.S.	098268121780	1	131	10,209.24
757DCDA BFG CFM	0111747	8	S.S.	098268125771	1	275	16,831.80
757DCDA BFG GPM	0111572	2 1/2	S.S.	098268121810	1	70	9,062.28
757DCDA BFG GPM	0111573	3	S.S.	098268121827	1	68	9,219.96
757DCDA BFG GPM	0111574	4	S.S.	098268121834	1	75	9,789.12
757DCDA BFG GPM	0111575	6	S.S.	098268121841	1	131	13,781.88
757DCDA BFG GPM	0111748	8	S.S.	098268125788	1	275	19,978.92

N-Pattern with UL/FM Butterfly Valves Shutoffs — CFM/GPM Meter

757N DCDA BFG CFM	0111576	2 1/2	S.S.	098268121858	1	78	9,645.48
757N DCDA BFG CFM	0111577	3	S.S.	098268121889	1	81	9,919.80
757N DCDA BFG CFM	0111578	4	S.S.	098268121919	1	98	10,547.28
757N DCDA BFG CFM	0111579	6	S.S.	098268121926	1	171	12,648.96
757N DCDA BFG CFM	0111749	8	S.S.	098268125917	1	351	21,133.44
757N DCDA BFG GPM	0111580	2 1/2	S.S.	098268121933	1	78	9,645.48
757N DCDA BFG GPM	0111581	3	S.S.	098268121940	1	81	9,919.80
757N DCDA BFG GPM	0111582	4	S.S.	098268121957	1	98	10,547.28
757N DCDA BFG GPM	0111583	6	S.S.	098268121964	1	171	14,715.00
757N DCDA BFG GPM	0111750	8	S.S.	098268125924	1	351	21,133.44



757DCDA BFG

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Double Check Detector Assemblies

4

Backflow Preventers & Accessories



Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Standard shutoffs are resilient seated outside stem and yoke (OSY), UL/FM listed

Series 757DCDA

With OSY Resilient Seated Shutoff Valves - Less Meter

757DCDA OSY LM	0111837	2 1/2	S.S.	098268260304	1	137	\$ 5,728.32
757DCDA OSY LM	0111838	3	S.S.	098268260311	1	157	5,835.24
757DCDA OSY LM	0111839	4	S.S.	098268260328	1	173	6,311.52
757DCDA OSY LM	0111840	6	S.S.	098268260335	1	307	8,992.08
757DCDA OSY LM	0111841	8	S.S.	098268260342	1	492	16,337.16
757DCDA OSY LM	0111842	10	S.S.	098268260359	1	793	23,574.24

N-Pattern with OSY Resilient Seated Shutoff Valves - Less Meter

757N DCDA OSY LM	0111843	2 1/2	S.S.	098268260366	1	145	7,647.48
757N DCDA OSY LM	0111844	3	S.S.	098268260472	1	170	7,782.48
757N DCDA OSY LM	0111845	4	S.S.	098268260489	1	196	83,061.72
757N DCDA OSY LM	0111846	6	S.S.	098268260496	1	348	11,790.36
757N DCDA OSY LM	0111847	8	S.S.	098268260502	1	567	21,347.28
757N DCDA OSY LM	0111848	10	S.S.	098268260519	1	963	19,141.92

With UL/FM Butterfly Valves Shutoffs - Less Meter

757DCDA BFG LM	0111849	2 1/2	S.S.	098268260526	1	68	8,447.76
757DCDA BFG LM	0111850	3	S.S.	098268260533	1	66	8,528.76
757DCDA BFG LM	0111851	4	S.S.	098268260540	1	73	9,135.72
757DCDA BFG LM	0111852	6	S.S.	098268260557	1	129	12,952.44
757DCDA BFG LM	0111853	8	S.S.	098268260564	1	273	19,689.48


N-Pattern with UL/FM Butterfly Valves Shutoffs - Less Meter

757N DCDA BFG LM	0111854	2 1/2	S.S.	098268260571	1	76	9,216.72
757N DCDA BFG LM	0111855	3	S.S.	098268260588	1	79	9,569.88
757N DCDA BFG LM	0111856	4	S.S.	098268260595	1	96	10,171.44
757N DCDA BFG LM	0111857	6	S.S.	098268260601	1	169	14,348.88
757N DCDA BFG LM	0111858	8	S.S.	098268260618	1	349	20,772.72

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Detector Assemblies



909RPDA

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 909RPDA

Standard shutoffs are resilient seated outside stem and yoke (OSY), UL/FM listed


909RPDAOSY-CFM	0387453	2 1/2	**Iron	098268590227	1	250	\$ 8,020.08
909RPDAOSY-CFM	0387456	3	**Iron	098268025064	1	250	8,451.00
909RPDAOSY-CFM	0387461	4	**Iron	098268025088	1	490	9,865.80
909RPDAOSY-CFM	0387466	6	**Iron	098268025101	1	820	14,529.24
909RPDAOSY-CFM	0385610	8	**Iron	098268199703	1	1656	26,548.56
909RPDAOSY-CFM	0385629	10	**Iron	098268199895	1	2250	36,891.72
909RPDAOSY-GPM	0387454	2 1/2	**Iron	098268590579	1	250	7,425.43
909RPDAOSY-GPM	0387480	3	**Iron	098268025156	1	250	8,204.76
909RPDAOSY-GPM	0387486	4	**Iron	098268025170	1	490	12,021.16
909RPDAOSY-GPM	0387491	6	**Iron	098268025194	1	820	14,529.24
909RPDAOSY-GPM-M1	0385612	8	**Iron	098268199727	1	1656	25,775.28
909RPDAOSY-GPM-M1	0385630	10	**Iron	098268199901	1	2250	35,817.12

Less Shutoffs

909RPDA-LF-CFM	0384743	3	**Iron	098268271461	1	162	6,933.60
909RPDA-LF-CFM	0387211	4	**Iron	098268024609	1	385	7,585.92
909RPDA-LF-CFM	0387212	6	**Iron	098268024616	1	819	12,931.92
909RPDA-LF-CFM	0385607	8	**Iron	098268199673	1	919	18,904.32
909RPDA-LF-CFM	0385624	10	**Iron	098268199840	1	1784	27,693.36
909RPDA-LF-GPM	0384742	3	**Iron	098268271478	1	162	6,419.20
909RPDA-LF-GPM	0387209	4	**Iron	098268024593	1	385	7,585.92
909RPDA-LF-GPM	0387216	6	**Iron	098268024647	1	819	11,174.76
909RPDA-LF-GPM-M1	0385598	8	**Iron	098268199581	1	919	20,427.12
909RPDA-LF-GPM-M1	0385626	10	**Iron	098268199864	1	1784	27,693.36

Series 994RPDA

Less Shutoffs



994RPDA

994RPDA-LF-CFM	0438246	2 1/2	S.S.	098268262421	1	61	4,770.36
994RPDA-LF-CFM	0438248	3	S.S.	098268262445	1	65	5,407.56
994RPDA-LF-CFM	0438054	4	S.S.	098268795974	1	67	6,336.36
994RPDA-LF-CFM	0438062	6	S.S.	098268795714	1	105	9,077.40
994RPDAOSY-CFM	0438250	2 1/2	S.S.	098268262469	1	170	6,519.96
994RPDAOSY-CFM	0438252	3	S.S.	098268262483	1	205	7,243.56
994RPDAOSY-CFM	0438052	4	S.S.	098268795967	1	270	8,538.48
994RPDAOSY-CFM	0438060	6	S.S.	098268795738	1	405	11,946.96
994RPDA-LF-GPM	0438247	2 1/2	S.S.	098268262438	1	61	4,770.36
994RPDA-LF-GPM	0438249	3	S.S.	098268262452	1	65	5,407.56
994RPDA-LF-GPM	0438055	4	S.S.	098268795943	1	67	6,336.36
994RPDA-LF-GPM	0438063	6	S.S.	098268795721	1	105	9,077.40
994RPDAOSY-GPM	0438251	2 1/2	S.S.	098268262476	1	170	6,519.96
994RPDAOSY-GPM	0438253	3	S.S.	098268262490	1	205	7,243.56
994RPDAOSY-GPM	0438053	4	S.S.	098268795912	1	270	8,290.08
994RPDAOSY-GPM	0438061	6	S.S.	098268795745	1	405	12,304.44

**FDA fused epoxy coated cast iron body.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Detector Assemblies

4

Backflow Preventers & Accessories

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 994RPDA

With OSY Resilient Seated Shutoff Valves (Grooved Inlet x Flanged Outlet)

994RPDA OSY GxG CFM	0438619	2 1/2	S.S.	098268263732	1	170	\$ 6,519.96
994RPDA OSY GxG CFM	0438625	3	S.S.	098268263794	1	205	7,360.20
994RPDA OSY GxG CFM	0438631	4	S.S.	098268263954	1	270	8,290.08
994RPDA OSY GxG CFM	0438637	6	S.S.	098268264050	1	405	11,946.96
994RPDA OSY GxG GPM	0438622	2 1/2	S.S.	098268263763	1	170	6,519.96
994RPDA OSY GxG GPM	0438628	3	S.S.	098268263824	1	205	7,360.20
994RPDA OSY GxG GPM	0438634	4	S.S.	098268264029	1	270	8,290.08
994RPDA OSY GxG GPM	0438640	6	S.S.	098268264081	1	405	11,946.96

With OSY Resilient Seated Shutoff Valves (Flanged Inlet x Grooved Outlet)

994RPDA OSY FxG CFM	0438620	2 1/2	S.S.	098268263749	1	170	6,519.96
994RPDA OSY FxG CFM	0438626	3	S.S.	098268263800	1	205	7,360.20
994RPDA OSY FxG CFM	0438632	4	S.S.	098268263961	1	270	8,290.08
994RPDA OSY FxG CFM	0438638	6	S.S.	098268264067	1	405	11,946.96
994RPDA OSY FxG GPM	0438623	2 1/2	S.S.	098268263770	1	170	6,519.96
994RPDA OSY FxG GPM	0438629	3	S.S.	098268263831	1	205	7,360.20
994RPDA OSY FxG GPM	0438635	4	S.S.	098268264036	1	270	8,290.08
994RPDA OSY FxG GPM	0438641	6	S.S.	098268264098	1	405	11,946.96

Series 957RPDA

With OSY Resilient Seated Shutoff Valves

957RPDA OSY CFM	0111620	2 1/2	S.S.	098268123593	1	142	6,519.96
957RPDA OSY CFM	0111621	3	S.S.	098268123609	1	162	7,243.56
957RPDA OSY CFM	0111622	4	S.S.	098268123616	1	178	8,538.48
957RPDA OSY CFM	0111623	6	S.S.	098268123623	1	312	12,304.44
957RPDA OSY CFM	0111624	8	S.S.	098268123777	1	497	23,893.92
957RPDA OSY CFM	0111625	10	S.S.	098268123814	1	797	32,234.76
957RPDA OSY GPM	0111626	2 1/2	S.S.	098268123913	1	142	6,519.96
957RPDA OSY GPM	0111627	3	S.S.	098268124170	1	162	7,243.56
957RPDA OSY GPM	0111628	4	S.S.	098268124187	1	178	8,290.08
957RPDA OSY GPM	0111629	6	S.S.	098268124194	1	312	11,946.96
957RPDA OSY GPM	0111630	8	S.S.	098268124217	1	497	23,198.40
957RPDA OSY GPM	0111631	10	S.S.	098268124293	1	797	32,234.76

N-Pattern with OSY Resilient Seated Shutoff Valves

957N RPDA OSY CFM	0111632	2 1/2	S.S.	098268124309	1	150	8,474.76
957N RPDA OSY CFM	0111633	3	S.S.	098268124316	1	175	9,416.52
957N RPDA OSY CFM	0111634	4	S.S.	098268124323	1	201	10,776.24
957N RPDA OSY CFM	0111635	6	S.S.	098268124385	1	353	15,530.40
957N RPDA OSY CFM	0111636	8	S.S.	098268124392	1	572	30,157.92
957N RPDA OSY CFM	0111637	10	S.S.	098268124408	1	964	41,905.08
957N RPDA OSY GPM	0111638	2 1/2	S.S.	098268124415	1	150	8,474.76
957N RPDA OSY GPM	0111639	3	S.S.	098268124422	1	175	9,416.52
957N RPDA OSY GPM	0111640	4	S.S.	098268124439	1	201	10,776.24
957N RPDA OSY GPM	0111641	6	S.S.	098268124446	1	353	15,530.40
957N RPDA OSY GPM	0111642	8	S.S.	098268124453	1	572	30,157.92
957N RPDA OSY GPM	0111643	10	S.S.	098268124484	1	964	41,905.08

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Detector Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Standard shutoffs are resilient seated outside stem and yoke (OSY), UL/FM listed

Series 957 RPDA



957N RPDA OSY

Z-Pattern with OSY Resilient Seated Shutoff Valves

957Z RPDA OSY CFM	0111644	2 1/2	S.S.	098268124491	1	150	\$ 8,474.76
957Z RPDA OSY CFM	0111645	3	S.S.	098268124507	1	175	9,416.52
957Z RPDA OSY CFM	0111646	4	S.S.	098268124514	1	201	10,776.24
957Z RPDA OSY CFM	0111647	6	S.S.	098268124521	1	353	15,530.40
957Z RPDA OSY CFM	0111648	8	S.S.	098268124552	1	572	30,157.92
957Z RPDA OSY CFM	0111649	10	S.S.	098268124569	1	964	41,905.08
957Z RPDA OSY GPM	0111650	2 1/2	S.S.	098268124576	1	150	8,474.76
957Z RPDA OSY GPM	0111651	3	S.S.	098268124583	1	175	9,416.52
957Z RPDA OSY GPM	0111652	4	S.S.	098268124590	1	201	10,776.24
957Z RPDA OSY GPM	0111653	6	S.S.	098268124606	1	353	15,530.40
957Z RPDA OSY GPM	0111654	8	S.S.	098268124613	1	572	30,157.92
957Z RPDA OSY GPM	0111655	10	S.S.	098268124620	1	964	41,905.08

N-Pattern with UL/FM Butterfly Valve Shutoffs

957N RPDA BFG CFM	0111656	2 1/2	S.S.	098268124637	1	132	8,648.64
957N RPDA BFG CFM	0111657	3	S.S.	098268124644	1	134	9,551.52
957N RPDA BFG CFM	0111658	4	S.S.	098268124651	1	166	11,024.64
957N RPDA BFG CFM	0111659	6	S.S.	098268124668	1	285	12,304.44
957N RPDA BFG GPM	0111662	2 1/2	S.S.	098268124699	1	132	8,648.64
957N RPDA BFG GPM	0111663	3	S.S.	098268124705	1	134	9,551.52
957N RPDA BFG GPM	0111664	4	S.S.	098268124712	1	166	11,024.64
957N RPDA BFG GPM	0111665	6	S.S.	098268124729	1	285	16,368.48

Z-Pattern with UL/FM Butterfly Valve Shutoffs

957Z RPDA BFG CFM	0111800	2 1/2	S.S.	098268126402	1	132	8,648.64
957Z RPDA BFG CFM	0111801	3	S.S.	098268126419	1	134	9,551.52
957Z RPDA BFG CFM	0111802	4	S.S.	098268126426	1	166	11,024.64
957Z RPDA BFG CFM	0111803	6	S.S.	098268126433	1	285	16,368.48
957Z RPDA BFG GPM	0111806	2 1/2	S.S.	098268126464	1	132	8,648.64
957Z RPDA BFG GPM	0111807	3	S.S.	098268126471	1	134	9,551.52
957Z RPDA BFG GPM	0111808	4	S.S.	098268126488	1	166	11,024.64
957Z RPDA BFG GPM	0111809	6	S.S.	098268126495	1	285	16,368.48

Series 957RPDA

With OSY Resilient Seated Shutoff Valves - Less Meter

957RPDA OSY LM	0111875	2 1/2	S.S.	098268260830	1	140	6,170.04
957RPDA OSY LM	0111876	3	S.S.	098268260847	1	160	6,885.00
957RPDA OSY LM	0111877	4	S.S.	098268260854	1	176	7,940.16
957RPDA OSY LM	0111878	6	S.S.	098268260861	1	310	11,595.96
957RPDA OSY LM	0111879	8	S.S.	098268260878	1	495	22,848.48
957RPDA OSY LM	0111880	10	S.S.	098268260885	1	795	41,555.16

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Detector Assemblies

4

Backflow Preventers & Accessories



Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Standard shutoffs are resilient seated outside stem and yoke (OSY), UL/FM listed

N-Pattern with OSY Resilient Seated Shutoff Valves- Less Meter

957N RPDA OSY LM	0111881	2 1/2	S.S.	098268260892	1	148	\$ 8,124.84
957N RPDA OSY LM	0111882	3	S.S.	098268260908	1	173	8,985.60
957N RPDA OSY LM	0111883	4	S.S.	098268260915	1	199	10,426.32
957N RPDA OSY LM	0111884	6	S.S.	098268260922	1	351	15,180.48
957N RPDA OSY LM	0111885	8	S.S.	098268260939	1	570	29,808.00
957N RPDA OSY LM	0111886	10	S.S.	098268260946	1	962	41,555.16

Z-Pattern with OSY Resilient Seated Shutoff Valves- Less Meter

957Z RPDA OSY LM	0111887	2 1/2	S.S.	098268260953	1	148	8,124.84
957Z RPDA OSY LM	0111888	3	S.S.	098268260960	1	173	8,985.60
957Z RPDA OSY LM	0111889	4	S.S.	098268260977	1	199	10,426.32
957Z RPDA OSY LM	0111890	6	S.S.	098268361599	1	351	15,180.48
957Z RPDA OSY LM	0111891	8	S.S.	098268260984	1	570	29,808.00
957Z RPDA OSY LM	0111892	10	S.S.	098268260991	1	962	41,555.16

N-Pattern with UL/FM Butterfly Valves Shutoffs- Less Meter

957N RPDA BFG LM	0111893	2 1/2	S.S.	098268261011	1	130	8,298.72
957N RPDA BFG LM	0111894	3	S.S.	098268261028	1	132	9,201.60
957N RPDA BFG LM	0111895	4	S.S.	098268261035	1	164	10,674.72
957N RPDA BFG LM	0111896	6	S.S.	098268261059	1	283	15,982.92

Z-Pattern with UL/FM Butterfly Valves Shutoffs- Less Meter

957Z RPDA BFG LM	0111899	2 1/2	S.S.	098268261103	1	130	8,298.72
957Z RPDA BFG LM	0111900	3	S.S.	098268261127	1	132	9,201.60
957Z RPDA BFG LM	0111901	4	S.S.	098268261134	1	164	10,674.72
957Z RPDA BFG LM	0111902	6	S.S.	098268261141	1	283	15,982.92

Model	Ordering Code	Type	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------	-----	-----------------	--------------------------	-------------------

Test Kits and Accessories

TK-9A	0385496	Analog	098268022049	1	8	\$ 2,534.76
TK-99E	0385511	Analog	098268399806	1	8	3,420.36
TK-99D	0385516	Delta-Lite™ Hand Held Digital	098268618211	1	3	5,054.40
TK-DL	0385515	Print out & Computer Download	098268509519	1	15	12,520.44
TK-7	0061792	Sight Glass	098268003437	1	3	990.36
TK-99D Case	0385508	Optional Carrying Case Only	098268920444	1	4	622.08

Air Gaps

909-AGA	0881399	1/4 – 1/2 009, 1/2 – 1 995, 3/4 009M2/M3	098268235319	1	1	80.46
909-AGC	0881376	3/4, 1 009/909, 1-1 1/2 009M2, 1/4-2 995	098268104950	1	2	94.50
909-AGF	0881378	1 1/4 – 2 009M1, 2 009M2, 1 1/4 – 3 009/909	098268104967	1	3	158.22
909-AGK	•0881385	4 – 6 909, 8 – 10 909M1	098268104998	1	6	264.06
909-AGM	•0881387	8 – 10 909	098268105018	1	16	300.67

•Vertical



TK-99D with Optional Carrying Case



TK-99D



AG Series

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
Air Gaps						
919AGC	0881576	3/4 – 1 919	098268213560	1	2	\$ 73.33
919AGF	0881577	1 1/4 – 2 919	098268213577	1	3	300.67
957-AG	0111764	2 1/2 – 10 957	098268126112	1	10	267.30
957-AG Splash Guard	0111815		098268126525			79.38
994-AGKP	0881397	2 1/2 – 10 994	098268265132	1	10	149.26
995-AG	0439190	3 – 6 995	098268920529	1	2	232.20



909EL

Elbows						
909-ELA	0881370	1/4 – 1/2 009, 3/4 009M2/M3	098268310764	1	1/4	40.82
909-ELC	0881380	3/4 – 1 009/909, 1 – 1 1/2 009M2	098268104974	1	3/8	53.46
909-ELF	•0881382	1 1/4 – 2 009M1, 1 1/4 – 2 009/909, 2 009M2, 4 – 6 993	098268104981	1	2	87.48
909-ELH	•0881384	2 1/2 – 3 009/909	098268276336	1	7	237.17
919-ELC	0881578	3/4 – 1 919	098268336047	1	1	50.22
919-ELF	0881579	1 1/4 – 2 919	098268335378	1	2	84.78
994-ELF	0881396	2 1/2 – 10 994	098268796278	1	–	411.59

•Vertical



SAE-TC
with RK-SAE-TC

		Size				
TC	0006630	1/8 NPT	098268000504	12	4	22.14
TC	0006635	1/4 NPT	098268000511	12	4	39.69
TC-4	0006651	1/2 NPT	098268000580	12	5	78.30
EZ-TC	0006631	1/8 SAE	098268568110	12	4	33.75
SAE-TC	0006904	1/8 SAE	098268923513	12	–	20.52
RK-SAE-TC Brass Cap & Tether	0888845	1/8 SAE	098268914764	1	1	18.79
SAE-TC Brass Cap Only	0006902	1/8 SAE	098268133219	1	1/8	9.45
SAE-TC Plastic Cap Only	0888847	1/8 SAE	098268288346	1	1/8	1.73
RK-TC-P Plastic Cap & Tether	0888846	1/8, 1/4 NPT	098268047165	1	1/8	1.73

• Epoxy coated, For 3/4" test cocks, use 3/4" B-6002.



Adapter

Adapter						
SAE-TC Adapter	0006903	1/4	098268059977	1	1	61.29
SAE-TC Brass Cap	0006902	–	098268133219	–	–	9.45



TR

Test Cocks – For Use With 757/957 Silvereagle™						
TC 1/2	0007000	2 1/2 – 4	098268258653	12	5	86.13
TC 3/4	0007001	6 – 10	098268258660	12	6	70.47
RK-TC#3	0007002	2 1/2 – 4	098268258677	1	5	72.63
RK-TC#3	0007003	6 – 10	098268258684	1	6	86.13

Transition Risers

For Connection of the Main Fire Supply to the Building Overhead Fire System

TR	0777500	4	098268264838	7	71	1,795.07
TR	0777501	6	098268264845	5	98	2,372.76
TR	0777502	8	098268264852	2	129	3,691.12
TR	0777503	10	098268264876	1	202	6,486.05

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Valve Setters

Flange x Flange

WVS-C FxF	0107200	2 1/2	098268300642	1		\$ 554.04
WVS-C FxF	0107210	3	098268381238	1	134	702.00
WVS-C FxF	0107211	4	098268381245	1	161	882.90
WVS-C FxF	0107212	6	098268381252	1	274	1,199.88
WVS-C FxF	0107213	8	098268381269	1	379	1,701.00
WVS-C FxF	0107214	10	098268381276	1	491	2,350.08

Flange x Mechanical Joint

WVS-C FxMJ	0107215	3	098268381283	1	130	702.00
WVS-C FxMJ	0107216	4	098268381290	1	157	882.90
WVS-C FxMJ	0107217	6	098268381306	1	282	1,159.92
WVS-C FxMJ	0107218	8	098268381313	1	367	1,701.00
WVS-C FxMJ	0107219	10	098268381320	1	469	2,350.08
WVS-C MJxMJ	0107220	3	098268381337	1	130	702.00
WVS-C MJxMJ	0107221	4	098268381344	1	157	882.90
WVS-C MJxMJ	0107222	6	098268381351	1	282	1,199.88
WVS-C MJxMJ	0107223	8	098268381368	1	367	1,701.00
WVS-C MJxMJ	0107224	10	098268381375	1	469	2,350.08

Flange x Flange (RP-BFG)

WVS-C FxF RP BFG	0107231	3	098268381443	1	134	871.56
WVS-C FxF RP BFG	0107225	4	098268381382	1	161	1,199.88
WVS-C FxF RP BFG	0107226	6	098268381399	1	274	1,701.00

Flange x Mechanical Joint (RP-BFG)

WVS-C FxMJ RP BFG	0107232	3	098268381450	1	130	871.56
WVS-C FxMJ RP BFG	0107227	4	098268381405	1	157	1,199.88
WVS-C FxMJ RP BFG	0107228	6	098268381412	1	282	1,701.00

Mechanical Joint x Mechanical Joint (RP-BFG)

WVS-C MJxMJ RP BFG	0107233	3	098268381467	1	130	871.56
WVS-C MJxMJ RP BFG	0107229	4	098268381429	1	157	1,199.88
WVS-C MJxMJ RP BFG	0107230	6	098268381436	1	282	1,701.00



FR500

Thermostatic Freeze Relief Kits

FR500	0007070	1/8	098268288049	1	0.6	94.77
FR500	0007071	1/4	098268288063	1	0.6	97.74
FR500	0007072	1/2-3/4	098268288087	1	0.3	99.90
FR500-TC	0007073	1/8	098268318326	1	0.8	102.87
FR500-TC	0007074	1/4	098268318333	1	0.8	105.84



Valve Stand

Valve Stand

RK-EZ-STD	0777237		098268357868	x	x	297.00
-----------	---------	--	--------------	---	---	--------

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Wattsbox Enclosures



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Wattsbox Enclosures

Fiberglass

WB-75	0888600	Thru 3/4	098268733310	1	35	\$ 1,051.92
WB-1	0888601	Thru 1	098268733327	1	38	1,550.88
WB-1.5	0888603	Thru 1 1/2	098268733341	1	65	1,406.16
WB-2	0888604	Thru 2	098268733358	1	75	2,056.32
WB-N3	0888789	**	098268823646	1	250	7,947.72
WB-E3	0888790	**	098268823653	1	285	10,365.84

Fiberglass - Less Heat

WB-75-LH	0889330	Thru 3/4	098268832112	1	35	1,021.14
WB-1-LH	0889331	Thru 1	098268832105	1	38	1,237.68
WB-1.5-LH	0889332	Thru 1 1/2	098268832099	1	65	1,577.88
WB-2-LH	0889333	Thru 2	098268832129	1	75	1,814.40
WB-N3-LH	0889300	**	098268823974	1	250	6,824.52
WB-E3-LH	0889301	**	098268823981	1	285	8,984.52

Fiberglass, Strainer Models

WB-2S	0888800	Thru 2	098268823752	1	85	2,401.92
WB-N3S	0888801	2 1/2 - 3 NRS	098268823769	1	275	10,884.24
WB-E3S	0888802	2 1/2 - 3 OSY	098268823776	1	295	12,266.64

Fiberglass, Strainer Models - Less Heat

WB-2S-LH	0889311	Thru 2	098268824094	1	85	2,160.00
WB-N3S-LH	0889312	2 1/2 - 3 NRS	098268824100	1	275	9,501.84
WB-E3S-LH	0889313	2 1/2 - 3 OSY	098268824117	1	295	10,884.24

Aluminum

WB-N4	0888793	**	098268823684	1	325	9,105.48
WB-E4	0888857		098268830101	1	375	9,105.48
WB-N6	0888794	**	098268823691	1	500	12,698.64
WB-E6	0888795	**	098268823707	1	540	15,375.96
WB-N8	0888796	8 NRS	098268823714	1	550	16,412.76
WB-E8	0888797	**	098268823721	1	625	18,572.76
WB-N10	0888798	10 NRS	098268823738	1	650	19,523.16
WB-E10	0888799	10	098268823745	1	800	23,064.48

Aluminum Stucco

WB 3000	0889334		098268940237	1	150	6,651.72
WB 4000	0889335		098268940244	1	300	9,243.72
WB 4000AN	0889336		098268940251	1	275	8,034.12
WB 4000AE	0889337		098268940268	1	300	8,898.12
WB 6000AN	0889338		098268940275	1	325	9,674.64
WB 6000AE	0889339		098268940282	1	375	11,005.20
WB 2000A	0889350		098268214833	1	160	4,814.64
WB 2.5	0889352		098268214864	1	200	5,528.52
WB 2.75	0889354		098268214888	1	260	6,392.52
WB 6 ET	0889356		098268214901	1	790	16,931.16
WB 8000ANT	0889358		098268214925	1	530	12,872.52
WB 8000AET	0889360		098268214970	1	530	15,375.96

**See literature ES-WB for sizing information

(LH) = Less Heater
(S) = Strainer

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Wattsbox Enclosures

4

Backflow Preventers & Accessories



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Wattsbox Enclosures

Aluminum - Less Heat

WB-N4-LH	0889304	**	098268824025	1	325	\$ 8,811.72
WB-N6-LH	0889305	**	098268824032	1	500	10,397.70
WB-E6-LH	0889306	**	098268824049	1	540	12,612.24
WB-N8-LH	0889307	8 NRS	098268824056	1	550	13,649.04
WB-E8-LH	0889308	**	098268824063	1	625	15,807.96
WB-N10-LH	0889309	10 NRS	098268824070	1	650	16,758.36
WB-E10-LH	0889310	10	098268824087	1	800	20,127.96

**See literature ES-WB for sizing information

Aluminum Stucco - Less Heat

WB 2000A LH	0889351		098268214857	1	160	3,438.72
WB 2.5 LH	0889353		098268214871	1	200	4,406.40
WB 2.75 LH	0889355		098268214895	1	260	5,269.32
WB 6 ET LH	0889357		098268214918	1	790	14,685.84
WB 8000ANT LH	0889359		098268214963	1	530	11,748.24
WB 8000AET LH	0889361		098268214994	1	530	14,253.84

Aluminum, Strainer Models

WB-N4S	0888803	4 NRS	098268823783	1	375	11,489.04
WB-E4S	0888804	4 OSY	098268823790	1	400	12,698.64
WB-N6S	0888805	6 NRS	098268823806	1	540	15,116.76
WB-E6S	0888806	6 OSY	098268823813	1	575	17,103.96
WB-N8S	0888807	8 NRS	098268823820	1	625	19,091.16
WB-E8S	0888808	8 OSY	098268823943	1	650	21,336.48
WB-N10S	0888809	10 NRS	098268823950	1	800	22,718.88
WB-E10S	0888810	10 OSY	098268823967	1	850	26,260.20

Aluminum, Strainer Models - Less Heat

WB-N4S-LH	0889314	4 NRS	098268824124	1	375	10,021.32
WB-E4S-LH	0889315	4 OSY	098268824131	1	400	11,229.84
WB-N6S-LH	0889316	6 NRS	098268824148	1	540	12,353.04
WB-E6S-LH	0889317	6 OSY	098268824155	1	575	14,340.24
WB-N8S-LH	0889318	8 NRS	098268824162	1	625	16,326.36
WB-E8S-LH	0889319	8 OSY	098268824179	1	650	18,399.96
WB-N10S-LH	0889320	10 NRS	098268824186	1	800	19,782.36
WB-E10S-LH	0889321	10 OSY	098268824193	1	850	23,323.68

For Pressure Vacuum Breakers

WB-PVB1	0888664	3/4 - 1	098268733952	1	17	881.28
WB-PVB-T1	0888665	3/4 - 1	098268733969	1	21	1,036.80
WB-PVB2	0888666	1 1/4 - 2	098268733976	1	39	1,088.64
WB-PVB-T2	0888667	1 1/4 - 2	098268733983	1	120	1,313.28

For Pressure Vacuum Breakers - Less Heat

WB-PVB2-LH	0888716	1 1/4 - 2	098268744149	1	35	952.56
WB-PVBT1-LH	0888675	3/4 - 1	098268244335	1	25	934.20
WB-PVBT2-LH	0888676	1 1/4 - 2	098268244342	1	35	1,191.24

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Watts Rock & Pre-Engineered Valve Stations



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Watts Rock

Shell Only

WPLRN-1 Brown	0888985	3/4 – 1	098268133189	1	21	\$ 466.56
WPLRN-1 Grey	0888988	3/4 – 1	098268151862	1	21	451.98
WPLRN-2 Brown	0888991	1 1/4 – 2	098268185911	1	35	736.02
WPLRN-2 Grey	0888992	1 1/4 – 2	098268185928	1	35	700.92

With Insulation - Less Heat

WPLR-1 Brown	0888986	3/4 – 1	098268133196	1	25	552.42
WPLR-1 Grey	0888989	3/4 – 1	098268151879	1	25	570.78
WPLR-2 Brown	0888993	1 1/4 – 2	098268185935	1	40	950.40
WPLR-2 Grey	0888994	1 1/4 – 2	098268185942	1	40	876.42

With Heat and Insulation

WPHR-1 Brown	0888987	3/4 – 1	098268133202	1	25	760.32
WPHR-1 Grey	0888990	3/4 – 1	098268151886	1	25	760.32
WPHR-2 Brown	0888995	1 1/4 – 2	098268185973	1	40	1,226.88
WPHR-2 Grey	0888996	1 1/4 – 2	098268185980	1	40	1,226.88

*See ES-WB literature for sizing information

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Electric Motor Valves



LFEMVII-6400SS

5

Ball Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Electric Motor Valves

2-Piece, Standard Port, Bronze Electric Motor Valves - Fully Assembled - 316 Stainless Steel Ball & Stem Threaded Ends - 100 WSP/600 WOG

LFEMVII6400SS 115-8	0123439	1/4	098268694482	1	10	\$ 1,598.40
LFEMVII6400SS 115-8	0123301	3/8	098268691214	1	10	1,598.40
LFEMVII6400SS 115-8	0123410	1/2	098268694024	1	10	1,598.40
LFEMVII6400SS 115-35	0123411	1/2	098268694031	1	8.8	1,598.40
LFEMVII6400SS 24-18	0123414	1/2	098268694093	1	9.0	1,598.40
LFEMVII6400SS 24-40	0123415	1/2	098268694123	1	9.0	1,598.40
LFEMVII6400SS 115-8	0123416	3/4	098268694130	1	11	1,613.52
LFEMVII6400SS 115-35	0123417	3/4	098268694147	1	10	1,613.52
LFEMVII6400SS 24-18	0123418	3/4	098268694154	1	10	1,613.52
LFEMVII6400SS 24-40	0123419	3/4	098268694161	1	9.4	1,613.52
LFEMVII6400SS 115-8	0123420	1	098268694178	1	11	1,943.73
LFEMVII6400SS 115-35	0123421	1	098268694192	1	10	1,679.40
LFEMVII6400SS 24-18	0123423	1	098268694215	1	12	1,679.40
LFEMVII6400SS 24-40	0123424	1	098268694239	1	10	1,679.40
LFEMVII6400SS 115-8	0123425	1 1/4	098268694246	1	12	1,606.39
LFEMVII6400SS 115-35	0123426	1 1/4	098268694253	1	11	1,749.60
LFEMVII6400SS 24-18	0123427	1 1/4	098268694277	1	11	1,749.60
LFEMVII6400SS 24-40	0123428	1 1/4	098268694284	1	11	1,749.60
LFEMVII6400SS 115-8	0123429	1 1/2	098268694291	1	13	2,086.56
LFEMVII6400SS 115-35	0123432	1 1/2	098268694321	1	12	1,797.12
LFEMVII6400SS 24-18	0123430	1 1/2	098268694307	1	13	1,797.12
LFEMVII6400SS 24-40	0123431	1 1/2	098268694314	1	12	2,083.05
LFEMVII6400SS350 115-8	0123413	2	098268694055	1	15	2,396.52
LFEMVII6400SS350 115-40	0123437	2	098268694376	1	15	2,661.98
LFEMVII6400SS350 24-18	0123436	2	098268694369	1	15	2,396.52
LFEMVII6400SS350 24-40	0123412	2	098268694048	1	6.4	2,194.56

LEAD FREE*

Available in 115 VAC or 24VAC motor with various operator cycles.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Ball Valve Options / Handle Options

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------



Oval Handle



Round Handle



Tee Handle



Extended Handle

Handle Options

LC	Latch Lock Lever Handle-Closed Positions (without lock)	LFB6400	1/4 – 2	LL-HK	See PL-RP-GP
LH	Locking Lever Handle (without lock)	LFB6400	1/2 – 2 1/4 – 2 1/2 – 2	LH-HK	See PL-RP-GP
LL	Latch Lock Lever Handle (without lock)	LFB6400 LFB6800/LFB6801	1/4 – 2 1/2 – 2	LL-HK	See PL-RP-GP
SH	Stainless Steel Lever Handle & Nut	LFFBV-3C	1/4 – 2	SH-HK	See PL-RP-GP
TH	Tee Handle	LFFBV-3C	All	TH-HK	See PL-RP-GP
XH	Extended Lever Handle	LFFBV-3C	1/4 – 2	XHK-LH	See PL-RP-GP

Ball Valve options only, refer to ball valve literature, PL-RP-GP for required kit information.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight. Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bronze Ball Valves — Full Port — 3 Piece

Series LFB6800

Threaded Ends - 316 Stainless Steel Ball and Stem - 150 WSP/600 WOG



LFB6800

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFB6800	0123219	1/4	098268689099	32	32	\$ 88.02
LFB6800	0123221	3/8	098268689136	32	32	88.02
LFB6800	0123222	1/2	098268689143	32	35	95.85
LFB6800	0123227	3/4	098268689365	16	36	123.66
LFB6800	0123231	1	098268689440	8	33	192.78
LFB6800	0123234	1 1/4	098268689471	6	36	293.22
LFB6800	0123239	1 1/2	098268689723	4	36	383.40
LFB6800	0123242	2	098268689938	2	30	709.29

Threaded Ends - Latch-Lok - Open and Closed Position - 150 WSP/600 WOG

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFB6800-LL	0123243	1/4	098268689945	32	32	116.10
LFB6800-LL	0123244	3/8	098268689952	32	32	116.10
LFB6800-LL	0123245	1/2	098268689969	32	35	127.98
LFB6800-LL	0123246	3/4	098268689976	16	48	150.12
LFB6800-LL	0123247	1	098268689983	8	31	222.48
LFB6800-LL	0123248	1 1/4	098268689990	6	36	333.18
LFB6800-LL	0123249	1 1/2	098268690118	4	36	414.72
LFB6800-LL	0123250	2	098268690194	2	28	577.26

Series LFB6801

Solder Ends - 316 Stainless Steel Ball and Stem - 150 WSP/600 WOG



LFB6801

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFB6801	0123275	1/2	098268690958	32	35	117.18
LFB6801	0123276	3/4	098268690965	16	34	143.64
LFB6801	0123277	1	098268690972	8	31	234.36
LFB6801	0123278	1 1/4	098268690989	6	37	338.58
LFB6801	0123279	1 1/2	098268690996	4	33	442.26
LFB6801	0123280	2	098268691009	4	65	652.86

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bronze Ball Valves - Standard Port - 2 Piece

Series LFB6000

Threaded Ends - 316 Stainless Steel Ball and Stem - 150 WSP/600 WOG

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFB6000	0555184	1/4	098268432947	48	28	\$ 32.72
LFB6000	0555185	3/8	098268432954	48	27	34.29
LFB6000	0555186	1/2	098268432961	40	27	540.00
LFB6000	0555187	3/4	098268432978	40	40	80.57
LFB6000	0555188	1	098268432985	24	38	86.83
LFB6000	0555189	1 1/4	098268432992	12	41	142.13
LFB6000	0555190	1 1/2	098268433005	12	41	214.60
LFB6000	0555191	2	098268433012	8	42	252.29

Threaded Ends - 316 Stainless Steel Ball and Stem - 125 WSP/400 WOG

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFB6000	0555192	2 1/2	098268433029	1	15	715.50
LFB6000	0555193	3	098268433036	1	19	1,302.59
LFB6000	0555194	4	098268433043	1	30	1,720.66

Series LFB6001

Solder Ends - 316 Stainless Steel Ball and Stem - 150 WSP/600 WOG

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFB6001	0555195	3/8	098268433081	48	24	35.64
LFB6001	0555196	1/2	098268433098	40	26	44.71
LFB6001	0555197	3/4	098268433104	40	41	54.81
LFB6001	0555198	1	098268433111	24	38	69.66
LFB6001	0555199	1 1/4	098268433128	12	27	103.95
LFB6001	0555200	1 1/2	098268433135	12	42	146.34
LFB6001	0555201	2	098268433142	8	44	200.88

Solder Ends - 316 Stainless Steel Ball and Stem - 125 WSP/400 WOG

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFB6001	0555202	2 1/2	098268433159	1	14	772.20
LFB6001	0555203	3	098268433166	1	17	869.40

Series LFB6780

Threaded Ends - Three-Way Diverter - 125 WSP/400 WOG

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFB6780M1	0123394	1/4	098268693287	24	16	81.68
LFB6780M1	0123395	3/8	098268693294	24	16	81.68
LFB6780M1	0555219	1/2	098268433326	24	16	81.68
LFB6780M1	0555220	3/4	098268433333	24	26	111.51
LFB6780M1	0555221	1	098268433340	16	30	211.68
LFB6780M1	0555222	1 1/4	098268433357	12	48	324.43
LFB6780M1	0555223	1 1/2	098268433364	8	52	390.69
LFB6780M1	0555224	2	098268433371	2	20	586.22

Series LFB6781

Solder Ends - Three-Way Diverter - 125 WSP/ 400 WOG

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFB6781	0123358	1/2	098268692556	24	16	52.65
LFB6781	0555225	3/4	098268433388	32	19	115.02
LFB6781	0123360	1	098268692570	16	30	117.72

Series FBV and LFFBV

Threaded Ends - 600 WOG

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFFBV	0125026	1/2	098268846423	108	60	35.37
LFFBV	0125027	3/4	098268846430	72	50	49.14
LFFBV	0125028	1	098268846447	36	58	48.60
LFFBV	0792509	1 1/4	098268500431	6	11	184.14
LFFBV	0792510	1 1/2	098268500448	6	19	235.98
LFFBV	0792511	2	098268500455	6	31	151.20



LFB6780M1



FBV

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Ball Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Brass Ball Valves - Full Port - 2 Piece

Series LFIT6300

Threaded Ends - Brass Ball and Waste Feature - 600 WOG



LFIT6300

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFIT6300	0123625	1/2	098268701432	120	48	\$ 20.52
	LFIT6300	0123626	3/4	098268701449	60	54	28.89
	LFIT6300	0123627	1	098268701456	36	50	38.07

Series LFIS6301

Solder Ends - 600 WOG

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFIS6301	0123628	1/2	098268701470	120	24	84.78
	LFIS6301	0123629	3/4	098268701494	60	44	88.16
	LFIS6301	0123630	1	098268701500	36	36	38.07

Series FBV-3C and LFFBV-3C - 2 Piece

Threaded Ends - 150 WSP/600 WOG



FBV-3C

	FBV-3C	0547100	1/4	098268335811	120	45	17.82
	FBV-3C	0547101	3/8	098268335941	120	44	17.82
	FBV-3C	0547102	1/2	098268335958	120	46	17.82
	FBV-3C	0547103	3/4	098268335996	60	46	26.46
	FBV-3C	0547104	1	098268335972	30	36	43.20
	FBV-3C	0547105	1 1/4	098268335873	20	37	66.69
	FBV-3C	0547106	1 1/2	098268335880	16	41	84.24
	FBV-3C	0547107	2	098268335897	6	22	130.68

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFFBV-3C	0555100	1/4	098268447699	120	45	21.38
	LFFBV-3C	0555101	3/8	098268447705	120	44	12.96
	LFFBV-3C †	0555102	1/2	098268447712	120	46	12.96
	LFFBV-3C †	0555103	3/4	098268447729	60	46	31.64
	LFFBV-3C †	0555104	1	098268447736	30	36	28.89
	LFFBV-3C †	0555105	1 1/4	098268447743	20	37	44.28
	LFFBV-3C †	0555106	1 1/2	098268447750	16	41	101.41
	LFFBV-3C †	0555107	2	098268447767	6	22	106.65

Threaded Ends - 125 WSP/400 WOG



LFFBV-3C

	FBV-3C	0547108	2 1/2	098268335903	5	36	400.68
	FBV-3C	0547109	3	098268335910	5	57	564.30
	FBV-3C	0546845	4	098268335295	1	18	656.10
	LFFBV-3C ▼	0555108	2 1/2	098268447774	5	36	292.68
	LFFBV-3C ▼	0555109	3	098268447781	5	57	401.22
	LFFBV-3C	0555096	4	098268810066	1	18	759.38

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Brass Ball Valves - Full Port - 2 Piece

Series FBVS-3C and LFFBVS-3C

Solder Ends - 150 WSP/600 WOG

FBVS-3C	0547110	1/2	098268335828	120	46	\$ 17.82
FBVS-3C	0547111	3/4	098268335965	60	46	26.46
FBVS-3C	0547112	1	098268335835	30	36	43.20
FBVS-3C	0547113	1 1/4	098268335842	20	37	66.69
FBVS-3C	0547114	1 1/2	098268335859	16	41	84.24
FBVS-3C	0547115	2	098268335866	6	22	130.68

Solder Ends - 150 WSP/600 WOG

LEAD FREE*	LFFBVS-3C	0555110	1/2	098268447798	120	42	21.38
LFFBVS-3C	0555111	3/4	098268447804	60	41	31.64	
LFFBVS-3C	0555112	1	098268447811	30	33	51.84	
LFFBVS-3C	0555113	1 1/4	098268447828	20	34	80.03	
LFFBVS-3C	0555114	1 1/2	098268447835	16	38	69.39	
LFFBVS-3C	0555115	2	098268447842	6	23	106.65	

Solder Ends - 125 WSP/400 WOG

LEAD FREE*	FBVS-3C	0547116	2 1/2	098268335827	5	33	400.68
FBVS-3C	0547117	3	098268335934	5	47	656.10	
LFFBVS-3C	0555116	2 1/2	098268447859	5	33	292.68	
LFFBVS-3C	0555117	3	098268447866	5	47	401.22	

Series FBV-3C, LFFBV-3C, LFFBVS-3C

Threaded Ends - 150 WSP/600 WOG

LEAD FREE*	LFFBV-3C-TH	0123488	1/2	098268696943	100	39	14.58
LFFBV-3C-TH	0123489	3/4	098268696950	60	46	20.79	
LFFBV-3C-TH	0123490	1	098268696967	30	36	30.24	

Solder Ends - 150 WSP/600 WOG

LEAD FREE*	LFFBVS-3C-TH	0123491	1/2	098268696998	100	35	14.58
LFFBVS-3C-TH	0123492	3/4	098268697001	60	41	20.79	
LFFBVS-3C-TH	0123493	1	098268697018	30	33	30.24	

Threaded Ends - 300psi UL/FM Trim & Drain

FBV-3C - UL/FM	0547125	1/4	098268340952	120	45	19.71
FBV-3C - UL/FM	0547127	1/2	098268340891	120	46	22.14
FBV-3C - UL/FM	0547128	3/4	098268340907	60	51	26.46
FBV-3C - UL/FM	0547129	1	098268340914	30	41	59.40
FBV-3C - UL/FM	0547130	1 1/4	098268340921	20	37	71.01
FBV-3C - UL/FM	0547131	1 1/2	098268340938	16	41	86.40
FBV-3C - UL/FM	0547132	2	098268340945	6	27	132.30

Threaded Ends - Stainless Steel Ball & Stem - 150 WSP/600 WOG

LEAD FREE*	LFFBV-3C-SS	0123462	1/2	098268695847	120	60	106.11
LFFBV-3C-SS	0123463	3/4	098268695854	60	54	150.12	
LFFBV-3C-SS	0123464	1	098268695861	30	40	178.74	
LFFBV-3C-SS	0123465	1 1/4	098268695878	20	45	279.72	
LFFBV-3C-SS	0123466	1 1/2	098268695908	16	48	336.42	
LFFBV-3C-SS	0123467	2	098268695915	6	33	503.82	

Solder Ends - Stainless Steel Ball & Stem - 150 WSP/600 WOG

LEAD FREE*	LFFBVS-3C-SS	0123468	1/2	098268695939	120	60	106.11
LFFBVS-3C-SS	0123469	3/4	098268695953	60	54	150.12	
LFFBVS-3C-SS	0123470	1	098268695960	30	40	178.74	
LFFBVS-3C-SS	0123471	1 1/4	098268695977	20	45	279.72	
LFFBVS-3C-SS	0123472	1 1/2	098268696080	16	48	336.42	
LFFBVS-3C-SS	0123473	2	098268696097	6	33	503.82	

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.



LFFBV-3C-QC

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

**Brass Ball Valves - Full Port - 2 Piece (cont.)
Series LFFBV-3**

Quick-Connect End Connection - 200 CWP

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFFBV-3C-QC	0555269	1/2	098268450316	96	54	\$ 28.35
	LFFBV-3C-QC	0555270	3/4	098268450323	48	50	44.55
	LFFBV-3C-QC	0555271	1	098268450330	24	37	67.23

Threaded End - Cap and Chain

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFFBV-3C-CC Cap and Chain	0123474	1/2	098268696103	48	32	22.14
	LFFBV-3C-CC Cap and Chain	0123475	3/4	098268696110	48	55	28.89

Soldered End - Cap and Chain

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFFBVS-3C-CC Cap and Chain	0123476	1/2	098268696127	48	23	22.14
	LFFBVS-3C-CC Cap and Chain	0123477	3/4	098268696134	48	41	28.89

Integral Press Fitting End Connection - 200CWP NSF/ANSI 61 1/2" - 2"

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFFBV-3 Press	0555260	1/2	098268455120	50	25	43.96
	LFFBV-3 Press	0555261	3/4	098268455137	40	34	55.62
	LFFBV-3 Press	0555262	1	098268455144	20	24	63.99
	LFFBV-3 Press	0555263	1 1/4	098268455151	20	39	105.84
	LFFBV-3 Press	0555264	1 1/2	098268455168	16	53	147.69
	LFFBV-3 Press	0555265	2	098268455175	8	43	218.57
	LFFBV-3-PRESS-XLC	0125084	2 1/2	098268848076	2	22	649.62
	LFFBV-3-PRESS-XLC	0125085	3	098268848335	2	35	1,456.70
	LFFBV-3-PRESS-XLC	0125086	4	098268848342	1	24	1,923.59



LFFBV-3-Press

Series LFFBV-4

Threaded Ends - 150 WSP/600 WOG for Sizes 1/4-2 & 125WSP/400 WOG for sizes 2 1/2-3

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFFBV-4	0555118	1/4	098268805444	120	35	11.61
	LFFBV-4	0555119	3/8	098268805451	120	31	11.61
	LFFBV-4	0555120	1/2	098268805468	120	48	11.61
	LFFBV-4	0555121	3/4	098268805475	60	48	16.74
	LFFBV-4	0555122	1	098268805482	30	38	23.49
	LFFBV-4	0555123	1 1/4	098268805499	20	29	37.53
	LFFBV-4	0555124	1 1/2	098268805505	16	37	57.78
	LFFBV-4	0555125	2	098268805512	6	22	86.94
	LFFBV-4	0555126	2 1/2	098268805529	5	40	245.16
	LFFBV-4	0555127	3	098268805536	5	60	348.84



LFFBV-4

Series LFFBVS-4

Solder Ends - 150 WSP/600 WOG for Sizes 1/4-2 & 125WSP/400 WOG for sizes 2 1/2-3

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFFBVS-4	0555128	1/2	098268805543	120	43	11.61
	LFFBVS-4	0555129	3/4	098268805727	60	44	16.74
	LFFBVS-4	0555130	1	098268805734	30	35	23.49
	LFFBVS-4	0555131	1 1/4	098268805789	20	28	37.53
	LFFBVS-4	0555132	1 1/2	098268806120	16	39	57.78
	LFFBVS-4	0555133	2	098268455113	6	23	86.94
	LFFBVS-4	0555134	2 1/2	098268806175	5	36	245.16
	LFFBVS-4	0555135	3	098268806182	5	55	348.84

Series LFFBV-PEX

PEX Ends - 400 WOG

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LFFBV-PEX	0555272	1/2	098268450347	40	12	20.48
	LFFBV-PEX	0555273	3/4	098268450354	40	18	23.87
	LFFBV-PEX	0555274	1	098268450361	40	28	36.75

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Handle Options

The handle kits on this page will only fit Series FBV-3C ball valves manufactured in our WNV facility. If the ball valve has the NSF logo shown to right on the lever handle, use these kits.



Kit No.	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
---------	---------------	------------	-----	-----------------	--------------------------	-------------------

FBV-3C Lever Handle Kits

ILHK-30	0548500	1/4 - 1/2	098268454819	10	8.5	\$ 8.91
ILHK-31	0548501	3/4	098268454826	10	1.3	10.80
ILHK-32	0548502	1 - 1 1/4	098268454833	10	1.8	13.23
ILHK-33	0548503	1 1/2	098268454840	10	3.1	5.40
ILHK-34	0548504	2	098268454857	10	4.0	18.09
ILHK-35	0548505	2 1/2	098268454864	10	5.0	30.51
ILHK-36	0548506	3	098268454871	10	6.0	35.10

FBVS-3C Lever Handle Kits

ILHK-37	0548507	1/2	098268454888	10	8.5	8.91
ILHK-38	0548508	3/4	098268454895	10	1.3	10.80
ILHK-39	0548509	1 - 1 1/4	098268454901	10	1.8	13.23
ILHK-40	0548510	1 1/2	098268454918	10	3.1	16.47
ILHK-41	0548511	2	098268454925	10	4.0	18.09
ILHK-42	0548512	2 1/2	098268454932	10	5.0	30.51
ILHK-43	0548513	3	098268454949	10	6.0	35.10

FBV-3C Tee Handle Kits

ITHK-10	0548514	1/4 - 1/2	098268454956	20	3.4	9.99
ITHK-11	0548515	3/4	098268454963	20	4.8	14.58
ITHK-12	0548516	1	098268454970	20	6.0	18.09

FBVS-3C Tee Handle Kits

ITHK-13	0548527	1/2	098268455083	20	3.4	9.99
ITHK-14	0548528	3/4	098268455090	20	2.5	14.58
ITHK-15	0548529	1	098268455106	20	6.0	18.09

FBV-3C/FBVS-3C Stem Extension Kits

#5 SXI-HK	0548517	1/4 - 1/2	098268454987	20	4.3	18.36
#6 SXI-HK	0548518	3/4	098268454994	20	4.7	34.29
#7 SXI-HK	0548519	1 - 1 1/4	098268455007	20	7.2	32.67
#8 SXI-HK	0548520	1 1/2	098268455014	20	8.2	41.85
#9 SXI-HK	0548521	2	098268455021	20	8.8	59.67

FBV-3C/FBVS-3C Memory Stop Kits

#5 MSI-HK	0548522	1/4 - 1/2	098268455038	10	5.0	3.51
#6 MSI-HK	0548523	3/4	098268455045	10	5.0	2.97
#7 MSI-HK	0548524	1 - 1 1/4	098268455052	10	5.0	4.05
#8 MSI-HK	0548525	1 1/2	098268455069	10	5.0	4.10
#9 MSI-HK	0548526	2	098268455076	10	7.0	5.94

Stainless Steel Lever Handle Kits

ILHK-SS	0548493	1/4 - 1/2	098268539882	10	0.9	12.42
ILHK-SS	0548494	3/4	098268539879	10	1.3	14.31
ILHK-SS	0548495	1 - 1 1/4	098268539868	10	1.8	16.74
ILHK-SS	0548496	1 1/2	098268539855	10	3.1	22.95
ILHK-SS	0548497	2	098268539848	10	4.0	24.84
ILHK-SS	0548498	2 1/2	098268539831	10	5.0	53.19
ILHK-SS	0548499	3	098268539820	10	6.0	66.15



Tee Handle



Stem Extension

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Carbon/Stainless Steel Ball Valves

Series C-FBV-1



C-FBV-1

Carbon - Full Port - Threaded Ends - 125 WSP/1000 WOG

C-FBV-1	0548000	1/4	098268386660	80	48	\$ 77.54
C-FBV-1	0548001	3/8	098268386677	80	44	77.54
C-FBV-1	0548002	1/2	098268386684	80	64	96.23
C-FBV-1	0548003	3/4	098268386691	60	71	112.00
C-FBV-1	0548004	1	098268386707	36	73	155.84
C-FBV-1	0548005	1 1/4	098268386714	24	73	204.88
C-FBV-1	0548006	1 1/2	098268386721	12	53	282.96
C-FBV-1	0548007	2	098268386738	8	48	396.25
C-FBV-1	0548008	2 1/2	098268386745	1	16	854.93
C-FBV-1	0548009	3	098268386752	1	21	1,196.53

Series S-FBV-1



S-FBV-1

316 Stainless Steel - Full Port - Threaded Ends - 125 WSP/1000 WOG

S-FBV-1	0548010	1/4	098268386769	80	62	77.22
S-FBV-1	0548011	3/8	098268386776	80	62	77.22
S-FBV-1	0548012	1/2	098268386783	80	62	96.12
S-FBV-1	0548013	3/4	098268386790	60	64	111.78
S-FBV-1	0548014	1	098268386806	36	66	155.52
S-FBV-1	0548015	1 1/4	098268386813	24	79	204.88
S-FBV-1	0548016	1 1/2	098268386820	12	59	282.64
S-FBV-1	0548017	2	098268386837	8	53	395.82
S-FBV-1	0548018	2 1/2	098268386844	1	59	843.26
S-FBV-1	0548019	3	098268386851	1	42	1,193.40

Gas Ball Valves

Series GBV



GBV

Two-Piece - Brass - CSA/UL

GBV	0545001	3/8	098268074352	144	44	19.98
GBV	0545003	1/2	098268074376	144	50	19.98
GBV	0545005	3/4	098268074390	72	37	21.87
GBV	0545007	1	098268074413	60	72	39.69
†GBV-FL	0545002	1/2 x 3/8	098268074369	144	54	21.87
†GBV-FL	0545004	1/2 x 1/2	098268074383	144	27	21.87
†GBV-FL	0545006	3/4 x 15/16	098268074406	72	42	26.19

†FL = NPT x Flare.



GBV-1

One-Piece - Brass - CSA/UL

GBV-1	0544999	1/2	098268792362	144	65	20.52
GBV-1	0545000	3/4	098268792379	96	67	25.92

Cast Iron Ball Valves - The Gate Valve Alternative - Quarter-Turn operation, available with manual gear operator.

Series G4000



G-4000-M1

Flanged, Full Port Ball Valves - 125 WSP, 200 CWP

G4000M1	0822650	2	098268908831	1	32	524.34
G4000M1	0822651	2 1/2	098268908848	1	50	713.34
G4000M1	0822652	3	098268908855	1	59	866.16
G4000M1	0822653	4	098268908862	1	89	1,208.52
G4000M1	0822654	6	098268908879	1	155	2,677.32

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Silent Check Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Silent Check Valves Series ICV

Cast Iron, Wafer Style, Double Disc - Fits ANSI Class 125 or 150 Flanges - API 594, 200psi CWP



ICV-125-2-2-T

ICV-125-2-2-T	0625500	2	098268878738	1	7	\$ 130.68
ICV-125-2-2-T	0625501	2 1/2	098268878837	1	9	153.36
ICV-125-2-2-T	0625502	3	098268878745	1	11	190.62
ICV-125-2-2-T	0625503	4	098268878752	1	13	302.94
ICV-125-2-2-T	0625504	5	098268878769	1	20	390.96
ICV-125-2-2-T	0625505	6	098268878776	1	22	516.78
ICV-125-2-2-T	0625506	8	098268878783	1	42	1,078.38
ICV-125-2-2-T	0625507	10	098268878790	1	68	1,589.76
ICV-125-2-2-T	0625508	12	098268878806	1	123	2,650.32

Cast Iron, Wafer - Fits ANSI Class 125 or 250 Flanges - (200psi CWP)



ICW-125

ICW-125	0625570	2	098268887419	1	5	467.64
ICW-125	0625571	2 1/2	098268887426	1	7	557.28
ICW-125	0625572	3	098268887433	1	11	629.64
ICW-125	0625573	4	098268887440	1	18	844.56
ICW-125	0625574	5	098268887457	1	25	1,140.48
ICW-125	0625575	6	098268887471	1	36	1,455.84
ICW-125	0625576	8	098268887488	1	80	2,653.56
ICW-125	0625577	10	098268887495	1	129	4,051.08

Cast Iron, Flanged, Wafer Style - Fits ANSI Class 125 Flanges - (200psi CWP)



ICVF-125

ICVF-125	0625555	2	098268887273	1	18	785.16
ICVF-125	0625556	2 1/2	098268887280	1	24	922.86
ICVF-125	0625557	3	098268887303	1	28	1,181.52
ICVF-125	0625558	4	098268887310	1	43	1,411.56
ICVF-125	0625559	5	098268887334	1	55	1,844.64
ICVF-125	0625560	6	098268887341	1	71	2,315.52

Bronze Silent Check Valves -

Warning: Not to be used for reciprocating air compressor service.

Series 600 and LF600

Maxi-flo Check Valves - PTFE Seat - Threaded Ends - (400 WOG/15 WSP)



600

LF600	0555174	3/8	098268432848	40	20	56.70
LF600	0555175	1/2	098268432855	40	20	54.43
LF600	0555176	3/4	098268432862	40	30	72.68
LF600	0555177	1	098268432879	32	42	92.45
LF600	0555178	1 1/4	098268432886	12	25	119.21
LF600	0555179	1 1/2	098268432893	6	18	139.86
LF600	0555180	2	098268432909	6	28	216.00

LEAD FREE*

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Silent Check Valves and Detector Check

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bronze Silent Check Valves (cont.)

Series 601



601S

LEAD FREE

Solder Ends - Bronze Seat, Viton® Disc, (400 WOG)

LF601S	0555181	1/2	098268432916	40	20	\$ 53.19
LF601S	0555182	3/4	098268432923	40	30	68.99
LF601S	0555183	1	098268432930	32	42	77.00

Threaded Ends Steam Check Valves (400 WOG/125 WSP)

600-Z3	0376361	3/4	098268478174	40	30	157.14
600-Z3	0376362	1 1/2	098268478181	12	36	334.26

Series LF6

Midi Check Valves - Threaded Ends

LEAD FREE

LF6	0123066	1/4	098268653151	50	17	53.73
LF6	0123067	3/8	098268653168	50	15	52.11
LF6	0123068	1/2	098268653175	50	14	58.05
LF6	0123069	3/4	098268653182	50	25	101.63
LF6	0123070	1	098268653311	50	41	116.42

Stainless Steel Single Detector Checks Valves

Series SS07F

Drilled, tapped and plugged for right or left bypass line.

125# Flanged Connection, Less Bypass Assembly. UL/FM

SS 07F	0065130	4	098268920697	1	30	1,966.68
SS 07F	0065131	6	098268920703	1	65	2,947.32
SS 07F	0065132	8	098268920710	1	143	5,100.84
SS 07F	0065133	10	098268920727	1	163	7,319.16



SS07F

Series SS 07F

Optional By-Pass Valves - 3/4" Bypass with GPM/CFM Meter

SS 07F-CFM	0065135	4	098268920734	1	35	3,257.28
SS 07F-GPM	0065136	4	098268920741	1	35	3,257.28
SS 07F-CFM	0065137	6	098268920758	1	70	4,099.68
SS 07F-GPM	0065138	6	098268920765	1	70	4,099.68
SS 07F-CFM	0065139	8	098268920772	1	153	6,345.00
SS 07F-GPM	0065140	8	098268920789	1	153	8,438.04
SS 07F-CFM	0065141	10	098268920796	1	173	9,369.00
SS 07F-GPM	0065142	10	098268920802	1	173	9,369.00

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Cast Iron Gate Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Cast Iron Gate Valves

Series 403

NRS Ring Tite Gate Valves - ASTM A126 Class B Iron - 200 WOG - Resilient Wedge, Epoxy Coated



403RT-RW

403RT-RW	0700040	2	098268212099	1	22	\$ 460.08
403RT-RW	0700041	2 1/2	098268212105	1	25	549.72
403RT-RW	0700042	3	098268212112	1	36	683.64
403RT-RW	0700043	4	098268212129	1	49	935.82
403RT-RW	0700044	6	098268212136	1	97	1,487.16

Series 405

Flanged Gate Valves - ANSI 125 - 200 WOG - Resilient Wedge, Epoxy Coated, NRS

405RW	0700102	2	098268087109	1	22	881.82
405RW	0700103	2 1/2	098268087116	1	29	982.80
405RW	0700104	3	098268087123	1	40	834.30
405RW	0700105	4	098268087130	1	62	949.86
405RW	0700106	6	098268087147	1	111	1,361.88
405RW	0700107	8	098268087154	1	194	2,329.56
405RW	0700108	10	098268087161	1	272	3,895.56
405RW	0700109	12	098268087178	1	383	6,934.68

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Gate and Check Valves



408-OSY-RW

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Cast Iron Gate Valves

Series 408

Resilient Wedge, Epoxy Coated, OSY - UL/FM Listed

408-OSY-RW	0702310	2 1/2	098268089134	1	54	\$ 1,006.02
408-OSY-RW	0702315	3	098268089141	1	64	1,073.52
408-OSY-RW	0702320	4	098268089158	1	99	1,164.24
408-OSY-RW	0702325	6	098268089165	1	165	1,636.20
408-OSY-RW	0702330	8	098268089172	1	279	2,934.36
408-OSY-RW	0702335	10	098268089189	1	445	4,290.84
408-OSY-RW	0702340	12	098268089196	1	706	8,817.12

Model	Ordering Code	Size (in.)	UPC	Watts No.	Mark On Nut	List Price (each)
-------	---------------	------------	-----	-----------	-------------	-------------------

Operating Nut Selection

Series 405

405RW	1065470	2, 2 1/2	098268167320	OPN-G	A	\$ 35.32
406E	1065471	2, 2 1/2	098268167337	OPN-H	B	30.13
405RW	1065471	3	098268167337	OPN-H	B	30.13
406E	1065472	3	098268167344	OPN-J	C	35.32
405RW	1065472	4	098268167344	OPN-J	C	35.32
406E	1065473	4	098268167351	OPN-O	D	46.71
405RW/406E	1065474	6	098268167368	OPN-K	E	52.06
405RW/406E	1065475	8	098268167375	OPN-L	F	52.06
405RW/406E	1065476	10	098268167382	OPN-M	G	52.06
406NRSRW	1065478	2 - 4	098268167405	OPN-P	I	38.34
406NRSRW	1065479	6, 8	098268167412	OPN-R	J	38.34
406NRSRW	1065480	10, 12	098268167429	OPN-S	K	56.43

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Cast Iron Check Valves

Series 411

ANSI 125 Flanged Swing Checks - UL/FM Listed Except 2" - (200 WOG)

****Non UL/FM listed.**

411	0390010	**2	098268025606	1	20	\$ 600.48
411	0390015	2 1/2	098268025613	1	43	681.48
411	0390020	3	098268025620	1	61	886.68
411	0390025	4	098268025637	1	89	1,303.56
411	0390030	6	098268025644	1	166	2,318.76
411	0390035	8	098268025651	1	310	4,401.00
411	0390040	10	098268025668	1	525	6,487.56



411

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Cast Iron Strainers

Series 77

Wye Type - Threaded Connections, - (250 WSP/400 WOG)

20 Mesh Screen (3" has 3/64" Perforated Screen), Tapped Blowdown



77SM1

77SM1	0220201	1/4	098268643138	12	32	\$ 42.39
77SM1	0220200	3/8	098268643121	12	32	55.62
77SM1	0220202	1/2	098268643145	12	32	43.74
77SM1	0220203	3/4	098268643152	12	60	49.14
77SM1	0220204	1	098268643169	6	29	58.86
77SM1	0220205	1 1/4	098268643176	6	41	76.68
77SM1	0220206	1 1/2	098268643183	3	33	99.63
77SM1	0220208	2	098268643190	3	47	137.70
77SM1	0220209	2 1/2	098268643206	1	27	277.02
77SM1	0220210	3	098268643275	1	27	396.36

Wye Type - Threaded Connections - (250 WSP/400 WOG)

20 Mesh Screen (2 1/2" and 3" has 3/64" Perforated Screen)- Tapped



77SI

77SCI	5600000	3/8	098268011784	12	32	18.90
77SCI	5600001	1/2	098268011685	12	32	18.90
77SCI	0220073	3/4	098268011708	12	60	28.89
77SCI	5600003	1	098268011722	6	29	37.37
77SCI	5600004	1 1/4	098268011739	6	41	54.32
77SI	0220079	1 1/2	098268011753	3	33	66.69
77SI	0220081	2	098268011760	3	47	120.96
77SI	0220084	2 1/2	098268011791	1	27	253.26
77SI	0220085	3	098268011807	1	27	362.34

Flanged Connections - ANSI 125 Flanged Ends - with Tapped Closure Plug (125 WSP/200 WOG)



77F-DI-125

LEAD FREE*

77F-DI-125	0825200	2	098268996623	1	17	293.22
77F-DI-125	0825201	2 1/2	098268051711	1	28	326.16
77F-DI-125	0825202	3	098268051728	1	34	375.84
77F-DI-125	0825203	4	098268996654	1	60	597.24
77F-DI-125	0825204	5	098268996661	1	95	988.74
77F-DI-125	0825205	6	098268051759	1	150	1,225.80
77F-DI-125	0825206	8	098268051803	1	270	2,103.84
77F-DI-125	0825207	10	098268051810	1	370	3,774.60
77F-DI-125	0825208	12	098268051827	1	605	4,800.60

Flanged Connections - Epoxy Coated FDA Approved - ANSI 125 Flanged Ends - with Tapped Closure Plug (200 WOG)



77F-DI-FDA-125

LEAD FREE*

77F-DI-FDA-125	0825209	2	098268051834	1	20	767.88
77F-DI-FDA-125	0825210	2 1/2	098268051841	1	40	786.78
77F-DI-FDA-125	0825211	3	098268051858	1	52	1,002.24
77F-DI-FDA-125	0825212	4	098268051872	1	63	1,524.96
77F-DI-FDA-125	0825213	5	098268051889	1	113	1,626.48
77F-DI-FDA-125	0825214	6	098268051896	1	150	2,802.60
77F-DI-FDA-125	0825215	8	098268051902	1	275	4,138.56
77F-DI-FDA-125	0825216	10	098268051919	1	450	6,758.64
77F-DI-FDA-125	0825217	12	098268051940	1	605	8,451.00

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Strainers

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Ductile Iron Strainers

Series 77 (cont.)

Flanged Connections - ANSI 250 Flanged Ends - Tapped with Closure Plug - (250 WSP/500 WOG)

77F-DI-250	0823039	2	098268880786	1	28	\$ 545.40
77F-DI-250	0823040	2 1/2	098268880793	1	38	664.20
77F-DI-250	0823041	3	098268880809	1	54	863.46
77F-DI-250	0823042	4	098268880816	1	110	1,372.68
77F-DI-250	0823043	5	098268880823	1	160	2,320.92
77F-DI-250	0823044	6	098268880830	1	224	2,711.88
77F-DI-250	0823045	8	098268880847	1	468	4,067.28
77F-DI-250	0823046	10	098268880854	1	590	7,096.68
77F-DI-250	0823047	12	098268880861	1	890	11,656.44

Bronze Strainers

Series 777 and Series LF777

Wye Type - Threaded Connections - Not Tapped - 1/4" - 3" (400 WOG/125 WSP) 4" (300 WOG/125 WSP)

LF777M1-20	0123075	1/4	098268653366	12	6.5	75.47
LF777M1-20	0123076	3/8	098268653373	12	6.1	102.33
LF777M1-20	0123080	1/2	098268653410	12	9.0	112.56
LF777M1-20	0123086	3/4	098268653489	12	14	125.28
LF777M120	0123095	1	098268653878	6	12	140.51
LF777M1-20	0123106	1 1/4	098268654257	6	15	202.50
LF777M1-20	0123113	1 1/2	098268657951	4	16	321.95
LF777M3-20	0123162	2	098268664966	3	21	533.20
LF777-20	0123126	2 1/2	098268664560	2	22	961.20
LF777-04	0123129	3	098268664607	1	23	1,329.05
LF777-12	0123146	4	098268664799	1	36	2,255.04



LF777

LEAD FREE

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Strainers

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bronze Strainers

Wye Type - Solder End Connections - Not Tapped for Closure Plug - 125 WSP/400 WOG



LFS777

LFS777M1-20	0123147	1/2	098268664805	12	12	71.96
LFS777M1-20	0123148	3/4	098268664812	12	15	96.26
LFS777M1-20	0123149	1	098268664829	6	17	147.96
LFS777M1-20	0123150	1 1/4	098268664836	12	34	228.20
LFS777M1-20	0123151	1 1/2	098268664843	6	26	312.93
LFS777M3-20	0123122	2	098268664522	6	46	345.06

Wye Type - Threaded Connections - with Tapped Retainer Cap (closure plug not provided) - 125 WSP/400 WOG (4" - 125 WSP/300 WOG)



LF777S

LF777SM1-20	0123081	1/2	098268653427	12	8.4	67.07
LF777SM1-20	0124002	3/4	098268769951	12	13	96.26
LF777SM1-20	0124003	1	098268769968	6	11	149.90
LF777SM1-20	0124004	1 1/4	098268770193	6	14	203.18
LF777SM1-20	0124005	1 1/2	098268770223	4	14	311.04
LF777SM3-20	0124006	2	098268770285	3	18	516.24
LF777S-20	0124007	2 1/2	098268770698	2	22	1,058.40
LF777S-04	0124008	3	098268771374	1	23	1,290.60
LF777S-12	0124009	4	098268771435	1	43	2,255.04

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Strainers

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bronze Strainers Series 777 and LF777

Wye Type - Solder End Connections - with Tapped Retainer Cap (closure plug not provided) - (400 WOG/125 WSP)



777SI

S777S	0384755	1/2	098268235333	20	20	\$ 63.18
S777S	0384756	3/4	098268235340	20	20	85.05
S777S	0384757	1	098268235357	12	16	130.68
S777S	0384758	1 1/4	098268235364	20	18	176.04
S777S	0384759	1 1/2	098268235371	6	34	270.54
S777S	0384503	2	098268417951	6	25	447.12

Wye Type - Threaded Connections - with Tapped Retainer Cap and Closure Plug - (400 WOG/125 WSP) † 2 1/2" & 3" Tapped Retainer Cap with Plug - (300 WOG/125 WSP)

LEAD FREE*	LF777SI	0379111	1/2	098268285598	96	60	58.00
	LF777SI	0379112	3/4	098268285604	72	60	86.83
	LF777SI	0379113	1	098268285611	36	66	133.06
	LF777SI	0379114	1 1/4	098268285628	18	57	179.60
	LF777SI	0379115	1 1/2	098268285635	18	58	276.05
	LF777SI	0379116	2	098268285642	8	70	456.08
	LF777SI	†0379117	2 1/2	098268285659	5	55	457.16
	LF777SI	†0379118	3	098268285666	3	69	1,130.22

Wye Type - Solder Connections - with Tapped Retainer Cap and Closure Plug - (400 WOG/125 WSP)

LFS777SI	0379119	1/2	098268285673	96	46	62.78
LFS777SI	0379120	3/4	098268285680	72	60	86.81
LFS777SI	0379121	1	098268285697	36	53	132.95
LFS777SI	0379122	1 1/4	098268285703	18	44	179.60
LFS777SI	0379123	1 1/2	098268285734	18	48	275.29
LFS777SI	0379124	2	098268285758	8	52	493.02

Bronze flanged - Class 150 - with Tapped Closure Plug - (150 WSP/225 WOG)



77F-BI

LEAD FREE*	77F-BI	0823048	2*	098268880878	1	20	1,636.20
	77F-BI	0823049	2 1/2**	098268880885	1	32	2,520.72
	77F-BI	0823050	3*	098268880892	1	36	3,109.32
	77F-BI	0823051	4*	098268880908	1	61	4,719.60
	77F-BI	0823052	6	098268880915	1	160	9,006.12
	77F-BI	0823053	8	098268880922	1	210	12,617.64

**UL Listed

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Strainers

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Carbon Steel Strainers

Series 88CSI

T = Threaded, SW = Socket Weld, Class 600 - with Tapped Closure Plug - (600 WSP/1480 WOG)



88CSI-T

LEAD FREE*	88CSI-T	0823000	1/2	098268874457	1	1	\$ 126.90
LEAD FREE*	88CSI-T	0823001	3/4	098268879377	1	1	153.90
LEAD FREE*	88CSI-T	0823002	1	098268879384	1	2	200.88
LEAD FREE*	88CSI-T	0823003	1 1/4	098268879391	1	2	286.74
LEAD FREE*	88CSI-T	0823004	1 1/2	098268879407	1	3	334.26
LEAD FREE*	88CSI-T	0823005	2	098268879414	1	4	562.14
LEAD FREE*	88CSI-SW	0823008	1/2	098268879421	1	1	130.68
LEAD FREE*	88CSI-SW	0823009	3/4	098268879438	1	1	153.90
LEAD FREE*	88CSI-SW	0823010	1	098268879445	1	2	200.88
LEAD FREE*	88CSI-SW	0823011	1 1/4	098268879452	1	2	286.74
LEAD FREE*	88CSI-SW	0823012	1 1/2	098268879469	1	3	334.26
LEAD FREE*	88CSI-SW	0823013	2	098268879476	1	4	562.14

Series 77F

Flanged, Class 150 - with Tapped Closure Plug - (150 WSP/285 WOG)



77F-CSI

LEAD FREE*	77F-CSI	0823016	1/2	098268879483	1	6	539.46
LEAD FREE*	77F-CSI	0823017	3/4	098268879490	1	7	562.68
LEAD FREE*	77F-CSI	0823018	1	098268879506	1	9	586.44
LEAD FREE*	77F-CSI	0823019	1 1/2	098268879513	1	12	705.24
LEAD FREE*	77F-CSI	0823020	2	098268879520	1	20	770.04
LEAD FREE*	77F-CSI	0823021	2 1/2	098268879537	1	32	1,018.44
LEAD FREE*	77F-CSI	0823022	3	098268879544	1	36	1,325.16
LEAD FREE*	77F-CSI	0823023	4	098268879551	1	61	2,114.64
LEAD FREE*	77F-CSI	0823024	5	098268879568	1	160	3,349.08
LEAD FREE*	77F-CSI	0823025	6	098268879575	1	160	4,166.64

Stainless Steel Strainers

Series 87SI

T = Threaded, SW = Socket Weld, Class 300 - with Tapped Closure Plug - (300 WSP/720 WOG)



87SI

LEAD FREE*	87SI-T	0823073	1/2	098268881110	1	1	169.56
LEAD FREE*	87SI-T	0823074	3/4	098268881127	1	1	200.34
LEAD FREE*	87SI-T	0823075	1	098268881134	1	2	260.82
LEAD FREE*	87SI-T	0823076	1 1/4	098268881141	1	2	372.06
LEAD FREE*	87SI-T	0823077	1 1/2	098268881158	1	3	434.16
LEAD FREE*	87SI-T	0823078	2	098268881165	1	4	730.08
LEAD FREE*	87SI-T	0823079	2 1/2	098268881172	1	13	1,331.64
LEAD FREE*	87SI-T	0823080	3	098268881189	1	18	1,985.04
LEAD FREE*	87SI-SW	0823081	1/2	098268881196	1	1	169.56
LEAD FREE*	87SI-SW	0823082	3/4	098268881202	1	1	200.34
LEAD FREE*	87SI-SW	0823083	1	098268881219	1	1	260.82
LEAD FREE*	87SI-SW	0823084	1 1/4	098268881226	1	2	372.06
LEAD FREE*	87SI-SW	0823085	1 1/2	098268881233	1	2	434.16
LEAD FREE*	87SI-SW	0823086	2	098268881240	1	4	730.08
LEAD FREE*	87SI-SW	0823087	2 1/2	098268881257	1	13	1,331.64
LEAD FREE*	87SI-SW	0823088	3	098268881264	1	18	1,985.04

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Strainers

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Stainless Steel Strainers - (cont.)

Series 88S

Wye Type - Threaded Connections - ANSI 600 - with Tapped Closure Plug - (600 WSP/1440 WOG)



88S

88S	0701000	1/4	098268088373	12	32	\$ 720.90
88S	0701002	3/8	098268088380	12	32	720.90
88S	0701004	1/2	098268088403	12	32	729.00
88S	0701006	3/4	098268088427	12	60	946.08
88S	0701008	1	098268088441	6	29	1,324.08
88S	0701010	1 1/4	098268088465	6	41	1,600.56
88S	0701012	1 1/2	098268088489	3	33	2,178.36
88S	0701014	2	098268088502	3	47	3,032.64

Series 77


Flanged, Class 150 - with Tapped Closure Plug - (150 WSP/275 WOG)



77F-CSSI

77F-CSSI	0823089	1/2	098268881271	1	6	873.18
77F-CSSI	0823090	3/4	098268881288	1	7	1,058.94
77F-CSSI	0823091	1	098268881295	1	9	1,499.04
77F-CSSI	0823092	1 1/2	098268881301	1	12	1,785.24
77F-CSSI	0823093	2	098268881318	1	20	2,050.92
77F-CSSI	0823094	2 1/2	098268881325	1	32	2,373.84
77F-CSSI	0823095	3	098268881332	1	36	2,903.04
77F-CSSI	0823096	4	098268881349	1	61	5,131.08
77F-CSSI	0823097	6	098268881356	1	160	10,533.24

Flanged Connections - ANSI 125 Flanged Ends - (200 WOG)



77F-SS

77F-SS	0821110	2 1/2	098268802160	1	21	821.88
77F-SS	0821111	3	098268802177	1	26	1,038.96
77F-SS	0821112	4	098268802184	1	33	1,577.88
77F-SS	0821114	6	098268802207	1	70	2,932.20
77F-SS	0821115	8	098268802221	1	91	4,357.80
77F-SS	0821116	10	098268802238	1	134	6,902.28
77F-SS	0821117	12	098268802245	1	225	9,683.28

Grooved Connections - ANSI 125 Grooved Ends - (200 WOG)



77G-SS

77G-SS	0821160	2 1/2	098268264920	1	21	821.88
77G-SS	0821161	3	098268264937	1	26	1,038.96
77G-SS	0821162	4	098268264944	1	33	1,577.88
77G-SS	0821164	6	098268264968	1	70	2,932.20
77G-SS	0821165	8	098268264975	1	91	4,357.80
77G-SS	0821166	10	098268264982	1	134	6,902.28
77G-SS	0821167	12	098268264999	1	225	9,683.28

7

Strainers

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Strainers

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Cast Iron Simplex Basket Strainers

Series 97FB

Flanged - Class 125 - Bolted Cover - (125 WSP/200 WOG)



97FB-CIB

97FB-CIB	0823054	2	098268880939	1	22	\$ 516.24
97FB-CIB	0823055	2 1/2	098268880946	1	31	610.20
97FB-CIB	0823056	3	098268880953	1	42	891.54
97FB-CIB	0823057	4	098268880960	1	70	1,126.44
97FB-CIB	0823058	5	098268880977	1	90	1,753.92
97FB-CIB	0823059	6	098268880984	1	124	1,829.52
97FB-CIB	0823060	8	098268880991	1	270	3,704.40
97FB-CIB	0823061	10	098268881004	1	384	5,158.08
97FB-CIB	0823062	12	098268881011	1	670	8,475.84

Cast 316SS Simplex Basket Strainers

Flanged - Class 150 - Bolted Screen Retainer Cover

97FB-CSSIB	0823235	2	098268894325	1	22	3,125.52
97FB-CSSIB	0823236	2 1/2	098268894332	1	31	3,986.28
97FB-CSSIB	0823237	3	098268894356	1	42	4,993.92
97FB-CSSIB	0823238	4	098268894363	1	70	8,650.80
97FB-CSSIB	0823239	6	098268894370	1	124	11,309.76

UL/FM Basket Strainer

Flanged - Class 150 - (175 WOG)



97FB-FSFE

97FB-FSFE	0823255	3	098268920550	1	70	5,681.88
97FB-FSFE	0823256	4	098268920567	1	120	5,936.76
97FB-FSFE	0823257	6	098268920574	1	232	7,128.00
97FB-FSFE	0823258	8	098268920581	1	560	10,848.60
97FB-FSFE	0823259	10	098268920598	1	570	14,763.60

Cast Iron Duplex Basket Strainers

Series 97FD

Flanged - Class 125 - Bolted Cover - (200 WOG)

97FD-CIB	0823220	5	098268880595	1	500	25,261.20
97FD-CIB	0823221	6	098268880601	1	600	26,622.00
97FD-CIB	0823222	8	098268880618	1	1150	33,518.88
97FD-CIB	0823223	10	098268880625	1	1700	43,877.16
97FD-CIB	0823224	12	098268880632	1	2600	76,089.24
97FD-CIB	0823225	14	098268880649	1	4000	123,000.12

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Bronze Strainers

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------




LF27

Bronze Strainers (cont.) Series LF27

Threaded Connections - "V" Type, Water Strainers - 250 CWP

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF27-40	0555157	1/8	098268432824	50	13	\$ 55.62
	LF27-40	0123053	1/4	098268652949	50	23	80.60
	LF27-40	0123064	3/8	098268653137	50	45	104.76
	LF27-40	0555156	1/2	098268432817	25	25	121.23



LF745

Series LF745

45° Wye Type with Hand Removable Clean-Out Plug - 250 WOG

LEAD FREE*	Model	Ordering Code	Size	UPC	Qty. Per Carton	Weight Per Carton	List Price
	LF745	0555155	3/4	098268432800	12	2.8	167.27

Series LF17

Union End In-line Strainer - 250 WOG

LEAD FREE*	Model	Ordering Code	Size	UPC	Qty. Per Carton	Weight Per Carton	List Price
	LF17	0125079	3/4	098268847987	12	20	183.74
	LF17	0125080	1	098268847994	12	20	203.15

Plastic Strainers

Series P777

Wye Type

P777-100	0384765	1/4	098268235272	50	5.0	12.96
P777-100	0384766	3/8	098268235289	50	4.0	13.23

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Flow Measurement Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series CSM

Threaded Ends



CSM-61-M1

CSM-61-M1-T	0856736	1/2	098268631470	24	18	\$ 160.92
CSM-61-M1-T	0856738	3/4	098268631500	24	23	169.02
CSM-61-M1-T	0856740	1	098268631531	12	17	186.84
CSM-61-M1-T	0856742	1 1/4	098268631395	12	26	281.34
CSM-61-M1-T	0856744	1 1/2	098268631425	6	15	338.04
CSM-61-M1-T	0856746	2	098268631449	6	43	410.40
CSM-61-M1-T	0856734	2 1/2	098268782134	1	13	1,010.34
CSM-61-M1-T	0856729	3	098268782141	1	17	1,603.80

Solder Ends

CSM-61-M1-S	0856735	1/2	098268631463	24	18	130.14
CSM-61-M1-S	0856737	3/4	098268631487	24	23	158.22
CSM-61-M1-S	0856739	1	098268631517	12	19	186.84
CSM-61-M2-S	0856780	1 1/4	098268042627	12	17	281.34
CSM-61-M2-S	0856781	1 1/2	098268042634	6	27	454.14
CSM-61-M2-S	0856782	2	098268042641	10	55	454.14

Flanged Ends



CSM-81-F

CSM-81-F	0036540	2 1/2	098268832372	1	30	1,701.00
CSM-81-F	0036541	3	098268832389	1	40	1,906.20
CSM-81-F	0036535	4	098268410051	1	62	2,217.24
CSM-81-F	0036542	5	098268832396	1	89	3,262.68
CSM-81-F	0036543	6	098268832402	1	101	4,401.00
CSM-81-F	0036544	8	098268832419	1	173	9,781.56

Flow Balancing Valves

Grooved Connections



CSM-91

CSM-91	0036600	2 1/2	098268633689	1	20	1,685.88
CSM-91	0036601	3	098268633696	1	25	1,790.64
CSM-91	0036602	4	098268633702	1	45	3,506.76
CSM-91	0036603	5	098268633719	1	85	4,349.16
CSM-91	0036604	6	098268633726	1	125	5,181.84
CSM-91	0036605	8	098268633733	1	315	8,777.16
CSM-91	0036606	10	098268633740	1	465	13,234.32

Triple Duty Valves -

Series TDV

Grooved Connections



TDV

TDV	0036610	2 1/2	098268633764	1	20	1,685.88
TDV	0036611	3	098268633771	1	25	1,790.64
TDV	0036612	4	098268633788	1	45	3,506.76
TDV	0036613	5	098268633795	1	85	4,349.16
TDV	0036614	6	098268633801	1	125	5,181.84
TDV	0036615	8	098268633818	1	315	7,852.68
TDV	0036616	10	098268633825	1	465	12,531.24

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Flow Measurement Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------	--------------

Flange Adapter Kit Series CSM

ANSI 125 - For CSM-91 and TDV Valves

CSM-91 FLG ADPT	0036620	2 1/2	098268633849	1	8	\$ 119.88	
CSM-91 FLG ADPT	0036621	3	098268633856	1	8	165.78	
CSM-91 FLG ADPT	0036622	4	098268633863	1	10	157.14	
CSM-91 FLG ADPT	0036623	5	098268633870	1	11	264.60	
CSM-91 FLG ADPT	0036624	6	098268633887	1	12	540.00	
CSM-91 FLG ADPT	0036625	8	098268633894	1	14	781.38	
CSM-91 FLG ADPT	0036626	10	098268633900	1	17	954.18	
CSM-91 FLG ADPT	0036627	12	098268633917	1	20	1,144.80	

Kit consists of two (2) flange halves and one gasket. One kit required for each valve end to be flanged.

Insulation Wrap

for CSM-91-M1 Series

CSM-91-IK	0036630	2 1/2	098268633924	1	2	8.10	
CSM-91-IK	0036631	3	098268633931	1	3	8.37	
CSM-91-IK	0036632	4	098268633948	1	4	8.64	

Differential Pressure Gauge Kits Series PG

for use with CSM's and FMO's

PG2-0-16FT	0036515		098268394801	1	10	6,068.52	
PG3-0-35-FT	0036516		098268394818	1	10	6,068.52	
PG4-0-100IN	0036517		098268394825	1	10	6,068.52	
PG5-0-200IN	0036518		098268394832	1	10	6,068.52	
PG6-0-50IN	0036519		098268394849	1	10	6,068.52	
PG8-0-135IN	0036520		098268394856	1	8	2,773.44	



PG-8

FLOW MEASUREMENT ORFICES

FMO	36501	2 1/2"		4	8	501.12	
FMO	36502	3		4	9	544.32	
FMO	36503	4		1	16	650.16	
FMO	36504	5		1	20	735.48	
FMO	36505	6		1	23	897.26	
FMO	36506	8		1	37	1,137.73	
FMO	36507	10		1	55	1,498.00	
FMO	36508	12		1	75	2,385.18	

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Butterfly Valves



Model BF-03
Lug, Gear Operator

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

LUG - ALUMINUM BRONZE DISC - EPDM SEAT - COMPLETE WITH LEVER

BF-020-32211522-M3	P741336	2"		1	12	\$ 203.04
BF-025-32211522-M3	P741337	2 1/2"		1	16	219.78
BF-030-32211522-M3	P741338	3"		1	16	247.86
BF-040-32211522-M3	P741339	4"		1	24	339.66
BF-050-32211522-M3	P741340	5"		1	25	407.16
BF-060-32211522-M3	P741341	6"		1	30	520.56
BF-080-32211522-M3	P741342	8"		1	31	763.02
BF-100-32211522-M3	P741343	10"		1	47	1,028.16
BF-120-32211522-M3	P741344	12"		1	88	1,594.08

LUG - ALUMINUM BRONZE DISC - EPDM SEAT - COMPLETE WITH GEAR OPERATOR

BF-020-32211322-M3	P741228	2"		1	20	353.16
BF-025-32211322-M3	P741229	2 1/2"		1	23	367.74
BF-030-32211322-M3	P741230	3"		1	24	392.04
BF-040-32211322-M3	P741231	4"		1	30	471.96
BF-050-32211322-M3	P741232	5"		1	40	530.28
BF-060-32211322-M3	P741233	6"		1	40	628.02
BF-080-32211322-M3	P741234	8"		1	62	891.54
BF-100-32211322-M3	P741235	10"		1	90	1,250.64
BF-120-32211322-M3	P741236	12"		1	143	1,783.08

LUG - STAINLESS STEEL DISC - EPDM SEAT - COMPLETE WITH LEVER - NSF Approved

BF-03-231-15-NSF LUG	P741700	2"		1	12	352.08
BF-03-231-15-NSF LUG	P741701	2 1/2"		1	16	374.76
BF-03-231-15-NSF LUG	P741702	3"		1	16	422.28
BF-03-231-15-NSF LUG	P741703	4"		1	24	529.74
BF-03-231-15-NSF LUG	P741704	5"		1	25	687.42
BF-03-231-15-NSF LUG	P741705	6"		1	30	841.86
BF-03-231-15-NSF LUG	P741706	8"		1	31	1,188.00
BF-03-231-15-NSF LUG	P741707	10"		1	47	1,963.44
BF-03-231-15-NSF LUG	P741708	12"		1	88	2,742.12

Note: 8-12" Bas shaft Only
14" thru 24" available. Consult factory for pricing.

LUG - 316 STAINLESS STEEL DISC - EPDM SEAT - COMPLETE WITH GEAR OPERATOR - NSF Approved

BF-03-231-1G-NSF LUG	P741714	2"		1	20	504.90
BF-03-231-1G-NSF LUG	P741715	2 1/2"		1	23	523.26
BF-03-231-1G-NSF LUG	P741716	3"		1	24	561.60
BF-03-231-1G-NSF LUG	P741717	4"		1	30	648.00
BF-03-231-1G-NSF LUG	P741718	5"		1	40	773.82
BF-03-231-1G-NSF LUG	P741719	6"		1	40	898.02
BF-03-231-1G-NSF LUG	P741720	8"		1	62	1,213.92
BF-03-231-1G-NSF LUG	P741721	10"		1	90	1,870.56
BF-03-231-1G-NSF LUG	P741722	12"		1	143	2,860.92

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Butterfly Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
WAFER - ALUMINUM BRONZE DISC - EPDM SEAT - COMPLETE WITH LEVER						
BF-020-42221521-M3	P741452	2"		1	10	\$ 180.90
BF-020-42221521-M3	P741453	2 1/2"		1	13	191.70
BF-020-42221521-M3	P741454	3"		1	14	216.54
BF-020-42221521-M3	P741455	4"		1	20	272.16
BF-020-42221521-M3	P741456	5"		1	25	356.94
BF-020-42221521-M3	P741457	6"		1	25	400.14
BF-020-42221521-M3	P741458	8"		1	31	622.08
BF-020-42221521-M3	P741459	10"		1	47	910.44
BF-020-42221521-M3	P741460	12"		1	88	1,361.88

WAFER - ALUMINUM BRONZE DISC - EPDM SEAT - COMPLETE WITH LEVER GEAR OPERATOR

BF-020-42221321-M3	P741282	2"		1	20	342.90
BF-020-42221321-M3	P741283	2 1/2"		1	23	352.62
BF-020-42221321-M3	P741284	3"		1	24	375.84
BF-020-42221321-M3	P741285	4"		1	30	426.60
BF-020-42221321-M3	P741286	5"		1	40	504.90
BF-020-42221321-M3	P741287	6"		1	40	543.78
BF-020-42221321-M3	P741288	8"		1	51	779.76
BF-020-42221321-M3	P741289	10"		1	72	1,131.84
BF-020-42221321-M3	P741290	12"		1	118	1,585.44

WAFER - 316 STAINLESS STEEL DISC - EPDM SEAT - COMPLETE WITH GEAR OPERATOR - NSF Approved

BF-04-231-1G NSF WAFER	P741742	2"		1	20	484.92
BF-04-231-1G NSF WAFER	P741743	2 1/2"		1	23	501.66
BF-04-231-1G NSF WAFER	P741744	3"		1	24	535.14
BF-04-231-1G NSF WAFER	P741745	4"		1	30	597.24
BF-04-231-1G NSF WAFER	P741746	5"		1	40	791.10
BF-04-231-1G NSF WAFER	P741747	6"		1	40	801.36
BF-04-231-1G NSF WAFER	P741748	8"		1	51	1,087.56
BF-04-231-1G NSF WAFER	P741749	10"		1	72	1,614.60
BF-04-231-1G NSF WAFER	P741750	12"		1	118	2,408.40

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Butterfly Valves



Model BF-04-NSF
Wafer, Lever Handle

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

WAFER - 316 STAINLESS STEEL DISC - EPDM SEAT - COMPLETE WITH LEVER - NSF Approved

BF-04-231-15-NSF WAFER	P741728	2"		1	10	\$ 326.70
BF-04-231-15-NSF WAFER	P741729	2 1/2"		1	13	345.60
BF-04-231-15-NSF WAFER	P741730	3"		1	14	389.34
BF-04-231-15-NSF WAFER	P741731	4"		1	20	483.30
BF-04-231-15-NSF WAFER	P741732	5"		1	25	618.84
BF-04-231-15-NSF WAFER	P741733	6"		1	25	723.06
BF-04-231-15-NSF WAFER	P741734	8"		1	31	1,029.78
BF-04-231-15-NSF WAFER	P741735	10"		1	47	1,682.64
BF-04-231-15-NSF WAFER	P741736	12"		1	88	2,472.12

Note: 8-12" Bareshaft Only

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 1156

Highest Purging Capacity Feed Water Pressure Regulators



1156F

1156F	0386425	Threaded	1/2 Iron	098268023107	12	25	\$ 93.69
1156F-A	0386427	Threaded	1/2 Iron	098268023121	12	25	147.96
T1156F	0386500	Threaded union	1/2 Iron	098268023169	12	26	115.02
S1156F	0386450	Union solder	1/2 Iron	098268023152	12	27	115.02
B1156F	0386423	Threaded	1/2 Bronze	098268023084	12	25	103.95
SB1156F	0386422	Union solder	1/2 Bronze	098268023077	12	26	115.02
TB1156F	0386421	Threaded union	1/2 Bronze	098268023060	12	27	115.02
N256	0322825	Threaded	3/4 Bronze	098268016536	12	42	167.40

Series 1450 and 145B

Dual Controls - Regulator and Relief Valve



1450F

1450F	0388798	Threaded	1/2 Iron	098268025545	10	33	203.58
T1450F	0388805	Threaded Union	1/2 Iron	098268025569	10	33	233.28
S1450F	0388800	Union Solder	1/2 Iron	098268025552	10	35	233.28
T145B	0269495	Threaded Union	1/2 Bronze	098268012705	6	20	439.02

Series T156B

Feed Water Pressure Regulator - With Separate Strainer

T156B	0270105	Threaded Union	1/2	098268012804	12	30	255.96
-------	---------	----------------	-----	--------------	----	----	--------

Series 911

Combination 1156F Feedwater Regulator and 9D Backflow Preventer For hydronic Heating †Solder ends



911

911-M3	0386460	Threaded Union	1/2 Iron	098268918502	6	25	325.08
911S-M3	†0386461	Union Solder	1/2 Iron	098268918519	6	25	284.04

Combination B1156 Feedwater Regulator and 9D Backflow Preventer

B911-M3	0386463	Threaded Union	1/2 Bronze	098268918533	6	25	360.18
B911S-M3	†0386462	Union Solder	1/2 Bronze	098268918526	6	25	320.76



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Residential Boiler Fill Fitting

Series RBFF



RBFF

RBFF	0386466	1/2	098268461596	5	9.5	\$ 95.85
------	---------	-----	--------------	---	-----	----------

Series 2000

Iron Body Two-Way Universal Flow Checks



2000-M5

2000-M5	0856760	3/4	098268263848	12	38	171.18
2000-M5	0856761	1	098268263862	12	36	177.66
2000-M5	0856762	1 1/4	098268263886	12	56	192.24
2000-M5	0856769	1 1/2	098268300437	5	40	358.02
2000-M5	0856770	2	098268300444	3	36	423.90
2000-M5	0856771	2 1/2	098268300451	1	22	901.26
2000-M5	0856772	3	098268300468	1	24	970.92

Bronze Solder Flow Check - Straight Pattern

2000S-M5	0856763	3/4	098268263855	24	24	234.90
2000S-M5	0856764	1	098268263879	12	22	252.72

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Air Separators

Series AS

Cast Iron

AS-M1	0858535	1	098268215359	6	23	\$ 64.80
AS-M1	0858536	1 1/4	098268215366	6	23	67.77
AS-M1	0858537	1 1/2	098268872095	1	8	79.65
AS-M1	0858538	2	098268872101	1	8	83.70
AS-M1	0858539	2 1/2	098268872118	1	15	184.14
AS-M1	0858529	3	098268872125	1	15	184.14



AS-M1-T

Cast Iron with 1/2" Feed Water Tapping

AS-M1-T	0858557	1	098268039573	6	23	69.93
AS-M1-T	0858558	1 1/4	098268039580	6	23	71.01

Bronze with 1/2" Feed Water Tapping

AS-B-S	•**0858545	3/4	098268203790	10	4	120.96
AS-B-S	•**0858542	1	098268066609	10	4	187.92
AS-B-S	•**0858543	1 1/4	098268066616	10	4	191.16

• S = Solder Ends **Includes 1/2" FV-4M1 Float Vent and 1/2" Brass Pipe Plug.



AS-MB 75

AS-MB

Micro-Bubble Air Separator

AS-MB 75	0858546	3/4	098268476194	6	15	190.08
AS-MB 100	0858547	1	098268476224	6	16	221.94
AS-MB 125	0858548	1 1/4	098268476231	6	17	237.60
AS-MB FL	0858549	Flanged	098268476248	6	18	247.32
AS-MB-S-75	0858550	3/4	098268537314	6	15	190.08
AS-MB-S-100	0858551	1	098268537321	6	16	221.94
AS-MB-S-125	0858552	1 1/4	098268537352	6	17	237.60

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Isolation Pump Flange

Series IPF

Threaded

IPF-T	0067777	1/2	098268085655	20	24	\$ 32.13
IPF-T-M1	0068090	3/4	098268344325	20	26	34.02
IPF-T-M1	0068091	1	098268344332	20	32	41.58
IPF-T-M1	0068092	1 1/4	098268344349	20	42	55.62
IPF-T-M1	0068093	1 1/2	098268344356	20	50	68.58
IPF-T-M1	0068094	2	098268344363	20	55	109.08

Solder

IPF-S	0067783	1/2	098268085754	20	22	32.13
IPF-S-M1	0068095	3/4	098268344370	20	26	34.02
IPF-S-M1	0068096	1	098268344387	20	32	41.85
IPF-S-M1	0068097	1 1/4	098268344394	20	42	55.62
IPF-S-M1	0068098	1 1/2	098268344301	20	50	68.58
IPF-S-M1	0068099	2	098268344318	20	55	109.08



IPF-T-M1

Isolation Pump Flange with Purge Port and Swivel Flange

Series PIPF

Threaded

PIPFM1-T	0067771	3/4	098268554755	18	39	61.83
PIPFM1-T	0067772	1	098268554762	12	30.	72.36
PIPFM1-T	0067773	1 1/4	098268554779	9	27	85.05

Solder

PIPFM1-S	0067774	3/4	098268554786	18	38	61.83
PIPFM1-S	0067775	1	098268554793	12	29	72.36
PIPFM1-S	0067776	1 1/4	098268554809	9	26	85.05

Threaded

PIPF-T	0067790	3/4	098268302141	24	45	55.89
PIPF-T	0067791	1	098268302165	16	36	65.88
PIPF-T	0067792	1 1/4	098268302172	12	34	78.84

Solder

PIPF-S	0067793	3/4	098268302189	24	41	55.89
PIPF-S	0067794	1	098268302196	16	32	65.88
PIPF-S	0067795	1 1/4	098268302202	12	30	78.84



PIPF-T

10 Hydronics/Steam Heating Products

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Connection Size (in.)	Volume (gals.)	Accept Volume (gals.)	UPC	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	-----------------------	----------------	-----------------------	-----	--------------------------	-------------------

Expansion Tanks - For hot water heating systems

Series ETX

Pipe Mount - Max. temp. 240°F - Max pressure 75psi, ETX-90 100psi



ETX

ETX-15	0066605	2.1	1.0	1/2 MNPT	098268219340	5	\$ 83.70
ETX-30	0066606	4.5	2.5	1/2 MNPT	098268219357	10	103.95
ETX-60	0066607	6.0	3.0	1/2 MNPT	098268219364	11	210.60
ETX-90	0066608	15.0	6.0	3/4 MNPT	098268219470	28	310.50

Series ETSX

Free Standing - Max. temp. 240°F - Max pressure 100psi



ETSX

ETSX-30	0066609	15.0	6.0	1 FNPT	098268219487	32	473.04
ETSX-40	0066610	20.0	8.0	1 FNPT	098268219494	39	507.60
ETSX-60	0066611	33.0	13.3	1 FNPT	098268219500	57	714.42
ETSX-90	0066612	44.0	17.7	1 1/4 FNPT	098268219562	72	1,308.96
ETSX-110	0066613	62.0	24.9	1 1/4 FNPT	098268219593	112	1,545.48
ETSX-160	0066614	81.0	32.6	1 1/4 FNPT	098268219609	123	1,635.12

Series ETA

ASME Pressurized Expansion Tanks for Heating and Cooling Systems with Fixed Bladder



ETA

ETA-15	0212000	7.8	2.5	3/4	098268913224	42	1,571.40
ETA-20	0212001	10.9	2.5	3/4	098268913231	52	1,610.28
ETA-40	0212002	25	10	1	098268913248	84	2,489.40
ETA-60	0212003	35	10	1	098268913255	97	2,876.04
ETA-80	0212004	45	21	1	098268913262	148	3,707.64
ETA-100	0212005	60	21	1	098268913279	175	3,886.92
ETA-120	0212006	70	48	1 1/2	098268913286	259	4,789.80
ETA-144	0212007	80	48	1 1/2	098268913293	268	5,142.96
ETA-180	0212008	90	48	1 1/2	098268913309	283	5,910.84
ETA-200	0212009	115	48	1 1/2	098268913316	325	6,066.36
ETA-240	0212010	140	52	1 1/2	098268913323	362	6,828.84

Series ETRA

ASME Pressurized Expansion Tanks for Heating and Cooling Systems with Removable Bladder



ETRA

ETRA-35	0212011	3/4	10	-	098268913330	40	5,203.44
ETRA-50	0212012	3/4	13	-	098268913347	50	5,553.36
ETRA-85	0212013	1	23	-	098268913354	90	5,703.48
ETRA-130	0212014	1	35	-	098268913361	125	6,066.36
ETRA-200	0212015	1 1/2	53	-	098268913378	210	7,020.00
ETRA-300	0212016	1 1/2	79	-	098268913385	225	7,696.08
ETRA-400	0212017	1 1/2	105	-	098268913392	300	7,858.08
ETRA-500	0212018	1 1/2	132	-	098268913408	335	8,290.08
ETRA-600	0212019	1 1/2	158	-	098268913415	360	12,226.68
ETRA-800	0212020	1 1/2	211	-	098268913422	475	13,514.04
ETRA-1000	0212021	1 1/2	264	-	098268913439	710	16,571.52
ETRA-1200	0212022	1 1/2	317	-	098268913446	720	17,331.84
ETRA-1400	0212023	1 1/2	370	-	098268913453	875	18,860.04
ETRA-1600	0212024	1 1/2	422	-	098268913460	1100	25,964.28
ETRA-2000	0212025	1 1/2	528	-	098268913477	1280	28,497.96

Expansion Tank Package: Contains one ET, one AS and one FV-4M1

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products



HP-BHM-75

NEW!



HP-30PRO-P100

Model	Ordering Code	Connection Size (in.)	Volume (gals.)	Accept Volume (gals.)	UPC	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	-----------------------	----------------	-----------------------	-----	--------------------------	-------------------

Boiler Header Module includes AS-MB-FL, RBFF and PIPF-T

HP-BHM-75	0235093	3/4	098268524277	1	7.5	\$ 335.34
HP-BHM-100	0235094	1	098268524284	1	8	345.60
HP-BHM-125	0235095	1 1/4	098268524291	1	8.5	356.40

HP-30Pro P's includes AS-MB-FL, RBFF, PIPF-T, B911S M3, ETX-30

HP-30PRO-P100	0235098	1	098268524321	1	19.3	677.16
HP-30PRO-P125	0235099	1 1/4	098268524338	1	19.8	709.56

HP-30Pro includes AS-MB, RBFF, B911S, ETX-30

HP-30PRO-100	0235096	1	098268524307	1	15.6	606.42
HP-30PRO-125	0235097	1 1/4	098268524314	1	16.7	625.32

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight. Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------



SCV

Service Check Valves

Series SCV

SCV	0376455	1/8	098268472059	50	5	\$ 14.85
SCV	0376456	1/4	098268472066	50	10	26.46
SCV	0376457	3/8	098268472073	50	15	28.35
SCV	0376458	1/2	098268472080	50	15	35.64
SCV	0376459	3/4	098268472042	50	25	36.72



Purge and Balancing Valve

Series PB56

PB56	0207500	3/4	098268010336	25	20	92.34
------	---------	-----	--------------	----	----	-------

Residential Purge and Balancing Valve

Series RPV-M1



RPV-S

RPV-M1-S	0207532	3/4	098268502107	24	26	46.44
RPV-M1-ST	0207535	3/4	098268572210	24	26	48.06
RPV-M1-S	0207533	1	098268502118	18	28	80.19
RPV-M1-ST	0207536	1	098268572223	18	29	81.00
RPV-M1-S	0207534	1 1/4	098268502121	12	24	92.07
RPV-M1-ST	0207537	1 1/4	098268572230	12	24	93.69

Series RPV-S

With 180° Relief Port



RPV-S	0207510	3/4 solder x 3/4 solder	098268802665	40	20	49.68
RPV-S	0207514	1 solder x 1 solder	098268838008	8	16	113.94
RPV-S	0207515	1 1/4 solder x 1 1/4 solder	098268838015	12	27	125.28

Multi-Orifice Flow Control

Series P3

For Tankless Heaters



P3	0008500	1/2	098268001235	50	19	91.26
----	---------	-----	--------------	----	----	-------

Duovent Automatic Air Vent With Inline Testing Feature

For Automatic Air Venting - Max. Temperature 240°F - Max. Pressure 150psi



DuoVent	0590719	1/8	098268861884	10	5	24.30
DuoVent	0590720	1/4				25.11

Automatic Air Vent

Series FV

For Automatic Air Venting, Max. Temperature 240°F - Max. Pressure 150psi



HAV

FV-4M1	0590715	1/8	098268373622	144	40	25.11
FV-4M1	0590716	1/4	098268373615	144	40	25.11
FV-4M1	0590722	1/2	098268066708	24	120	33.75
FV-4M1	0590723	3/4	098268066715	24	120	36.99
FV-4M1	0590721	1	098268066692	24	120	38.07

Automatic Air Vent With Manual Override

Series HAV

Max. Pressure 125psi - Max. Temperature 240°F - Steam Rating 10psi

HAV	0590712	1/8	098268106527	25	2	19.98
HAV	0590713	1/4	098268106534	25	2	19.98

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series SAN89S and N50S, and SAN50S

Low Water Cut-Offs - Single Switch Assembly - Single Pole, Single Throw Switch

SAN89S	0226080	15	098268012217	6	12	\$ 541.62
N50S	0183801	50	098268010053	4	29	868.32
SAN50S	0183821	50	098268010077	6	12	631.26

Dual Switch Assembly for independent line voltage and low (or high) voltage alarm, feed valve or pump starter service. Switch actuates just before the burner switch cuts the firing.

SAN89D	0226060	15	098268012200	6	12	563.76
N50D	0182405	50	098268010022	4	29	891.00
SAN50D	0182421	50	098268010039	6	12	682.02

Series 142 and 144

Process Boiler Water Feeders

142	0267687	100	098268012583	4	51	887.22
142S	0268499	100	098268012613	4	55	1,007.64
144	0268905	100	098268012637	4	52	920.70
144S	0269311	100	098268012668	4	56	1,031.40



142

Flow Switches

Series FS200W

Liquid Flow Actuated - For Automatic Control or Safety Device
Max. Pressure 175psi - Max. Temperature 300°F

FS200W	0063067	1	098268964493	12	25	308.55
--------	---------	---	--------------	----	----	--------



FS200W

Series FS204W

NEMA IV

FS204W	0067101	1	098268968149	12	27	425.80
--------	---------	---	--------------	----	----	--------

Probe Type - Low Water Cut Off - 120 V.A.C.

OEM-170	999900	n/a	098268999778	6	4	342.36
650	999912	n/a	098268999792	6	4	504.90
750	999922	n/a	098268999808	6	4	650.16
550	999932	n/a	098268999815	6	4	566.46
1100W	999901	n/a		1	1	198.18

Probe Type - Low Water Cut Off - 120 V.A.C.

OEM-24	999902	n/a	098268999785	6	4	442.80
OEM-24C	999903	n/a		6	4	526.50



1100W

Manifold

FOEM-2	999980	n/a		6	1	204.12
--------	--------	-----	--	---	---	--------



OEM-170



Notes:

Max. Boiler Pressure

50 Series - 50 psig

89 Series - 15 psig

142 Series - 100 psig

170 Series - 160 psig

550 Series - 160 psig

650 Series - 160 psig

750 Series - 160 psig

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Float & Thermostatic Steam Traps Series WFT



WFT

WFT-15	0037100	3/4	098268478488	1	9	\$ 504.90
WFT-15	0037105	1	098268478495	1	9	504.90
WFT-15	0037106	1 1/4	098268502534	1	9	579.42
WFT-15	0037107	1 1/2	098268502558	1	18	1,008.72
WFT-15	0037108	2	098268502565	1	26	1,289.52
WFT-30	0037109	3/4	098268502572	1	9	504.90
WFT-30	0037110	1	098268502589	1	9	504.90
WFT-30	0037111	1 1/4	098268502527	1	9	579.42
WFT-30	0037112	1 1/2	098268502596	1	18	1,008.72
WFT-30	0037113	2	098268502602	1	26	1,289.52
WFT-75	0037114	3/4	098268502497	1	9	504.90
WFT-75	0037115	1	098268502510	1	9	504.90
WFT-75	0037116	1 1/4	098268502657	1	18	764.10
WFT-75	0037117	1 1/2	098268502619	1	18	1,008.72
WFT-75	0037118	2	098268502626	1	26	1,289.52
WFT-125	0037119	3/4	098268535044	1	9	504.90
WFT-125	0037120	1	098268502503	1	9	504.90
WFT-125	0037121	1 1/4	098268502541	1	18	579.42
WFT-125	0037122	1 1/2	098268502633	1	18	1,008.72
WFT-125	0037123	2	098268502640	1	26	1,289.52

Model	Ordering Code	Spirax Sarco No.	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------------	------------	-----	-----------------	--------------------------	-------------------

Float & Thermostatic Steam Trap Repair Kits

Replacement Steam Trap Cover Assemblies For Spirax Sarco FT Series and Watts



WFTC



WFTK

WFTC-15	0038100	FT-15	3/4	098268488128	6	3	\$ 254.88
WFTC-15	0038101	FT-15	1	098268488135	6	3	254.88
WFTC-15	0038102	FT-15	1 1/4	098268488142	1	3	395.28
WFTC-30	0038105	FT-30	3/4	098268488173	6	3	318.60
WFTC-30	0038106	FT-30	1	098268488180	6	3	294.84
WFTC-30	0038107	FT-30	1 1/4	098268488197	1	3	470.88
WFTC-75	0038110	FT-75	3/4	098268488227	1	3	356.94
WFTC-75	0038111	FT-75	1	098268488234	1	3	329.40
WFTC-125	0038115	FT-125	3/4	098268488272	1	3	446.04
WFTC-125	0038116	FT-125	1	098268488289	1	3	459.00
WFTK-15	0038103	FT-15	1 1/2	098268488159	1	3	580.50
WFTK-15	0038104	FT-15	2	098268488166	1	3	883.44
WFTK-30	0038108	FT-30	1 1/2	098268488203	6	3	673.92
WFTK-30	0038109	FT-30	2	098268488210	6	3	1,023.84
WFTK-75	0038112	FT-75	1 1/4	098268488241	6	3	789.48
WFTK-75	0038113	FT-75	1 1/2	098268488258	6	3	883.98
WFTK-75	0038114	FT-75	2	098268488265	6	3	1,212.84
WFTK-125	0038117	FT-125	1 1/4	098268488296	6	3	842.94
WFTK-125	0038119	FT-125	1 1/2	098268488302	6	3	947.70
WFTK-125	0038120	FT-125	2	098268488319	6	3	1,544.40

WFTC Includes cover and cover gasket, condensate valve assembly, float & linkage, thermostatic vent.

WFTK - Includes float linkage, thermostatic air vent, valve head & seat, and gasket.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------



WIB 80

Series WIB

Inverted Bucket Steam Traps

WIB 80-20	0039500	1/2	098268592900		5.5	\$ 479.52
WIB 80-80	0039501	1/2	098268592467		5.5	479.52
WIB 80-150	0039502	1/2	098268592474		5.5	479.52
WIB 80-20	0039504	3/4	098268592481		5.5	538.92
WIB 80-80	0039505	3/4	098268592498		5.5	479.52
WIB 80-150	0039506	3/4	098268592504		5.5	538.92
WIB 81-15	0039508	1/2	098268592511		6.0	716.58
WIB 81-70	0039509	1/2	098268592528		6.0	637.74
WIB 81-125	0039510	1/2	098268592535		6.0	716.58
WIB 81-250	0039511	1/2	098268592542		6.0	637.74
WIB 81-15	0039514	3/4	098268592559		6.0	716.58
WIB 81-70	0039515	3/4	098268592566		6.0	637.74
WIB 81-125	0039516	3/4	098268592573		6.0	716.58
WIB 81-250	0039517	3/4	098268592580		6.0	637.74
WIB 81-15	0039520	1	098268592597		6.0	637.74
WIB 81-70	0039521	1	098268592603		6.0	637.74
WIB 81-125	0039522	1	098268592610		6.0	637.74
WIB 81-250	0039523	1	098268592627		6.0	637.74

Quick Fix™ Steam Trap Replacement Kits

QF-1	0800001	-	098268218657	6	1.5	82.62
QF-2	0800002	-	098268218664	6	1.5	82.62
QF-3	0800003	-	098268218671	6	1.5	73.33
QF-4	0800004	-	098268218688	6	1.5	73.33
QF-5	0800005	-	098268218695	6	1.5	82.62
QF-6	0800006	-	098268218701	6	1.5	82.62
QF-7	0800007	-	098268218718	6	1.5	82.62
QF-8	0800008	-	098268218725	6	1.5	78.62
QF-9	0800009	-	098268218732	6	1.5	73.33
QF-10	0800110	-	098268407402	6	1.5	82.62
QF-11	0800111	-	098268422917	6	1.5	73.33
QF-12	0800112	-	098268422900	6	1.5	73.33
QF-13	0800113	-	098268422894	6	1.5	73.33
QF-14	0800114	-	098268587616	6	1.5	89.10
QF-15	0800115	-	098268575163	6	1.5	73.33
QF-16	0800116	-	098268582055	6	1.5	82.62
QF-25	0800125	-	098268587623	6	1.5	73.33
QF-26	0800126	-	098268587630	6	1.5	82.40
QFC-10	0800010	-	098268218749	6	1	73.33



QF

Series WTD

Thermo Dynamic Steam Traps

WTD 600	0038200	3/8	098268634358	1	0.8	424.44
WTD 600	0038201	1/2	098268634365	1	1.5	613.98
WTD 600	0038202	3/4	098268634372	1	2.0	775.44
WTD 600	0038203	1	098268634389	1	3.0	1,019.52



WTD 600

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	Pattern	Pressure Range	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	---------	----------------	-----	-----------------	--------------------------	-------------------

Series G, GH, MG and MGH

Thermostatic/Radiator Steam Traps



1 GAP

1 GAP	0036040	1/2	Angle	25" Hg to 25 psig	098268395419	6	8.4	\$ 193.32
1 GSW	0036041	1/2	Straightway	25" Hg to 25 psig	098268395426	6	8.4	210.06
1 GRHC	0036042	1/2	Right Hand Corner	25" Hg to 25 psig	098268395433	1	1.2	254.34
1 GLHC	0036043	1/2	Left Hand Corner	25" Hg to 25 psig	098268395440	1	1.2	250.56
1 VG	0036044	1/2	Vertical	25" Hg to 25 psig	098268395457	1	1.4	326.16
1 VGDU	0036045	1/2	Vertical Dbl. Union	25" Hg to 25 psig	098268395464	1	1.7	371.52
3 GHAP	0036046	3/4	Angle	25" Hg to 25 psig	098268395471	6	12.6	274.32
3 GHSW	0036047		Straightway		098268395488	1	2.1	275.40
1 MGAP	0036048	1/2	Angle	25" Hg to 65 psig	098268395495	1	1.2	198.18
1 MGSW	0036049		Straightway		098268395501	1	1.2	254.88
3 MGHAP	0036050	3/4	Angle	25" Hg to 65 psig	098268395518	1	2.1	289.98
3 MGHSW	0036051		Straightway		098268395525	1	2.1	304.02
5 MGHAP	0036052	1	Angle	25" Hg to 65 psig	098268395532	1	3.4	445.50

Model	Ordering Code	Size (in.)	Pattern	Trap Being Replaced	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	---------	---------------------	-----	-----------------	--------------------------	-------------------

SERIES G

Replacement Steam Traps

1GT/MON25A	0036068	1/2	Angle (Outboard only)	Illinois 1T, 2T/ Monash 35A (3)	098268395600	1	1.3	\$ 371.52
------------	---------	-----	-----------------------	---------------------------------	--------------	---	-----	-----------

Model	Ordering Code	Size (in.)	Pressure Range	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	----------------	-----	-----------------	--------------------------	-------------------

Series G and MG

Float and Thermostatic (F&T) Steam Traps



6G-15

6G-15	0036096	3/4		098268395822	1	6	\$ 577.26
7G-15	0036097	1		098268395846	1	9	828.36
8G-15	0036098	1 1/4	25" Hg to 15 psig	098268395877	1	12	868.32
91G-15	0036099	1 1/2		098268395921	1	37	1,549.80
101G-15	0036100	2		098268395952	1	59	2,527.20
111MG-15	0036101	2		098268395969	1	85	3,554.28
7MG-30	0036103	1		098268395976	1	9	841.86
8MG-30	0036104	1 1/4		098268395983	1	12	1,007.10
91MG-30	0036105	1 1/2	25" Hg to 30 psig	098268395990	1	37	1,763.64
101MG-30	0036106	2		098268396003	1	59	2,816.64
111MG-30	0036107	2		098268396010	1	85	3,903.12
6MG-50	0036109	3/4		098268396027	1	6	687.42
7MG-50	0036110	1		098268396034	1	9	841.86
8MG-50	0036111	1 1/4	25" Hg to 50 psig	098268396041	1	12	1,007.10
91MG-50	0036112	1 1/2		098268396058	1	37	1,981.80
101MG-50	0036113	2		098268396065	1	59	2,816.64
111MG-50	0036114	2		098268396072	1	85	3,903.12

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	Pressure Range	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	----------------	-----	-----------------	--------------------------	-------------------



Series GF and MGF

Series GF and MGF

Float Traps

6GF-15	0036142	3/4		098268396140	1	6	\$ 715.82
7GF-15	0036143	1		098268396164	1	9	847.15
8GF-15	0036144	1 1/4	25" Hg to 15 psig	098268396195	1	12	1,020.06
91GF-15	0036145	1 1/2		098268396225	1	37	1,933.20
101GF-15	0036146	2		098268396256	1	59	2,755.08
111MGF-15	0036147	2		098268396263	1	85	3,829.68
7MGF-30	0036149	1		098268396270	1	9	847.26
8MGF-30	0036150	1 1/4		098268396287	1	12	1,020.06
91MGF-30	0036151	1 1/2	25" Hg to 30 psig	098268396294	1	37	1,933.20
101MGF-30	0036152	2		098268396300	1	59	2,755.08
111MGF-30	0036153	2		098268396317	1	85	3,829.68
6MGF-50	0036155	3/4		098268396324	1	6	716.04
7MGF-50	0036156	1		098268396331	1	9	847.26
8MGF-50	0036157	1 1/4	25" Hg to 50 psig	098268396348	1	12	1,020.06
91MGF-50	0036158	1 1/2		098268396355	1	37	1,933.20
101MGF-50	0036159	2		098268396362	1	59	2,755.08
111MGF-50	0036160	2		098268396379	1	85	3,825.36

Model	Ordering Code	Size (in.)	End Pattern	Connections	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-------------	-------------	-----	-----------------	--------------------------	-------------------

Radiator Supply Valves (1)

Series 65



Series 65

AP-65	0036001	1/2	Angle	Thread-Male Union	098268395051	6	8	\$ 206.82
SW-65	0036002		Straightway	Thread-Male Union	098268395068	6	8	241.00
AP-65	0036003	3/4	Angle	Thread-Male Union	098268395075	6	10	243.54
SW-65	0036004		Straightway	Thread-Male Union	098268395082	6	10	285.66
AP-65	0036005	1	Angle	Thread-Male Union	098268395099	1	3	443.88
SW-65	0036006		Straightway	Thread-Male Union	098268395105	1	3	476.60

NOTES: (1) Series 65 Radiator Supply Valves are suited only for two pipe steam or two pipe forced circulation hot/chilled water systems and are not applicable to one pipe steam or one pipe gravity water systems.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Heating Valves and Fittings

Series RA



RA-1-AP

Steam Angle Radiator Valve - Bronze - FIP x Male Union

RA-1-AP	0067450	1/2	098268394863	60	52	\$ 46.98
RA-1-AP	0067451	3/4	098268394870	48	59	56.70
RA-1-AP	0067452	1	098268394887	36	59	67.77
RA-1-AP	0067453	1 1/4	098268394894	24	54	85.59
RA-1-AP	0067454	1 1/2	098268394900	18	54	127.98
RA-1-AP	0067600	2	098268589511	16	66	199.26

Steam Angle Radiator Valve - Brass - FIP x Male Union

RA-2-AP	0067545	1/2	098268815733	60	52	50.49
RA-2-AP	0067455	3/4	098268401554	48	59	52.11
RA-2-AP	0067456	1	098268401561	36	59	65.34
RA-2-AP	0067457	1 1/4	098268401578	24	54	79.92

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Heating Valves and Fittings

Series RA (cont.)



RA-1-SW

Steam Angle Convector Valve - Bronze - Female Union x FIP

RA-CV	0067615	1	098268589580	36	75	\$ 85.59
RA-CV	0067616	1 1/4	098268589603	24	66	104.76

Steam Radiator Gate Valve - Bronze - FIP x Male Union

RA-1-SW	0067605	1/2	098268589528	60	52	59.13
RA-1-SW	0067606	3/4	098268589542	48	59	67.77
RA-1-SW	0067607	1	098268589559	36	59	99.63
RA-1-SW	0067608	1 1/4	098268589566	24	54	132.84
RA-1-SW	0067609	1 1/2	098268589573	18	54	161.46



OTV-FL

Series OTV-M1

Oil Tank Valves

OTV-FL-M1	0067652	1/2 M X 3/8 FL	098268560909	72	63	39.42
OTV-M-M1	0067653	1/2 M X 3/8 M	098268560916	72	68	37.26



HBV

Series HBV

Hydronic Balancing (Ball) Valve - Solder x Solder 600 WOG

HBV	0067640	1/2	098268589689	240	64	20.79
HBV	0067641	3/4	098268589696	108	64	25.65
HBV	0067642	1	098268589702	60	47	39.15



HWA

Series HWA

Hot Water Angle Valve - Bronze - FIP x Male Union

HWA	0067620	1/2	098268589610	70	56	44.01
HWA	0067621	3/4	098268589627	70	56	51.30
HWA	0067622	1	098268589634	36	59	71.55
HWA	0067623	1 1/4	098268589641	24	54	96.12

Hot Water Angle Valve - Bronze - Solder x Male Union

HWA	0067458	1/2	098268394917	70	53	46.44
HWA	0067459	3/4	098268394924	70	60	52.92



UL-1

Series UL

Union Elbow - Bronze - FIP x Male Union

UL-1	0067460	1/2	098268394931	150	68	23.49
UL-1	0067461	3/4	098268394948	100	66	30.24
UL-1	0067630	1	098268589665	70	71	49.14
UL-1	0067631	1 1/4	098268589672	50	64	75.87

Union Elbow - Bronze - Solder x Male Union

UL-2	0067462	1/2	098268394955	150	68	23.49
UL-2	0067463	3/4	098268394962	100	66	30.24

Series SV, SVA, SVS

Steam Air Vents



SVA

SV	0841000	1/8 angle non-adjustable	098268543506	144	29	27.81
SVA	0841005	1/8 angle adjustable	098268543513	144	29	33.48
SVS-1	0841010	1/8 straight, non-adjustable	098268543520	144	29	32.40
SVS-2	0841015	1/4 straight, non-adjustable	098268543537	144	29	33.48
SVS-3	0841020	3/4 MIP or 1/2 FIP, straight non-adjustable	098268543544	144	29	35.10

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Tempering Valves



USG-B-M2

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Thermostatic Tempering Valves - ASSE 1070 80°F - 120°F Series USG

USG-B-M2	0204141	3/8" compression bronze body		6	10	\$ 150.12
USG-B-SC-M2	0204142	3/8" compression bronze body satin chrome		6	10	239.76
USG-B-QC-M2	0204145	3/8" quick connect bronze body		6	10	167.40
USG-B-QC-SC-M2	0204129	3/8" quick connect bronze body satin chrome		6	10	253.26
LFUSGM1-B-M2	0204143	3/8" compression brass body		6	10	199.80
LFUSG-B-SC M2	0204144	3/8" compression brass body satin chrome		6	10	315.36
LF USG-B-QC-M2	0204146	3/8" compression bronze body		6	10	219.24
LF USG-B-QC-SC-M2	0204139	3/8" quick connect bronze body satin chrome		6	10	332.10

LEAD FREE*

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight. Consult factory for ordering code numbers of special models/options.

Tempering Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Thermostatic Tempering Valves - ASSE 1017, 1069, 1070 - Maximum Temperature 80°F - 120°F

Series MMV and LFMMV

Union Threaded Ends

MMV-UT M1	0206003	1/2	098268241204	12	25	\$ 181.44
MMV-UT M1	0206004	3/4	098268241211	12	34	181.44
MMV-UT M1	0206005	1	098268241228	6	22	200.34
LFMMVM1-UT	0559116	1/2	098268451795	12	25	219.67
LFMMVM1-UT	0559119	3/4	098268451825	12	34	219.67
LFMMVM1-UT	0559122	1	098268451856	6	22	242.89

LEAD FREE*

Union Solder Ends

MMV-US M1	0206000	1/2	098268241099	12	25	181.44
MMV-US M1	0206001	3/4	098268241105	12	31	181.44
MMV-US M1	0206002	1	098268241198	6	16	200.34
LFMMVM1-US	0559115	1/2	098268451788	12	25	219.67
LFMMVM1-US	0559118	3/4	098268451818	12	31	219.67
LFMMVM1-US	0559121	1	098268451849	6	16	242.89

LEAD FREE*

Union PEX Ends

MMV-PEX M1	0206045	1/2	686408554828	12	24	181.44
MMV-PEX M1	0206046	3/4	686408554835	12	28	181.44
MMV-PEX M1	0206047	1	686408554842	6	21	200.34
LFMMVM1-PEX	0559114	1/2	098268451771	12	24	219.67
LFMMVM1-PEX	0559117	3/4	098268451801	12	28	219.67
LFMMVM1-PEX	0559120	1	098268451832	6	21	242.89

LEAD FREE*

Union CPVC Ends

MMV-CPVC M1	0206006	1/2	098268241518	12	23	186.84
MMV-CPVC M1	0206007	3/4	098268241525	12	28	181.44
MMV-CPVC M1	0206008	1	098268241532	6	16	200.34
LFMMVM1-CPVC	0559161	1/2	098268452396	12	23	219.67
LFMMVM1-CPVC	0559162	3/4	098268452402	12	28	219.67
LFMMVM1-CPVC	0559163	1	098268452419	6	16	242.89

LEAD FREE*

Union Quick-Connect Ends

MMV-QC M1	0800806	1/2	098268346404	12	28	196.02
MMV-QC M1	0800807	3/4	098268346411	6	20	215.46
MMV-QC M1	0800808	1	098268346435	10	39	238.14
LFMMVM1-QC	0559164	1/2	098268452426	12	28	226.37
LFMMVM1-QC	0559165	3/4	098268452433	6	20	249.37
LFMMVM1-QC	0559166	1	098268452440	6	24	275.08

LEAD FREE*



MMV-UT-M1



MMV-QC-M1

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Tempering Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------



Thermostatic Tempering Valve - ASSE 1069, 1070
Maximum pressure 125psi, 80°F - 120°F
Series Model L111

L111	0915226	1/2	098268754254	6	12	\$ 481.68
------	---------	-----	--------------	---	----	-----------



Series CS

Check Stop Valve - Bronze Body

CS U-S	0205000	1/2	098268788075	25	18	106.38
CS U-T	0205001	1/2	098268788082	25	19	106.38
CS U-S	0205004	3/4	098268788112	24	24	145.26
CS U-T	0205005	3/4	098268788129	24	29	145.26
CS U-T	0205008	1	098268788150	12	23	186.84

Check Stop Valve - Bronze Body, Chrome Plated

CSC U-S	0205002	1/2	098268788099	25	23	138.24
CSC U-T	0205003	1/2	098268788105	25	25	138.24
CSC U-S	0205006	3/4	098268788136	24	26	181.44
CSC U-T	0205007	3/4	098268788143	24	26	181.44
CSC U-T	0205009	1	098268788167	12	21	233.28

Thermostatic Tempering Valves - ASSE 1017 -
Maximum Temperature Listed 90°F - 160°F

Series 1170 and LF1170

Union Threaded Ends

1170-UT M2	0206009	1/2	098268241549	12	28	181.44
1170-UT M2	0206010	3/4	098268241556	12	36	181.44
1170-UT M2	0206011	1	098268241594	6	23	214.92
LF1170M2-UT	0559101	1/2	098268451641	12	28	219.67
LF1170M2-UT	0559104	3/4	098268451672	12	36	219.67
LF1170M2-UT	0559106	1	098268451696	6	23	370.55

Union Solder Ends

1170-US M2	0206012	1/2	098268241624	12	24	181.44
1170-US M2	0206013	3/4	098268241631	12	35	181.44
1170-US M2	0206014	1	098268241662	6	20	214.92
LF1170M2-US	0559100	1/2	098268451634	12	24	219.67
LF1170M2-US	0559103	3/4	098268451665	12	35	251.64
LF1170M2-US	0559105	1	098268451689	6	20	242.89

Union PEX Ends

1170-PEX M2	0206015	1/2	098268241747	12	24	181.44
1170-PEX M2	0206016	3/4	098268241754	12	35	181.44
1170-PEX M2	0206017	1	098268241761	6	19	200.34
LF1170M2-PEX	0559143	1/2	098268452211	12	24	219.67
LF1170M2-PEX	0559102	3/4	098268451658	12	35	219.67
LF1170M2-PEX	0559144	1	098268452228	6	19	242.89

Union CPVC Ends

1170-CPVC M2	0206018	1/2	098268241778	12	23	181.44
1170-CPVC M2	0206019	3/4	098268241785	12	28	181.44
1170-CPVC M2	0206020	1	098268241792	6	16	200.34
LF1170M2-CPVC	0559145	1/2	098268452235	12	23	219.67
LF1170M2-CPVC	0559146	3/4	098268452242	12	28	219.67
LF1170M2-CPVC	0559147	1	098268452259	6	16	242.89



LEAD FREE

LEAD FREE

LEAD FREE

LEAD FREE

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Tempering Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Thermostatic Tempering Valves (cont.) - ASSE 1017 - Maximum Temperature Listed 90°F - 160°F

Series 1170 and LF1170 (cont.)

Union Quick-Connect Ends

	1170-QC M2	0800809	1/2	098268346442	12	28	\$ 196.02
	1170-QC M2	0800810	3/4	098268346466	6	20	215.46
	1170-QC M2	0800811	1	098268346473	10	39	238.14
LEAD FREE*	LF1170M2-QC	0559148	1/2	098268452266	12	28	226.37
	LF1170M2-QC	0559149	3/4	098268452273	6	20	249.37
	LF1170M2-QC	0559150	1	098268452280	6	24	275.08

Hot Water Extender Tempering Valves

Series 70A

Hot Water Extender Tempering Valves - 120°-160°F - For Residential Installations



70A

	70A-F	**0215462	1/2	098268303506	25	16	\$ 147.96
	70A-T	0215470	1/2	098268010428	25	28	169.02
	70A	**0215500	3/4	098268010473	25	21	169.02
	70A T	0215480	3/4	098268010442	25	23	200.34
LEAD FREE*	LF70A-F	**0559129	1/2	098268451870	25	16	157.14
	LF70A-T	0559130	1/2	098268451887	25	28	157.14
	LF70A	**0559133	3/4	098268451917	25	21	179.71
	LF70A T	0559134	3/4	098268451924	25	23	205.85

Series L70A

Low Temperature Hot Water Extender Tempering Valves - 100°- 130°F - For Residential Installations

	L70A-F	**0215467	1/2	098268371758	25	13	147.96
	L70A-T	0215473	1/2	098268010435	25	40	155.52
	L70A	**0215515	3/4	098268010480	25	28	169.02
	L70A-T	0215485	3/4	098268010466	25	23	200.34
LEAD FREE*	LFL70A	**0559135	3/4	098268451931	25	28	179.71

** Solder Connection

Master Tempering Valves

Series N170 and LFN170

Master Tempering Valves - ASSE 1017 90° -180°F - For Commercial Installations



N170-M3

	N170-M3	0478020	3/4	686408603618	6	29	708.48
	N170-M3	0478026	1	686408603670	6	29	760.86
	N170-M3	0478024	1 1/4	686408603656	4	38	1,260.36
	N170-M3	0478022	1 1/2	686408603632	4	38	1,345.68
	N170-M3	0478027	2	686408603687	3	31	2,127.60
LEAD FREE*	LFN170M3	0559124	3/4	686408611972	6	29	583.85
	LFN170M3	0559125	1	686408611989	6	29	950.83
	LFN170M3	0559126	1 1/4	686408611996	6	57	1,809.00
	LFN170M3	0559127	1 1/2	686408612009	4	36	1,617.41
	LFN170M3	0559128	2	686408612016	3	31	2,464.02

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Tempering Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Master Tempering Valves Series N170 and LFN170

Master Tempering Valves with Check Stops- ASSE 1017 90° -180°F -
For Commercial Installations



N170-M3 CSUT

LEAD FREE*

N170-M3 CSUT	0205220	3/4	686408604578	1	10	903.96
N170-M3 CSUT	0205221	1	686408604585	1	10	996.84
N170-M3 CSUT	0205222	1 1/4	686408604592	1	20	1,341.36
N170-M3 CSUT	0205223	1 1/2	686408604608	1	20	1,508.76
N170-M3 CSUT	0205224	2	686408604615	1	21	2,285.28
LFN170M3-CSUT	0559167	3/4	686408612177	1	10	1,046.20
LFN170M3-CSUT	0559168	1	686408612184	1	10	1,153.44
LFN170M3-CSUT	0559169	1 1/4	686408612191	1	10	1,552.07
LFN170M3-CSUT	0559170	1 1/2	686408612207	1	10	2,021.76
LFN170M3-CSUT	0559171	2	686408612214	1	11	3,080.05



WHT115

Model WHT115

Temperature Actuated Flow Reduction Device - ASSE 1062 - 115° -
For Commercial and Residential Installations

WHT115	0204140	1/2	098268393941	1 (bag)	0.30	63.99
--------	---------	-----	--------------	---------	------	-------

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Wall Hydrants

Model	Ordering Code	Wall Thickness Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	---------------------------	-----	-----------------	--------------------------	-------------------

Freezeless Wall Hydrants

Series FH

Less Vacuum Breaker - Inlet 1/2" Solder or 1/2" Male I.P.S.

FH-1-M1	0723160	4	098268493184	20	26	\$ 49.14
FH-1-M1	0723161	6	098268493177	20	31	53.73
FH-1-M1	0723162	8	098268493160	20	33	53.73
FH-1-M1	0723163	10	098268493191	20	37	56.97
FH-1-M1	0723164	12	098268493207	20	40	57.78
FH-1-M1	0723165	14	098268493214	20	44	60.21

Inlet 3/4" Male I.P.S. or 1/2" Female I.P.S.

FH-2-M1	0723166	4	098268493115	20	27	51.30
FH-2-M1	0723167	6	098268493122	20	31	54.81
FH-2-M1	0723168	8	098268493139	20	33	55.62
FH-2-M1	0723169	10	098268493146	20	37	57.78
FH-2-M1	0723170	12	098268493153	20	40	60.21
FH-2-M1	0723171	14	098268493221	20	44	61.56

Series FHB

With Vacuum Breaker - Inlet 1/2" Solder or 1/2" Male I.P.S.- ASSE Std. 1019, IAPMO Listed

FHB-1	0723010	4	098268678109	20	30	68.31
FHB-1	0723011	6	098268678123	20	30	70.47
FHB-1	0723012	8	098268678130	20	42	58.05
FHB-1	0723013	10	098268678147	20	44	59.40
FHB-1	0723014	12	098268678154	20	46	61.83
FHB-1	0723015	14	098268678161	20	48	64.53

With Vacuum Breaker - Inlet 1/2" PEX - ASSE 1019, IAPMO

FHB-1-PEX	0723025	4	098268324532	20	30	61.83
FHB-1-PEX	0723026	6	098268324549	20	30	63.72
FHB-1-PEX	0723027	8	098268324556	20	42	59.62
FHB-1-PEX	0723028	10	098268324273	20	44	60.91
FHB-1-PEX	0723029	12	098268324280	20	46	69.39
FHB-1-PEX	0723030	14	098268324358	20	48	83.48

Inlet 3/4" Male I.P.S. or 1/2" Female I.P.S.

FHB-2	0723016	4	098268678178	20	30	68.58
FHB-2	0723017	6	098268678185	20	30	70.47
FHB-2	0723018	8	098268678192	20	42	71.28
FHB-2	0723019	10	098268678208	20	44	73.17
FHB-2	0723020	12	098268678222	20	46	76.68
FHB-2	0723021	14	098268678239	20	48	79.38

Inlet 3/4" Solder or 3/4" Male I.P.S

FHB-2-3/4"	0723022	12	098268701913	20	62	92.61
------------	---------	----	--------------	----	----	-------



FHB



FHB-1-PEX

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Water Hammer Arrestors

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Water Hammer Arrestors Series LF05

Mini Water Hammer Arrestors - ASSE Std 1010, IAPMO Listed



	Straight Models	Inlet Size					
LEAD FREE*	LF05 (NPT)	0009850	3/8	098268430110	30	13	\$ 52.38
	LF05 (NPT)	0009851	1/2	098268430127	30	13	66.29
	LF05H (Hose)	0009852	3/4	098268430134	12	7.3	64.13
	LF05H-M1 (Hose)	0009853	3/4	098268430141	12	6.6	62.64
	LF05-S (Solder)	0009854	1/2	098268430158	30	11	52.65
	LF05-S (Solder)	0009856	3/4	098268430172	24	18	62.64
	LF05A-CH (NPT)	0009855	3/4	098268430165	12	10	65.88
Tee Models							
LEAD FREE*	LF05-C-T (Compression)	0121272	3/8	098268582222	30	13	69.93
	LF05-C-T (Comp x Rrvs Comp Nut)	0121273	3/8	098268582239	30	20	67.50
	LF05-PEX-T	0009857	1/2	098268430189	12	10	56.86

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Hammer Arrestors

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series LF15

Water Hammer Arrestors - Stops Banging Pipes - P.D.I. approved, ASSE Std. 1010, IAPMO Listed



LEAD FREE*	LF15M2-AS	0750150	1/2	098268499384	30	13	\$ 23.76
	LF15M2-BS	0750151	3/4	098268499391	24	13	27.65
	LF15M2-CS	0750152	1	098268499407	12	11	72.68
	LF15M2-DS	0750153	1	098268499414	6	9.9	92.12
	LF15M2-ES	0750154	1	098268499421	4	8.1	123.88
	LF15M2-FS	0750155	1	098268499438	4	9.5	200.12
	LF15M2-A	0750160	1/2	098268526127	30	14	27.11
	LF15M2-B	0750161	3/4	098268526134	24	21	35.75
	LF15M2-C	0750162	1	098268526141	12	14	80.57
	LF15M2-D	0750163	1	098268526158	6	12	99.79
	LF15M2-E	0750164	1	098268526165	4	9.4	135.43
	LF15M2-F	0750165	1	098268526172	4	11	210.92

Series LF150

Water Hammer Arrestor For Washing Machines



LEAD FREE*	LF150A	0121227	1/2	098268580266	12	8	83.70
Fitting For 1/2" Shock Arrestor For Washing Machines							
LEAD FREE*	LF150HA	0121229	3/4 H.T.	098268580280	50	17	23.76
Water Hammer Arrestor and Fitting For Washing Machines							
LEAD FREE*	LF150A-HA	0121231	3/4 H.T.	098268580303	12	12	132.84

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	Adapter Fitting/Description	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----------------------------	-----	-----------------	--------------------------	-------------------

IntelliFlow® Automatic Water Shutoff Valves For Washing Machines

Series A2



A2C-M1

A2C-M1	0004640	1/2	surface mount – solder; with leak sensor	098268910537	8	16	\$ 429.30
A2C-WB-M1**	0004646	1/2	with wall box-solder and/or thread; with leak sensor	098268910544	6	21	477.36
A2C-LS	0004647	1/2	leak sensor for A2C-M1, A2C-WB-M1	098268923506	12	4	112.32
A2-Intellitimer	0004650		allows A2 to be used with 220VAC appliance	098268183085	6	10	341.82
KA2-BD	0004800	1/2	retrofit kit for straight or angle shutoffs	098268922769	12	17	112.32
KA2-A	0004804	1/2	retrofit kit for 2, A2, A2C, A2C-M	098268922806	12	10	112.32
KA2-R	0004805	1/2	retrofit kit for 2, A2-WB, A2C-WB, A2C-WB-M	098268922813	12	8	113.94

** With wall mount box

Decorative Wall Box With Duo-Cloz™

Series 2M2



2M2 DWB

2M2 DWB	0006625	–	Decorative Wall Box	098268858389	–	12	214.38
2M2 DWB	0006626	–	Finish Kit	098268253146	–	12	154.98
2M2 DWB	0006627	–	Rough-In Kit	098268253153	–	12	71.82

DUO-CLOZ™ Water Shutoff Valves For Washing Machines

Series 2

Plain Brass Body



2M2

2-M2	0006644	1/2	Solder Copper Ell	098268302417	24	32	107.73
2T-M2	0006643	1/2	Male Threaded Brass †Satin Chrome Body	098268302400	24	32	107.73
2-M2-SC	0006364	1/2	Solder Copper Ell	098268371741	24	32	115.56
2T-M2-SC	0006363	1/2	Male Threaded Brass	098268371734	24	32	115.56

† For "Satin Chrome Fittings". Specify 2-M2-SCF, 2T-M2-SCF, List Price \$1.30 extra.

Stop & Waste Valves - 150 WOG

Series SWS and SWT



SWS

SWS	0820869	3/8	CxC	098268711240	72	43	14.58
SWS	0820870	1/2	CxC	098268092653	144	72	14.58
SWS	0820871	3/4	CxC	098268092660	144	78	15.39
SWT	0820860	1/2	NPT	098268092639	144	59	14.85
SWT	0820861	3/4	NPT	098268092646	144	100	16.20

Brass Stop & Waste Valves - 150 WOG - Compression Ends

Series SWC



SWC

SWC	0812012	1/2		098268633290	72	37	23.76
SWC	0812013	3/4		098268633306	48	30	28.89

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	Adapter Fitting/Description	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----------------------------	-----	-----------------	--------------------------	-------------------

Stop Valves - 150 WOG (cont.)

Series SSC

SS	0820850		1/2 CxC	098268092615	144	72	\$ 13.77
SS	0820851		3/4 CxC	098268092622	144	78	15.66
ST	0820846		1/2 NPT	098268092608	144	59	14.31
ST	0820845		3/4 NPT	098268092592	144	100	15.66

Cross Handle

ST-C	0820855		1/2NPT	098268322903	72	40	14.85
ST-C	0820856		3/4 NPT	098268322897	72	44	16.20

Series SS and ST

Compression Ends

SSC	0812010		1/2	098268633276	72	37	20.52
SSC	0812011		3/4	098268633283	48	30	25.65



SSC

Boiler Drains

Series BD

BD1C	0820901		1/2 M.I.P. or Solder inlet, angle	098268260441	100	70	12.42
BD2	0820905		3/4 M.I.P. inlet, angle	098268092806	144	60	14.31
BD2C	0820902		3/4 M.I.P. inlet, angle	098268260458	100	75	14.31
BD3F	0820906		1/2 F.I.P. inlet, angle pattern	098268092813	100	55	13.50
BD4F	0820908		3/4 F.I.P. inlet, angle pattern	098268092820	144	55	15.39
BD5	0820903		1/2 M.I.P. or Solder inlet, straight pattern	098268650464	144	55	9.18
BD6	0820904		3/4 M.I.P. inlet, straight pattern	098268650471	144	55	9.72

Quarter-Turn Boiler Drains

BD-QT	0820955		1/2 Dual Pattern, MIP or Solder with 3/4 hose connection	098268919875	120	55	10.53
BD-QT	0820956		3/4 M.I.P. x 3/4 hose connection	098268919882	80	60	16.47



BD-QT

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	Adapter Fitting/Description	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----------------------------	-----	-----------------	--------------------------	-------------------

Stop Valves - 150 WOG (cont.)

Series SSC

SS	0820850		1/2 CxC	098268092615	144	72	\$ 13.77
SS	0820851		3/4 CxC	098268092622	144	78	15.66
ST	0820846		1/2 NPT	098268092608	144	59	14.31
ST	0820845		3/4 NPT	098268092592	144	100	15.66

Cross Handle

ST-C	0820855		1/2NPT	098268322903	72	40	14.85
ST-C	0820856		3/4 NPT	098268322897	72	44	16.20

Series SS and ST

Compression Ends

SSC	0812010		1/2	098268633276	72	37	20.52
SSC	0812011		3/4	098268633283	48	30	25.65



SSC

Boiler Drains

Series BD

BD1C	0820901		1/2 M.I.P. or Solder inlet, angle	098268260441	100	70	12.42
BD2	0820905		3/4 M.I.P. inlet, angle	098268092806	144	60	14.31
BD2C	0820902		3/4 M.I.P. inlet, angle	098268260458	100	75	14.31
BD3F	0820906		1/2 F.I.P. inlet, angle pattern	098268092813	100	55	13.50
BD4F	0820908		3/4 F.I.P. inlet, angle pattern	098268092820	144	55	15.39
BD5	0820903		1/2 M.I.P. or Solder inlet, straight pattern	098268650464	144	55	9.18
BD6	0820904		3/4 M.I.P. inlet, straight pattern	098268650471	144	55	9.72

Quarter-Turn Boiler Drains

BD-QT	0820955		1/2 Dual Pattern, MIP or Solder with 3/4 hose connection	098268919875	120	55	10.53
BD-QT	0820956		3/4 M.I.P. x 3/4 hose connection	098268919882	80	60	16.47



BD-QT

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Plumbing Specialties

Model	Ordering Code	Size (in.)	Adapter Fitting/Description	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----------------------------	-----	-----------------	--------------------------	-------------------

No-Kink Hose Bibb With Tee Handle

Series SC



SC-1

SC-1	0610010	1/2	Male I.P. or Solder connection	098268082173	144	51	\$ 14.04
SC-2	0610030	1/2	Solder connection	098268082180	144	54	17.28
SC-2	0610111	3/4	Solder connection	098268915693	144	54	17.82

Lawn Faucet (Angle Sillcock) With Cast Iron Handwheel

SC-3	0610050	1/2	Solder connection	098268082197	144	74	16.74
SC-3	0610113	3/4	Solder connection	098268919035	144	74	17.55
SC-4	0610071	1/2	Female I.P. connection	098268224818	144	76	16.74
SC-4	0610070	3/4	Female I.P. connection	098268082203	144	76	16.74

Hose Bibb Hex Shoulder With Tee Handle

SC-5	0610090	1/2	Male I.P. or solder inlet	098268082210	144	51	11.88
SC-6	0610110	3/4	Male I.P. inlet, hose end	098268082227	144	54	12.96
SC-6	0610112	3/4	Solder connection	098268915709	144	54	12.96

No-Kink Hose Bibb With Tee Handle and Vacuum Breaker

SC8-1	0611150	1/2	Male I.P. or Solder	098268308563	24	18	39.40
SC8-2	0611250	3/4	Solder	098268308570	24	18	50.76



SC8

Lawn Faucet (Sillcock With Cast Iron Handwheel and Vacuum Breaker)

SC8-3	0611350	1/2	Solder	098268308587	24	18	47.25
SC8-4	0611450	3/4	Female I.P.	098268308495	24	18	48.06

Hose Bibb, Hex Shoulder With Tee Handle and Vacuum Breaker

SC8-5	0611550	1/2	Male I.P. or solder inlet	098268308488	24	18	44.01
SC8-6	0611650	3/4	Male I.P. inlet, hose end	098268308471	24	18	46.17

Trap Primer - Ensures Trap Seal

Series TP300 and LFTP300

LFTP300T	0121238	1/2	Threaded Connections	098268580433	24	25	254.88
LFTP300S	0121239	1/2	Union Solder Ends	098268580440	24	23	259.74
TP300-DU	0295137	1/2	Distribution Unit	098268560619	24	20	62.00

Anti-Sweat Valve For Toilet Tanks - Adjustable

Series WAS

WAS	0215476	1/2	IPS and/or compression	098268633337	100	66	100.44
-----	---------	-----	------------------------	--------------	-----	----	--------



WAS

Brass Angle Meter Valve With Waste

Series WAMV

WAMV-W	0061713	3/4	3/4 FL x 3/4 IPS	098268633313	60	71	50.76
WAMV-W	0061714	1	1 FL x 3/4 IPS	098268633320	60	71	60.21
WAMV-W	0545024	3/4	3/4 fl X 1/2 IPS	098268815757	100	71	56.16

Brass Angle Meter Valve

WAMV	0061716	3/4	3/4 FL x 3/4 IPS	098268696318	60	71	52.38
WAMV	0061717	1	1 FL x 3/4 IPS	098268696325	60	71	60.21
WAMV	0545023	3/4	3/4 FL x 1/2 IPS	098268815740	100	71	56.16

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Plumbing Specialties



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Float Valves and Components

Heavy Duty Float Valves

375	0780001	3/8	098268090840	40	-	\$ 69.66
500	0780003	1/2	098268090864	40	-	73.44
750	0780007	3/4	098268090901	40	-	94.23

Heavy Duty Float Valves Plus Locknut and Gasket

375-12	0780002	3/8	098268090857	40	-	74.79
500-12	0780004	1/2	098268090871	40	-	77.22
750-12	0780008	3/4	098268090918	40	-	99.90

Heavy Duty Float Valves

1000	0780011	1	098268090949	10	-	156.60
1250	0780012	1 1/4	098268090956	10	-	280.26
1500	0780013	1 1/2	098268090963	10	-	282.42
2000	0780014	2	098268090970	10	-	287.82

Heavy Duty Float Valves with Threaded Outlet Valve

500TO	0780005	1/2	098268090888	40	-	76.41
750TO	0780009	3/4	098268090925	40	-	95.58

Valve Plus Locknut and Gasket

500TO-12	0780006	1/2	098268090895	40	-	79.11
750TO-12	0780010	3/4	098268090932	40	-	99.90

Stems

11	0780318	10	098268702965	50	-	11.99
11.5	0780319	12	098268702972	50	-	21.49
11-12	0780322	12	098268703009	50	-	21.49
12	0780320	12	098268702989	50	-	21.49
12.5	0780349	12	098268818321	50	-	471.53
13	0780321	12	098268702996	50	-	23.54

Nozzle Assemblies

N1	0780021	10	098268091045	50	-	12.96
N1-7	0780022	10	098268091052	50	-	32.40
N5	0780023	12	098268091069	50	-	23.22
N5-1	0780024	12	098268091076	50	-	39.53
N5-3	0780025	12	098268091083	50	-	42.93
N8	0780026	12	098268091090	50	-	25.65
N8-7	0780027	12	098268091106	50	-	44.82

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Plumbing Specialties



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Float Valves and Components

Copper Floats

CX	0780351	4x 5	098268818291	8	-	\$ 814.43
C4	0780352	4	098268818307	8	-	260.06
C5	0780329	5	098268703078	12	-	109.51
C6	0780330	6	098268703085	8	-	110.38
C6-3	0780032	6	098268091151	24	-	119.34
C6-7	0780331	6	098268703092	8	-	110.38
C7	0780332	7	098268703108	12	-	214.49
C8	0780333	8	098268703115	8	-	490.64
C10	0780036	10	098268091199	4	-	498.96
C12	0780037	12	098268091205	4	-	913.14

Plastic Floats

PX	0780325	4x 5	098268703030	10	-	19.22
P6	0780326	6	098268703047	10	-	30.24
P6-7	0780327	6	098268703054	10	-	30.24
P8	0780328	8	098268703061	10	-	37.80
P8-1	0780357	8	098268818314	10	-	51.08
P8-7	0780356	8	098268818338	10	-	37.80
P12***	0780221	2 x 6	098268474527	1	-	69.66
P16**	0780044	2 x 8	098268091274	1	-	106.65

**Assembly of two P8's
 ***Assembly of two P6's

Standard Duty Float Valves

ST375	0770179	3/8	098268194487	80	-	29.43
ST500	0770180	1/2	098268194494	80	-	31.86
ST750	0770181	3/4	098268194500	80	-	42.12
ST1000	0770182	1	098268225938	54	-	58.86
ST1250	0780282	1 1/4	098268475135	1	-	282.96
ST1500	0780283	1 1/2	098268475142	1	-	230.15
ST2000	0780284	2	098268475159	1	-	249.16

Automatic Livestock Watering Kits

		Weight (lbs.)				
RL600	0780105	1.1	098268240450	12	-	72.63
RL600A	0780173	.1	098268474046	N/A	-	18.90
RL600V	0780174	.2	098268474053	10	-	34.56
RL600-SC	0780365	.2	098268824933	50	-	24.19
UA600	0780245	1.4	098268474763	12	-	58.05
AP112	0780242	.1	098268474732	N/A	-	14.04

Thread Adapters for Floats

		Male Thread	Female Thread			
AD1	0780045	3/8 NPT	5/16-18	098268091281	100	50.22
AD2	0780046	3/8 NPT	3/8-16	098268091298	100	50.22
AD3	0780047	1/2 NPT	3/8-16	098268091304	100	72.09
AD4	0780048	3/4 NPT	3/8-16	098268091311	100	72.09
AD10	0780049	1/4-20	5/16-18	098268091328	100	66.42
AD11	0780050	1/4-20	3/8-16	098268091335	100	66.42
AD12	0780051	5/16-18	1/4-20	098268091342	100	66.42
AD13	0780052	3/8	5/16-18	098268091359	100	71.82
AD14	0780053	3/8-16	1/4-20	098268091366	100	71.82
AD15	0780054	5/16-18	3/8-16	098268091373	100	71.82

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Plumbing Specialties



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Float Valves and Components Replacement Parts

Valve Arms

1MN	0780337		098268703153	100	-	\$ 11.45
2MN-1	0780334	For valve sizes 3/8, 1/2 and 3/4.	098268703122	100	-	13.61
2MN-7	0780064		098268091472	100	-	14.85
2MN 3	0780065		098268091489	100	-	14.85
2MN-9	0780066		098268091496	100	-	14.85
1JB	0780338	For valve sizes 1 and larger.	098268703160	100	-	20.30
2JB-1	0780072		098268091557	100	-	22.14
2JB-7	0780335		098268703139	100	-	31.43
2JB-3	0780336		098268703146	100	-	23.00
2JB-9	0780070		098268091533	100	-	21.60
2JB-4	0780071		098268091540	100	-	21.60

Valve Arm Sets

A1214	0780073	For 3/8,1/2,3/4	098268091564	100	-	34.02
A1210	0780074	1 & larger	098268091571	100	-	57.51

Plunger Assembly

375A785	0780075	3/8	098268091588	100	-	21.60
500A785	0780076	1/2	098268091595	100	-	22.14
750A785	0780077	3/4	098268091601	100	-	28.89
1000A785	0780078	1	098268091618	100	-	50.76
JA785	0780079	1 1/4-2	098268091625	-	-	83.16

Lock Nuts

375-6	0780080	3/8	098268091632	100	-	5.67
500-6	0780081	1/2	098268091649	100	-	8.64
750-6	0780082	3/4	098268091656	100	-	8.64

Plunger End Discs

375-5	0780341	3/8	098268703191	100	-	29.70
500-5	0780342	1/2	098268703207	100	-	305.64
750-5	0780343	3/4	098268703214	100	-	390.85
1000-5	0780344	1	098268703221	100	-	237.60
J-5	0780345	1 1/4-2	098268703238	100	-	16.20

Leather Rings

375-8	0780346	3/8	098268703245	100	-	6.84
500-8	0780347	1/2, 1-2	098268703252	100	-	7.24
750-8	0780348	3/4	098268703269	100	-	7.24

Machine Screws

10	0780339	For 1 – 2	098268703177	100	-	6.26
----	---------	-----------	--------------	-----	---	------

Thumb Screws

15	0780340	For 3/8 – 3/4	098268703184	100	-	7.88
----	---------	---------------	--------------	-----	---	------

Stainless Steel Nut and Bolt Assembly

3B	0780095	For 3/8,1/2,3/4	098268091786	100	-	5.94
4B	0780096	For 1- 2	098268091793	100	-	6.48

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Plumbing Specialties

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Evaporative Cooler Valve Kits

Bronze body, machined in-seat, Buna-N seals, adjustable brass arms, polyethylene float. - 3 GPM @ 100psi Capacity.

3/8" MIP OD x 1/8" FIP ID pipe connection

STD-CA3/8x1/8	0770178	8 x 3/4	098268194470	100	-	\$ 22.14
---------------	---------	---------	--------------	-----	---	----------

3/8" Copper Tube Connection

C3/8TF	0780274	12 x 3/4	098268475050	100	-	21.38
--------	---------	----------	--------------	-----	---	-------

1/4" Copper Tube Connection

C1/4TF	0780269	12 x 3/4	098268475005	100	-	21.06
--------	---------	----------	--------------	-----	---	-------

1/4" Copper Tube Connection

C1/4TFAEA	0780270	11 x 3/4	098268475012	100	-	21.06
-----------	---------	----------	--------------	-----	---	-------

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Dielectric Unions

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series LF3001A

Female Iron Pipe Thread to Copper Solder Joint



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LF3001A	0009864	1/2	098268430196	24	8.6	\$ 20.52
LF3001A	0009865	3/4	098268430202	24	10	20.52
LF3001A	0009866	1	098268430219	12	7.1	40.37
LF3001A	0009867	1 1/4	098268430226	12	11	64.94
LF3001A	0009868	1 1/2	098268430233	12	16	103.25
LF3001A	0009869	2	098268430240	6	16	129.47

Series LF3002

Female Iron Pipe Thread to Reduced Copper Solder Joint



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LF3002	0121292	1/2 x 3/8	098268582444	25	8.7	20.52
LF3002	0009872	3/4 x 1/2	098268430271	24	11	22.14
LF3002	0009873	1 x 3/4	098268430288	12	7.6	32.67

Series LF3003

Female Iron Pipe Thread to Female Brass Pipe Thread



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LF3003	0009874	1/2	098268430295	24	12	31.32
LF3003	0009875	3/4	098268430301	12	8.5	38.34
LF3003	0009876	1	098268430318	12	12	58.86
LF3003	0009877	1 1/4	098268430325	12	18	88.02
LF3003	0009878	1 1/2	098268430332	6	18	120.96
LF3003	0009879	2	098268430349	6	26	160.92

Series LF3004

Female Iron Pipe Thread to Female Iron Pipe Thread - Galvanized

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LF3004	0821930	1/2	098268461480	24	12	22.95
LF3004	0821931	3/4	098268461497	12	8	33.48
LF3004	0821932	1	098268461503	12	12	47.12
LF3004	0821933	1 1/4	098268461510	12	18	46.44
LF3004	0821934	1 1/2	098268461527	6	17	109.76
LF3004	0821935	2	098268461534	6	25	139.05

Series LF3005

Male Iron Pipe Thread to Copper Solder Joint



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LF3005A	0009870	1/2	098268430257	12	5.6	21.06
LF3005A	0009871	3/4	098268430264	24	13	25.38

Series LF3006

Female Iron Pipe Thread to Female Iron Pipe Thread - Black - Gas Service



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LF3006	0821786	1/2	098268786231	24	11	22.95
LF3006	0821787	3/4	098268786255	12	8	34.43
LF3006	0821788	1	098268786262	12	8	46.98
LF3006	0821789	1 1/4	098268786279	12	17	66.53
LF3006	0821790	1 1/2	098268786286	6	16	100.71
LF3006	0821791	2	098268786293	6	16	143.37

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Dielectric Unions

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series LF3007

Male Iron Pipe Thread to Reduced Solder Connection

LEAD FREE	LF3007	0821937	3/4 x 1/2	098268461558	24	14	\$ 32.67
-----------	--------	---------	-----------	--------------	----	----	----------

Series LF3008

Female Brass Pipe Thread to Female Solder Connection

LEAD FREE	LF3008	0009880	1/2	098268430356	25	9.6	40.39
	LF3008	0009881	3/4	098268430363	24	11	42.12
	LF3008	0009882	1	098268430370	12	7.8	56.70

Series LF4001E

Iron Pipe Thread to Copper Solder Joint

LEAD FREE	LF4001E	0821460	1/2	098268570915	24	4.9	16.20
	LF4001E	0821461	3/4	098268570922	24	10	16.20
	LF4001E	0821462	1	098268570939	12	7.1	36.18
	LF4001E	0821463	1 1/4	098268570977	12	10	59.40
	LF4001E	0821464	1 1/2	098268570984	12	16	86.67
	LF4001E	0821465	2	098268570991	6	15	167.40

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Dielectric Unions

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Flanged Fittings

Series LF3100

Iron Pipe Thread to Copper Solder Joint

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF3100M3	0821747	2 1/2	098268430394	1	13	\$ 349.79
	LF3100M3	0821748	3	098268430400	1	16	442.94
	LF3100M3	0821749	4	098268430417	1	33	932.58



LF3100/3200

Series 3200

Iron Pipe Thread to Iron Pipe Thread

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	3200	0822400	2	098268094305	1	8.5	234.36
	3200	0822420	2 1/2	098268094312	1	15	272.70
	3200	0822440	3	098268094329	1	18	337.50
	3200	0822460	4	098268094336	1	32	534.06

Series LF3110

Bronze Solder Copper - Class 125 - Flange, Insulators, gasket, Bolts & Nuts

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF3110	0009887	2 1/2	098268430424	1	7.7	466.29
	LF3110	0009888	3	098268430431	1	9.3	533.66
	LF3110	0121304	4	098268582604	1	15	730.62



LF3110

Series LF3110-LF

Flange Only

LEAD FREE*	Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
	LF3110-LF	0121303	2 1/2	098268582598	1	6.2	294.84
	LF3110-LF	0009889	3	098268430448	1	8.3	422.82
	LF3110-LF	0121305	4	098268582611	1	13	606.96

Series INS-KIT

Bolt Insulators - For Insulating Flange Bolts

INS-KIT	0889142	1/2	098268267792	100	1.1	4.10
INS-KIT	0889144	5/8	098268267785	100	1.6	4.64
INS-KIT	0889146	3/4	098268267778	100	2	5.29
INS-KIT	0889148	7/8	098268267761	100	2	5.83

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.



HOW TO ORDER FloodSafe™ FLEXIBLE CONNECTORS

Example: FS-CFC-S-CF 3/8" x 1/2" x 12"

	Product No.	Size
FloodSafe™	FS-CFC-S-CF	3/8" x 1/2" x 12"
Type of Connector:		
Construction:		
*Type of Connection from Supply:		
*Type of connection to Fixture:		
Connector Size:	From Supply X To Fixture X Length	

CTC = Connector, Toilet
 CDC = Connector, Dishwasher
 CFC = Connector, Faucet
 CIC = Connector, Icemaker
 CWM = Connector, Washing Machine

S = Stainless Steel Braided Hose


***Definition for type of Connection:**

<u>Connection Type</u>	<u>Connection Type</u>
B = Ballcock End Fitting	H = Female Hose End Fitting
C = Compression End Fitting	M = MIP End Fitting
F = FIP End Fitting	O = OD Compression End Fitting
	T = Fine Thread FIP End Fitting

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
 Consult factory for ordering code numbers of special models/options.

Flexible Connectors

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------




Braided Stainless Steel Faucet Connectors - Max Temperature 180°F/Max. Pressure 125 PSI

FS-CFC-S-CC	0392230	3/8" x 3/8" x 12"	098268297164	25	6	\$ 11.99
FS-CFC-S-CC	0392231	3/8" x 3/8" x 16"	098268297102	25	7	10.48
FS-CFC-S-CC	0392232	3/8" x 3/8" x 20"	098268297119	25	8	12.20
FS-CFC-S-CF	0392215	3/8" x 1/2" x 12"	048643245952	25	7	13.07
FS-CFC-S-CF	0392216	3/8" x 1/2" x 16"	098268297564	25	8	13.61
FS-CFC-S-CF	0392217	3/8" x 1/2" x 20"	098268297571	25	8	14.47

"Delta Style" Braided Stainless Steel Faucet Connectors Max. Temperature 180°F/Max. Pressure 125

FS-CFC-S-CO	0392220	3/8" x 3/8" x 12"	098268257601	25	7	12.53
FS-CFC-S-CO	0392246	3/8" x 3/8" x 20"	098268291096	25	89	13.28




Braided Stainless Steel Toilet Connectors - Max Temperature 180°F/Max. Pressure 125 PSI

FS-CTC-S-CB	0392248	3/8" x 7/8" x 9"	098268296877	25	6	13.50
FS-CTC-S-CB	0392221	3/8" x 7/8" x 12"	098268257618	25	6	14.90
FS-CTC-S-CB	0392253	3/8" x 7/8" x 9"		25	6	14.58
FS-CTC-S-FB	0392207	3/8" x 7/8" x 12"		25	8	16.20

Braided Stainless Steel Washing Machine Connectors - Max Temperature 180°F/Max. Pressure 125 PSI

FS-CWM-S-HH	0392262	3/4" x 3/4" x 48"	09826829815	10	8	27.00
FS-CWM-S-HH	0392223	3/4" x 3/4" x 60"	098268257632	10	9	30.13
FS-CWM-S-HH	0392209	3/4" x 3/4" x 72"		10	10	31.21



Braided Stainless Steel Dishwasher Connectors - Max Temperature 180°F/Max. Pressure 125 PSI

FS-CDC-S-CE	0392227	3/8" x 3/4" x 48"	098268257670	10	67	19.44
FS-CDC-S-CE	0392272	3/8" x 3/4" x 60"	098268323504	10	8	30.02
FS-CDC-S-CE	0392271	3/8" x 3/4" x 72"	098268323498	10	9	32.83

Braided Stainless Steel Ice Maker Connectors - Max Temperature 140°F/Max. Pressure 125 PSI

FS-CIC-S	0392225	1/4" x 1/4" x 6"	098268257656	10	8	22.25
FS-CIC-S	0392226	1/4" x 1/4" x 10"	098268257663	10	14	30.89
FS-CIC-S	0392268	1/4" x 1/4" x 20"	098268296747	10	25	44.71



*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight. Consult factory for ordering code numbers of special models/options.

Flexible Connectors

HOW TO ORDER FLEXIBLE CONNECTORS

Example: CWH-S-AM 7/8" x 3/4" x 18"

	Product No.	Size
Example:	CWH-S-AM	7/8" x 3/4" x 18"
Type of Connector:		
Construction:		
Type of Connection from Supply:		
Type of connection to Fixture:		
Connector Size:	From Supply X To Fixture X Length	

Type of Connector:

- CWM = Connector, Washing Machine
- CWH = Connector, Water Heater
- CTC = Connector, Toilet
- CDC = Connector, Dishwasher
- CFC = Connector, Faucet
- CIC = Connector, Icemaker

Construction:

- S = Stainless Steel Braided Hose
- P = Reinforced PVC

***Definition for type of Connection:**

Connection Type	Connection Type
A = AI End Fitting	H = Female Hose End Fitting
B = Ballcock End Fitting	L = Female Hose ELL End Fitting
C = Compression End Fitting	M = MIP End Fitting
E = MIP Elbow End Fitting	O = OD Compression End Fitting
F = FIP End Fitting	T = Fine Thread FIP End Fitting

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight. Consult factory for ordering code numbers of special models/options.

Flexible Connectors

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------



CWM-S-HH
Washing Machine Connector

Stainless Steel Washing Connectors - Max Temperature 180°F/Max. Pressure 150 PSI

CWM-S-HH	0298000	3/4" x 34" x 48"	098268625172	10	5	\$ 25.81
CWM-S-HH	0298001	3/4" x 34" x 60"	098268625189	10	8	30.89
CWM-S-HH	0298002	3/4" x 34" x 72"	098268625196	10	11	35.96
CWM-S-HL	0298003	3/4" x 34" x 48"	098268625202	10	5	26.68
CWM-S-HL	0298004	3/4" x 34" x 60"	098268625219	10	8	31.86
CWM-S-HL	0298005	3/4" x 34" x 72"	098268625226	10	11	36.72



CWM-S-HL
Washing Machine Connector

Large Diameter Stainless Steel Water Heater Connector - Max Temperature 180°F/Max. Pressure 150 PSI

CWH-S-FF-L	0298270	3/4" x 34" x 12"	098268733013	10	1	25.92
CWH-S-FF-L	0298271	3/4" x 34" x 15"	098268733013	10	1	31.05
CWH-S-FF-L	0298272	3/4" x 34" x 18"	098268733037	10	1	25.70
CWH-S-FF-L	0298273	3/4" x 34" x 24"	098268733044	10	1	34.13
CWH-S-FF-L	0298274	3/4" x 34" x 36"	098268733051	10	2	33.70
CWH-S-FF-L	0298275	3/4" x 34" x 48"	098268733068	10	3	46.66
CWH-S-FF-L	0298276	3/4" x 34" x 60"	098268733075	10	4	62.21



CWH-S-FF-L
Water Heater Connector
Large Diameter

Large Diameter Stainless Steel Water Heater Connector - Max Temperature 180°F/Max. Pressure 150 PSI

CFC-S-CC	0298109	3/8" x 3/8" x 12"	098268628173	25	3	6.05
CFC-S-CC	0298110	3/8" x 3/8" x 16"	098268628180	25	5	7.56
CFC-S-CC	0298111	3/8" x 3/8" x 20"	098268628197	25	5	7.99
CFC-S-CC	0298112	3/8" x 3/8" x 24"	098268628203	25	6	9.50
CFC-S-CC	0298113	3/8" x 3/8" x 30"	098268628210	10	8	10.69
CFC-S-CC	0298114	3/8" x 3/8" x 36"	098268628227	10	9	11.88
CFC-S-CC	0298115	3/8" x 3/8" x 48"	098268628234	10	12	12.64
CFC-S-CC	0298116	3/8" x 3/8" x 60"	098268628241	10	15	19.71
CFC-S-CC	0298117	3/8" x 3/8" x 72"	098268628258	10	18	15.12
CFC-S-CF	0298118	3/8" x 3/8" x 12"	098268628265	25	3	7.99
CFC-S-CF	0298119	3/8" x 3/8" x 16"	098268628272	25	4	9.99
CFC-S-CF	0298120	3/8" x 3/8" x 20"	098268628289	25	5	7.99
CFC-S-CF	0298121	3/8" x 3/8" x 24"	098268628296	25	6	8.91
CFC-S-CF	0298122	3/8" x 3/8" x 30"	098268628302	10	8	9.72
CFC-S-CF	0298123	3/8" x 3/8" x 36"	098268628319	10	9	11.88
CFC-S-CF	0298124	3/8" x 3/8" x 48"	098268628326	10	12	22.68
CFC-S-CF	0298125	3/8" x 3/8" x 60"	098268628333	10	15	23.22
CFC-S-CF	0298126	3/8" x 3/8" x 72"	098268628340	10	18	21.92



CFC-S-CC
Faucet Connector

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Flexible Connectors

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Stainless Steel Faucet Connectors - Max Temperature 180°F/Max. Pressure 125 PSI

CFC-SS-FF	0298151	1/2" x 1/2" x 12"	098268628593	25	3	\$ 11.02
CFC-SS-FF	0298152	1/2" x 1/2" x 16"	098268628609	25	4	8.64
CFC-SS-FF	0298153	1/2" x 1/2" x 20"	098268628616	25	5	9.40
CFC-SS-FF	0298154	1/2" x 1/2" x 24"	098268628623	25	6	9.61
CFC-SS-FF	0298155	1/2" x 1/2" x 30"	098268628630	10	8	9.94
CFC-SS-FF	0298156	1/2" x 1/2" x 36"	098268628647	10	9	12.85
CFC-SS-FF	0298157	1/2" x 1/2" x 48"	098268628654	10	12	16.74
CFC-SS-FF	0298158	1/2" x 1/2" x 60"	098268628661	10	15	19.76
CFC-SS-FF	0298159	1/2" x 1/2" x 72"		10	18	42.98

Faucet Connectors - "Delta Style" Max. Temperature 180°F/Max. Pressure 125 PSI

CFC-S-CO	0298241	3/8" x 3/8" x 12"	098268630427	25	4	7.67
CFC-S-CO	0298240	3/8" x 3/8" x 20"	098268630084	25	6	9.72

Stainless Steel Toilet Connectors - Max. Temperature 180°F/Max. Pressure 125 PSI

CTC-S-CB	0298042	1/2" x 7/8" x 6"	098268627497	25	2	6.80
CTC-S-CB	0298043	1/2" x 7/8" x 9"	098268627503	25	3	6.80
CTC-S-CB	0298044	1/2" x 7/8" x 12"	098268627510	25	3	7.56
CTC-S-CB	0298045	1/2" x 7/8" x 16"	098268627527	25	4	8.64
CTC-S-CB	0298046	1/2" x 7/8" x 20"	098268627534	25	5	9.50

Stainless Steel Toilet Connectors - Max. Temperature 180°F/Max. Pressure 125 PSI

CTC-S-FB	0298062	3/8" x 7/8" x 6"		25	2	9.14
CTC-S-FB	0298063	3/8" x 7/8" x 9"		25	3	9.45
CTC-S-FB	0298064	3/8" x 7/8" x 12"	098268627732	25	3	7.24
CTC-S-FB	0298065	3/8" x 7/8" x 16"	098268627749	25	4	7.56
CTC-S-FB	0298242	3/8" x 7/8" x 20"		25	5	13.50

Reinforced PVC Ice Maker Connectors - Nylon Braided Hose Max. Temperature 140°F/Max. Pressure 125 PSI

CIC-P	0298231	1/4" x 1/4" x 6"	098268626780	10	8	13.50
CIC-P	0298232	1/4" x 1/4" x 10"	098268626797	10	14	12.00
CIC-	0298233	1/4" x 1/4" x 20"	098268626803	10	25	14.00

Stainless Steel Dishwasher Connectors - Max. Temperature 180°F/Max. Pressure 125 PSI

CDC-S-CE	0298234	3/8" x 3/8" x 48"	098268626810	10	5	19.87
CDC-S-CE	0298235	3/8" x 3/8" x 60"	098268626827	10	8	23.44
CDC-S-CE	0298236	3/8" x 3/8" x 72"	098268626824	10	11	27.11
CDC-S-CE	0298237	3/8" x 3/8" x 48"	098268626841	10	5	20.63
CDC-S-CE	0298238	3/8" x 3/8" x 60"		10	8	22.41
CDC-S-CE	0298239	3/8" x 3/8" x 72"	098268626865	10	11	20.84



CTC-S-FB
Toilet Connector

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Flexible Connectors



Kwik Stop

Kwik Stop Quarter - Turn Supply Line Stops

Straight Type

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
BV890013	0144712	3/8" COMP x 1/2" FIP	042805918814	-	-	\$ 14.58
BV892013	0144713	3/8" COMP X 1/2" COPPER	042805918821	-	-	15.39
BV894013	0144714	3/8" COMP X 5/8" COMP	042805918838	-	-	17.55
BV891213	0144715	3/8" COMP X 1/2" PEX	042805918845	-	-	17.28

90 Degree Angle Type

BV890003	0144716	3/8" COMP x 1/2" FIP	042805918852	-	-	14.85
BV892003	0144717	3/8" COMP X 1/2" COPPER	042805918869	-	-	15.66
BV894003	0144718	3/8" COMP X 5/8" COMP	042805918876	-	-	18.09
BV891203	0144719	3/8" COMP X 1/2" PEX	042805918883	-	-	17.01




Kwik Stop

Series ST Filter Stops

ST 1827001	0144200	5/8" COMP X 3/8" FIP	-	-	-	99.90
ST 1827001	0144201	5/8" COMP X 3/8" COMP	-	-	-	115.02

KwikStop with Qick Connect Technology Series QC894

QC894A	0145728	1/2" X 3/8"	-	32	-	15.10
QC894S	0145729	1/2" X 3/8"	-	32	-	14.70



Ice Maker Kits

K-1 Ice Maker Kit	043130001	-	048643070004	-	-	32.62
K-2 Ice Maker Kit	043130002	-	048643149618	-	-	49.57
K-6SS Ice Maker Kit	043130011	-	-	-	-	59.72
K-7 S/S Ice Maker Kit	043130012	-	048643177949	-	-	32.62
K-15 15' Copper Ice	043130015	-	048643070059	-	-	73.87



**COC-S-MMx36
Oil Burner Connector**

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Braided Stainless Steel Connectors for Oil Burners

Max. Temperature 200°F/ Max. Pressure 145psi

COC-S-MMx24	0291400	1/4x1/4	098268549911	10	3	\$ 21.82
COC-S-MMx36	0291401	1/4x1/4	098268549928	10	5	23.44
COC-S-TTx24	0291402	3/8x3/8	098268549935	10	3	25.49
COC-S-TTx36	0291403	3/8x3/8	098268549942	10	5	28.08

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Dial Pressure Gauges

Model	Ordering Code	Connection Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	-----------------------	-----	-----------------	--------------------------	-------------------

Bottom Entry

Series DPG1

Dial Size: 2"



DPG1-2

0 - 15	0615600	1/4 NPT	098268045130	36	7	\$ 13.50
0 - 30	0615601	1/4 NPT	098268045147	36	7	13.50
0 - 60	0615602	1/4 NPT	098268045161	36	7	13.50
0 - 100	0615603	1/4 NPT	098268045178	36	7	13.50
0 - 160	0615604	1/4 NPT	098268045185	36	7	13.50
0 - 200	0615605	1/4 NPT	098268045192	36	7	13.50
0 - 300	0615606	1/4 NPT	098268045208	36	7	13.50

Dial Size: 2 1/2"



DPG1-2 1/2

0 - 15	0615607	1/4 NPT	098268045222	24	7	14.31
0 - 30	0615608	1/4 NPT	098268045239	24	7	14.31
0 - 60	0615609	1/4 NPT	098268045246	24	7	14.31
0 - 100	0615610	1/4 NPT	098268045253	24	7	14.31
0 - 160	0615611	1/4 NPT	098268045260	24	7	14.31
0 - 200	0615612	1/4 NPT	098268045277	24	7	14.31
0 - 300	0615613	1/4 NPT	098268045284	24	7	14.31

Dial Size: 3"



DPG1-3

0 - 15	0615614	1/4 NPT	098268045291	18	8	20.25
0 - 30	0615615	1/4 NPT	098268045307	18	8	20.25
0 - 60	0615616	1/4 NPT	098268045321	18	8	20.25
0 - 100	0615617	1/4 NPT	098268045338	18	8	20.25
0 - 160	0615618	1/4 NPT	098268045345	18	8	20.25
0 - 200	0615619	1/4 NPT	098268045352	18	8	20.25
0 - 300	0615620	1/4 NPT	098268045369	18	8	20.25

Dial Size: 4"



DPG1-4

0 - 15	0615621	1/4 NPT	098268045376	12	7	24.30
0 - 30	0615622	1/4 NPT	098268045383	12	7	24.30
0 - 60	0615623	1/4 NPT	098268045406	12	7	24.30
0 - 100	0615624	1/4 NPT	098268045413	12	7	24.30
0 - 160	0615625	1/4 NPT	098268045420	12	7	24.30
0 - 200	0615626	1/4 NPT	098268045437	12	7	24.30
0 - 300	0615627	1/4 NPT	098268045444	12	7	24.30
0 - 600	0615628	1/4 NPT	098268045451	12	7	24.30
0 - 1000	0615629	1/4 NPT	098268045468	12	7	38.61



DPG1-1 1/2

Center Back Entry

Series DPG3

Dial Size: 1 1/2"

0 - 60	0615721	1/8 NPT	098268066579	100	12	13.77
0 - 160	0615722	1/8 NPT	098268066586	100	12	13.77

Dial Size: 2"

0 - 15	0615700	1/4 NPT	098268066357	100	21	13.77
0 - 30	0615701	1/4 NPT	098268066371	100	21	13.77
0 - 60	0615702	1/4 NPT	098268066388	100	21	13.77
0 - 100	0615703	1/4 NPT	098268066395	100	21	13.77
0 - 160	0615704	1/4 NPT	098268066401	100	21	13.77
0 - 200	0615705	1/4 NPT	098268066418	100	21	13.77
0 - 300	0615706	1/4 NPT	098268066425	100	21	13.77

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Dial Pressure Gauges

Model	Ordering Code	Connection Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	-----------------------	-----	-----------------	--------------------------	-------------------

Center Back Entry Series DPG3

Dial Size: 2 1/2"

0 - 15	0615707	1/4 NPT	098268066432	108	28	\$ 14.85
0 - 30	0615708	1/4 NPT	098268066449	108	28	14.85
0 - 60	0615709	1/4 NPT	098268066456	108	28	14.85
0 - 100	0615710	1/4 NPT	098268066463	108	28	14.85
0 - 160	0615711	1/4 NPT	098268066470	108	28	14.85
0 - 200	0615712	1/4 NPT	098268066487	108	28	14.85
0 - 300	0615713	1/4 NPT	098268066494	108	28.	14.85

Dial Size: 3"

0 - 15	0615714	1/4 NPT	098268066500	50	22	20.25
0 - 30	0615715	1/4 NPT	098268066517	50	22	20.25
0 - 60	0615716	1/4 NPT	098268066524	50	22	20.25
0 - 100	0615717	1/4 NPT	098268066531	50	22	20.25
0 - 160	0615718	1/4 NPT	098268066548	50	22	20.25
0 - 200	0615719	1/4 NPT	098268066555	50	22	20.25
0 - 300	0615720	1/4 NPT	098268066562	50	22	20.25

Top Entry Series DPG5



DPG5

Dial Size: 2"

0 - 15	0615678	1/4 NPT	098268062991	36	7	22.68
0 - 30	0615679	1/4 NPT	098268063004	36	7	22.68
0 - 60	0615680	1/4 NPT	098268063189	36	7	22.68
0 - 100	0615681	1/4 NPT	098268063196	36	7	22.68
0 - 160	0615723	1/8 NPT	098268066593	36	7	22.68
0 - 160	0615682	1/4 NPT	098268063219	36	7	22.68
0 - 200	0615683	1/4 NPT	098268063264	36	7	22.68
0 - 300	0615684	1/4 NPT	098268063271	36	7	22.68

Dial Size: 2 1/2"

0 - 15	0615685	1/4 NPT	098268063288	24	9	24.30
0 - 30	0615686	1/4 NPT	098268063295	24	9	24.30
0 - 60	0615687	1/4 NPT	098268063318	24	9	24.30
0 - 100	0615688	1/4 NPT	098268063332	24	9	24.30
0 - 160	0615689	1/4 NPT	098268063356	24	9	24.30
0 - 200	0615690	1/4 NPT	098268063363	24	9	24.30
0 - 300	0615691	1/4 NPT	098268063370	24	9	24.30

Dial Size: 3"

0 - 15	0615692	1/4 NPT	098268063387	50	22	25.92
0 - 30	0615693	1/4 NPT	098268063394	50	22	25.92
0 - 60	0615694	1/4 NPT	098268063400	50	22	25.92
0 - 100	0615695	1/4 NPT	098268063417	50	22	25.92
0 - 160	0615696	1/4 NPT	098268063424	50	22	25.92
0 - 200	0615697	1/4 NPT	098268063431	50	22	25.92
0 - 300	0615698	1/4 NPT	098268063448	50	22	25.92

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Combination Pressure/Temperature Gauges

Model	Ordering Code	Connection Size (in.)	Temperature Range (°F)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	-----------------------	------------------------	-----	-----------------	--------------------------	-------------------

Bottom Entry

Series DPTG-1



DPTG-1

Dial Size: 3"

0 – 50	0615633	1/2 NPT	60 – 320	098268045505	50	26	\$ 31.86
0 – 75	0615634	1/2 NPT	60 – 320	098268045512	50	26	31.86
0 – 200	0615635	1/2 NPT	60 – 320	098268045529	50	26	31.86

Center Back Entry - Includes 1/4" x 1/2" DPG-VR Retaining Valve

Series DPTG-3



DPTG3-3

Dial Size: 3"

0 – 50	0615630	1/2 NPT	60 – 320	098268045475	40	18	31.86
0 – 75	0615631	1/2 NPT	60 – 320	098268045482	40	22	31.86
0 – 200	0615632	1/2 NPT	60 – 320	098268045499	40	22	31.86

Dial Size: 2 1/2"

0 – 50	0615675	1/2 NPT	60 – 320	098268062960	50	22	31.32
0 – 75	0615676	1/2 NPT	60 – 320	098268062977	50	22	31.32
0 – 200	0615677	1/2 NPT	60 – 320	098268062984	50	22	31.32

Dial Size: 3" *

0 – 75	0615742	1/4 NPT	60 – 320	098268186321	40	20	33.48
--------	---------	---------	----------	--------------	----	----	-------

Series DPTG3L

Dial Size: 2 1/2" *

0 – 75	0615741	1/4 NPT	60 – 320	098268186277	40	20	38.34
--------	---------	---------	----------	--------------	----	----	-------

Dial Size: 3" *

0 – 75	0615743	1/4 NPT	60 – 320	098268186352	40	20	39.69
--------	---------	---------	----------	--------------	----	----	-------

*Do not include DPG-VR Retaining Valve

Temperature Gauges



276H300

Model	Ordering Code	Connection Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	-----------------------	-----	-----------------	--------------------------	-------------------

Hose Connection Gauges

Series 276H300

Dial Size: 2 1/2"

0 - 300	0069721	3/4 H.T.	098268007947	24	9	\$ 27.27
---------	---------	----------	--------------	----	---	----------

Series IWTG

Dial Size: 2 1/2"

0 - 200	0069770	3/4 H.T.	098268847444	8	24	25.11
---------	---------	----------	--------------	---	----	-------



IWTG-Gas-2

Air Test Assembly Gauges

Series IWTG-Gas-2

0 - 15	0069779	3/4	098268208047	5	4	29.43
0 - 30	0069780	3/4	098268182842	5	4	14.31
0 - 60	0069781	3/4	098268182859	5	4	14.31
0 - 100	0069782	3/4	098268182866	5	4	29.43



IWTG-NYC

Series IWTG-NYC

Dial Size: 2 1/2", 2% Accuracy

0-5	0069786	3/4	098268258561	50	1	150.12
0-10	0069785	3/4	098268258585	50	1	150.12



IWTG-HTX

Series IWTG-HTX

Dial Size: 4", 1% Accuracy

0-5	0069788	3/4	098268258028	50	1	224.64
0-10	0069787	3/4	098268258578	50	1	224.64
TPG-300	0008511	0 - 300psi	098268001334	40	1	120.42

Gauge Adaptors

TP-GA1	0008514	1/4" 321 SS probe	098268001365	90	23	112.86
--------	---------	-------------------	--------------	----	----	--------

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Temperature Gauges

Model	Ordering Code	Probe Length Size (in.)	Temperature Range (°F)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	-------------------------	------------------------	-----	-----------------	--------------------------	-------------------

Center Back Entry - Includes 1/2" NPT Thermowell With Set Screw Series TB



TB

Dial Size: 1 1/2"

TB-11/2-1	0615636	1	32 - 176	098268045536	24	9	\$ 11.34
-----------	---------	---	----------	--------------	----	---	----------

Dial Size: 2 1/2"

TB-21/2-2	0615637	2	32 - 140	098268045543	12	5	18.09
TB-21/2-2	0615638	2	32 - 248	098268045550	12	5	18.09
TB-21/2-4	0615639	4	32 - 248	098268045567	12	5	23.22

Dial Size: 3"

TB-3-2	0615640	2	-22 - 122	098268045604	12	5	19.44
TB-3-2	0615641	2	32 - 140	098268045611	12	5	19.44
TB-3-2	0615642	2	32 - 248	098268045628	12	5	19.44
TB-3-4	0615643	4	-22 - 122	098268045642	4	3	25.11
TB-3-4	0615644	4	32 - 140	098268045666	4	3	25.11
TB-3-4	0615645	4	32 - 248	098268045673	4	3	25.11

Dial Size: 4"

TB-4-2	0615646	2	-22 - 122	098268045703	4	5	23.49
TB-4-2	0615647	2	32 - 140	098268045710	4	5	23.49
TB-4-2	0615648	2	32 - 248	098268045734	4	5	23.49
TB-4-4	0615649	4	-22 - 122	098268045741	4	4	25.92
TB-4-4	0615650	4	32 - 140	098268045758	4	4	25.92
TB-4-4	0615651	4	32 - 248	098268045765	4	4	25.92

Bottom Entry - includes 1/2" NPT snap in thermowell Series TBR



TBR

Dial Size: 3"

TBR-3-2	0615652	2	-22 - 122	098268045772	8	3	38.61
TBR-3-2	0615653	2	32 - 248	098268045789	8	3	38.61
TBR-3-3	0615735	3	-22 - 122	098268080841	4	4	40.50
TBR-3-3	0615736	3	32 - 250	098268080858	4	4	40.50
TBR-3-4	0615654	4	-22 - 122	098268045796	4	5	44.01
TBR-3-4	0615655	4	32 - 140	098268045802	4	5	44.01
TBR-3-4	0615656	4	32 - 248	098268045833	4	5	44.01

Pipe Mount

Series TBP-M



TBP-M

Spring Mount - Dial Size: 2 1/2"


TBP-M-21/2	0615658	-	32 - 248	098268045857	12	5	15.66
------------	---------	---	----------	--------------	----	---	-------

Series TBP-F

Strap Mount - Dial Size: 2 1/2"

TBP-F-21/2	0615659	-	32 - 248	098268045864	14	5	21.60
------------	---------	---	----------	--------------	----	---	-------

Series TBC



TBC

Chimney Mount - Dial Size: 2 1/2"

TBC-21/2-4	0615660	4	32 - 932	098268045871	12	7	23.22
TBC-21/2-6	0615661	6	32 - 932	098268045888	6	4	25.92
TBC-21/2-8	0615662	8	32 - 932	098268045895	6	4	26.73
TBC-21/2-12	0615663	12	32 - 932	098268045901	6	4	28.89

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

T&P Test Plugs and Accessories

Model	Ordering Code	Probe Length Size (in.)	Temperature Range (°F)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	-------------------------	------------------------	-----	-----------------	--------------------------	-------------------


Thermowells Series G-TB and G-TBR

Series G-TB - 1/2" NPT


G-TB-1	0615726	1		098268080322	25	9	\$ 4.05
G-TB-2	0615727	2		098268080339	20	7	3.78
G-TB-4	0615728	4		098268080353	20	7	10.53
G-TB-6	0615729	6		098268080360	20	7	13.23
G-TB-8	0615730	8		098268080377	20	8	14.31
G-TB-12	0615731	12		098268080414	20	8	21.60

Series G-TBR - 1/2" NPT

G-TBR-2	0615732	2		098268080810	20	7	5.40
G-TBR-3	0615733	3		098268080827	20	7	5.67
G-TBR-4	0615734	4		098268080834	20	7	10.53



G-TB



G-TBR

Liquid Fill Thermometers

9" Adjustable Angle Series TA

TA-9-31/2	0617000	3 1/2	-40 - 110	098268197822	25	40	131.76
TA-9-31/2	0617001	3 1/2	0 - 120	098268197839	25	40	131.76
TA-9-31/2	0617002	3 1/2	0 - 160	098268197877	25	40	131.76
TA-9-31/2	0617003	3 1/2	30 - 240	098268197884	25	40	131.76
TA-9-31/2	0617004	3 1/2	30 - 300	098268197891	25	40	131.76
TA-9-6	0617005	6	-40 - 110	098268197907	25	43	181.44
TA-9-6	0617006	6	0 - 120	098268197914	25	43	181.44
TA-9-6	0617007	6	0 - 160	098268197921	25	43	181.44
TA-9-6	0617008	6	30 - 240	098268197938	25	43	176.04
TA-9-6	0617009	6	30 - 300	098268197945	25	43	181.44



TA



TL

5" Angle Series TL

TL-5-2	0617010	5/16	-40 - 110	098268197952	20	11	65.88
TL-5-2	0617011	5/16	20 - 180	098268198744	20	11	65.88
TL-5-2	0617012	5/16	30 - 240	098268198751	20	11	65.88
TL-5-2	0617013	5/16	30 - 300	098268198768	20	11	65.88

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Temperature Or Pressure Test Plugs

TP-N (Neoprene)	0008512	1/4 Brass	098268001341	180	17	\$ 22.41
TP-E (EPDM)	0008501	1/4 Brass	098268001242	180	17	25.11
TP-V (Viton®)	0008505	1/4 Brass	098268001273	180	17	28.35
TP-N (Neoprene)	0008513	1/2 Brass	098268001358	72	14	28.89
TP-E (EPDM)	0008502	1/2 Brass	098268001259	72	14	29.70

Extensions


TP-X (1/4m x 1/4f)	0008504	1/4 NPT Brass	098268001266	90	23	35.91
TP-X (1/2m x 1/2f)	0008506	1/2 NPT Brass	098268001280	36	23	45.09

Thermometer

TPT	0008508	0° - 220°F SS	098268001303	36	1	132.30
-----	---------	---------------	--------------	----	---	--------

Gauges

TPG-30	0008509	0 - 30psi	098268001310	40	1	120.42
TPG-160	0008510	0 - 160psi	098268001327	40	1	120.42



TP-T

1/2" TP

1/4" TP

TP-G

1/2" TP-X

1/4" TP-X

1/4" TP-GA1

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

It Pays to Buy and Sell the Whole Watts Line!

The Watts line offers tremendous leverage to the stocking wholesaler because of its breadth and versatility. Plus, with a continuous stream of new and innovative products, you have the opportunity to profit from the creative engineering and manufacturing expertise for which Watts has been known since 1874.

For Technical Assistance Call Your Authorized Watts Representative.

		Telephone	E-mail
Canada	HEADQUARTERS: Watts Regulator Company	815 Chestnut St., North Andover, MA 01845-6098 U.S.A.	978 688-1811 cscanada@watts.com
	Watts Water Technologies (Canada) Inc.	5435 North Service Road, Burlington, Ontario L7L 5H7	905 332-4090 info@wattscanada.ca
	Con-Cur West Marketing, Inc.	71A Clipper Street, Coquitlam, British Columbia V3K 6X2	604 540-5088 dconte@concurwest.com
	DCS Sales	#13-6130 4th St. S.E., Calgary, Alberta T2H 2B6	403 253-6808 barry.graham@dcsalesltd.com
	DCS Sales	16726 111 Ave, Edmonton, Alberta T5M 2S6	780 496-9495 joequelle@dcsalesltd.com
	GTA Sales Team	Greater Toronto Area	888 208-8927 cscanada@watts.com
	Hydro-Mechanical Sales, Ltd.	3700 Joseph Howe Drive, Suite 1, Halifax, Nova Scotia B3L 4H7	866 493-7667 jeff@hydromechanical.ca
	Hydro-Mechanical Sales, Ltd.	P.O. Box 1445 (Mailing), 297 Collishaw St., Suite 7 (shipping) Moncton, New Brunswick E1C 9R2	866 493-7667 mark@hyromechnical.ca
	J.D.S. Sales Ltd.	4 Lancaster Street, St. John's, Newfoundland A1A 5P7	709 579-5771 jds@nf.sympatico.ca
	Lajoie	6221 Marivaux, St-Leonard, QC H1P 3H6	514 328-6645 info@lajoie.co
	Lajoie	23 du Buisson, Pont Rouge, QC G3H 1X9	418 873-2500 info@lajoie.co
	Mar-Win Agencies, Ltd.	1333 Clifton St., Winnipeg, Manitoba R3E 2V1	204 775-8194 marwin@mts.net
	Northern Mechanical Sales	P.O. Box 280 (mailing) 163 Pine St. (shipping), Garson, Ontario P3L 1S6	705 693-2715 normec@sympatico.ca
	Palser Enterprises, Ltd.	P.O. Box 28136 (mailing), 1885 Blue Heron Dr., #10, London, Ontario N6H 5L9	519 471-9382 sales@palserent.com
	RAM Mechanical Marketing Inc.	1450 Cornwall Street, Regina, Saskatchewan S4R 2H8	306 525-1986 darrell@rammarketing.ca
	RAM Mechanical Marketing Inc.	510 Ave M South, Saskatoon, Saskatchewan S7M 2K9	306 244-6622 warren@rammarketing.ca
Walmart Mechanical Sales	24 Gurdwara Rd., Nepean, Ontario K2E 8B5	613 225-9774 infomech@walmart.net	

1436



A Watts Water Technologies Company

USA: Tel: (978) 689-6066 • Fax: (978) 975-8350 • Watts.com

Canada: Tel: (905) 332-4090 • Fax: (905) 332-7068 • Watts.ca

Latin America: Tel: (52) 81-1001-8600 • Fax: (52) 81-8000-7091 • Watts.com