

# Packaged Terminal Air Conditioners & Heat Pumps

## ACCESSORIES GUIDE



### Breakdown Wall Sleeve

**Part No. 7602-500F**



### Wall Sleeve

**Part No. 7602-500B**

Our 42" wall sleeve is constructed from galvanized steel and powder coated for durability and aesthetic appeal. The wall sleeve comes factory assembled by spot welding to minimize breaches in the cabinet surface. It contains four chassis mounting holes, four grille mounting holes and two drain holes for optional drain kit.

#### Dimensions W x H x D (inches)

42" x 16" x 14-7/8"

## Main Duct Kit

**Part No. 7602-511**


The lateral duct kit contains everything needed to convert a PTAC or PTHP for heating/cooling an adjacent room. The one-piece plenum attaches to the wall sleeve with brackets (included) and fits over the unit's air discharge grille. The extension duct can be installed for left or right side duct applications, with a maximum extension of 4 feet. Both the plenum and the duct extension are constructed of galvanized steel with a painted finish, and they are fully lined with insulation. The air volume baffle can be adjusted to allow a 75/25 to 80/20 airflow split between the primary and secondary (adjacent) rooms. In addition to the plenum, extension duct and brackets, the kit includes a wall register, wall trim kit, end cap, hardware and instructions.

#### Dimensions

Plenum: 44-1/16" W x 7-1/8" D x 7-1/2" H (tallest point)

Extension: 47-5/16" W x 7" D x 3-1/2" H

Wall Register: 8-1/2" W x 5-1/4" H



Wall Register



Trim Kit

*Comfort-Cire*<sup>®</sup>  
**Century**<sup>®</sup>

## Packaged Terminal Air Conditioners & Heat Pumps ACCESSORIES GUIDE

### Stamped Grille

*Part No. 7602-501B*



Our stamped grille is made from durable, light weight aluminium and made to fit a standard 42" wall sleeve.


**Dimensions W x H x D (inches)**

41-7/8" x 15-7/8" x 3/8"

### Architectural Grille

*Part No. 7602-505B*

Our architectural grille fits a standard 42" wall sleeve. It's formed from durable aluminium for weight reduction and weather resistance and powder coated for greater durability. Louvers are connected with high tensile rods. The grille comes factory assembled and includes four attachment points and two discharge air shaping deflectors



**Dimensions W x H x D (inches)**

42" x 15-3/4" x 1-3/8"


**All grilles fit both  
"B" and "F" style sleeves**

**Dimensions W x H x D (inches)**

42" x 15-7/8" x 1-1/8"



*Dark Bronze: 7602-505 PDF*



*Beige: 7602-505 PBF*



*White: 7602-505 PWF*



*Alpine Beige: 7602-505 PAF*

### Polymer Grille

Full polymer grill with stainless steel hardware is ideal for any location where corrosion is an issue, especially coastal areas. Available in white, beige, alpine beige, and dark bronze.



## Sub Base

**Part No. 7602-509A**



Made from galvanized steel and powder coated, our sub-base has only one piece, plus the skirting, for faster and more economical installation. Each kit contains: Sub-base main body, left and right side skirt, adjusting feet, and installation instructions

**Dimensions W x H x D (inches)**

42-3/8" x 3-3/4" x 4-5/8"

---

## PTAC Remote Control

**Part No. 7602-512**

Designed to operate with our PTAC/PTHP models, this remote controls mode, temperature, fan speed, and has timer function.



**Dimensions W x H x D (inches)**

1-7/8" x 5" x 1"

---

## Thermostat

**Part No. 7800-200**



This thermostat is a digital, mercury free, wired, non-programmable, electronic thermostat, compatible with PTAC/PTHP models.

**Dimensions W x H x D (inches)**

4-1/2" x 3-3/4" x 1-1/16"

---


## Wireless Wall Thermostat

**Part No. 7602-536**

This thermostat operates our PTAC/PTHP line, without the need to run control wires. Contains all basic thermostat functions.

**Dimensions W x H x D (inches)**

6-1/2" x 5-5/8" x 1-5/8"



## ACCESSORIES GUIDE

### Packaged Terminal Air Conditioners & Heat Pumps


#### Lock Cover

**Part No. 7602-535**

Designed for use with duct kits, where control access is not available, or any situation where wired or wireless remote system control is desired. Key access is provided for service.

**Shipping Dimensions W x H x D (inches)**

7-7/8" x 7-7/8" x 21/64"



#### Drain Kit

**Part No. 7602-506B**

The drain kit, including both 90° drain tube and a 180° drain tube, can be used for either an internal or external drain and can be attached to one of two available outlets on the wall sleeve. The mounting plates are made from galvanized steel and powder coated to match the wall sleeve.

Design, material, performance data and components subject to change without notice.

*Comfort-Aire*®

*Century*®

**MARS**®  
Delivering Confidence

1900 Wellworth Ave., Jackson MI 49203 • Ph. 517-787-2100 • [www.comfort-aire.com](http://www.comfort-aire.com)