BOIL-A-COIL

SDS Revision Date:

04/02/2015



Sid Harvey item # F2-5

SDS # Z0059

### 1. Identification

1.1. Product identifier

Product Identity BOIL-A-COIL

Alternate Names 35-423, 35-424, Blended Formula, BOIL-A-COIL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name ComStar International Inc.

20-45 128th Street,

College Point, NY 11356

**Telephone No.** 718-445-7900

800-328-0142 Fax: 718-353-5998

# 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation

### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



#### [Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P271 Use only outdoors or in a well-ventilated area.

### [Response]:

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

### [Storage]:

**BOIL-A-COIL** 

**SDS Revision Date:** 04/02/2015



No GHS storage statements

[Disposal]:

No GHS disposal statements

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
SODIUM SULFITE CAS#: 7757-83-7	>50	Skin Irrit. 2 H315 Eye Irrit. 2A H319	[1][2]
VERSENE CAS#: 60-00-4	<20	Acute toxicity, Oral 5 Eye irritation 2A Acute aquatic toxicity 3	[1][2]
Inert material	Balance	N/A	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First aid measures

### 4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

**Eyes** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

See section 2 for further details.

Inhalation Harmful if inhaled.

<sup>[1]</sup> Substance classified with a health or environmental hazard.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.
\*The full texts of the phrases are shown in Section 16.

BOIL-A-COIL
SDS Revision Date:

04/02/2015



### 5. Fire-fighting measures

### 5.1. Extinguishing media

Water fog, C02, dry chemical, universal foams

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

### 5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing.

ERG Guide No. ---

### 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

# 7. Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Preventation of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Oxidizing agents, alkali metals

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

# 8. Exposure controls and personal protection

BOIL-A-COIL
SDS Revision Date:





### 8.1. Control parameters

### **Exposure**

CAS No.	Ingredient	Source	Value		
7757-83-7 SC	SODIUM SULFITE	OSHA	2 mg/m3		
		ACGIH	2 mg/m3		
		NIOSH	No Established Limit		
		Supplier	No Established Limit		
60-00-4 VERSENE	VERSENE	OSHA	2 mg/m3		
		ACGIH	2 mg/m3		
	NIOSH	No Established Limit			
		Supplier	No Established Limit		
N/A	Inert material	OSHA	No Established Limit		
		ACGIH	No Established Limit		
		NIOSH	No Established Limit		
		Supplier	No Established Limit		

### **Carcinogen Data**

CAS No.	Ingredient	Source	Value
7757-83-7	SODIUM SULFITE	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
60-00-4 VERSENE		OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
N/A Inert material		OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

### 8.2. Exposure controls

**Respiratory** If engineering controls do not maintain airborne concentrations to an acceptable level, a

NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to

assure Compliance with OSHA Standard 29 CFR 1910.134.

**Eyes** Safety glasses with side shields, goggles or face shield are recommended.

**Skin** Wear overalls to keep skin contact to a minimum.

**Engineering Controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. Supplementary local exhaust ventilation, closed systems,

BOIL-A-COIL

SDS Revision Date:

04/02/2015



or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc. Recommended Decontamination Facilities: Eye bath, washing facilities.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

# 9. Physical and chemical properties

**Appearance** White Powder

**Odor** Slight

Odor threshold

pH

Not Measured

Melting point / freezing point

Not Measured

Not Measured

Not Measured

Not Measured

370 F/188 C

Flash Point

None

Evaporation rate (Ether = 1) Not Measured Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 135C(275F): NA

**Upper Explosive Limit:** 199C(390F): NA

Vapor pressure (Pa) 6 mmHg (at 70 F) **Vapor Density** Not Measured **Specific Gravity** > 2 (H20 = 1)Solubility in Water Complete Partition coefficient n-octanol/water (Log Kow) Not Measured Auto-ignition temperature (ASTM D 2155): NA **Decomposition temperature** Not Measured 25C/77F: NA Viscosity (cSt)

Volatiles (% by weight)

Octanol/Water Partition Coefficient

NA

9.2. Other information

No other relevant information.

# 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

BOIL-A-COIL
SDS Revision Date:

04/02/2015



Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Strong Oxidizers

10.6. Hazardous decomposition products

No hazardous decomposition data available.

# 11. Toxicological information

### **Acute toxicity**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
SODIUM SULFITE (7757-83-7)	2610 mg/kg	No data available	> 5.5 mg/l (Rat)	No data available	No data available
VERSENE (60-00-4)	>2000 mg/kg ( Rat )	No data available	No data available	No data available	No data available
Inert material (N/A)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable

**BOIL-A-COIL SDS Revision Date:** 





Aspiration hazard		Not Applicable
-------------------	--	----------------

# 12. Ecological information

### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
SODIUM SULFITE (7757-83-7)	220 - 460 mg/l	Not Available	Not Available
VERSENE (60-00-4)	44.2 - 76.5 mg/L	113 mg/L	Not Available
Inert material (N/A)	Not Available	Not Available	Not Available

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available.

# 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

# 14. Transport information

**DOT (Domestic Surface** IMO / IMDG (Ocean ICAO/IATA Transportation) **Transportation**) 14.1. UN number Not Applicable Not Regulated Not Regulated 14.2. UN proper shipping Not Regulated Not Regulated Not Regulated name

14.3. Transport hazard class(es)

**DOT Hazard Class: Not** 

**IMDG:** Not Applicable Sub Class: Not Applicable Applicable

Air Class: Not Applicable

**BOIL-A-COIL** 

SDS Revision Date: 04/02/2015



**14.4. Packing group** Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

# 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance

All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA)
WHMIS Classification

Not Regulated

Inventory.

**US EPA Tier II Hazards** 

Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### **EPCRA 313 Extremely Hazardous:**

**VERSENE** 

### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### **New Jersey RTK Substances (>1%):**

**VERSENE** 

#### Pennsylvania RTK Substances (>1%):

**VERSENE** 

### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no

BOIL-A-COIL
SDS Revision Date:





guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

**End of Document** 

MATERIAL SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Fire: <sup>0</sup>
Health: 1

Reactivity: 0
Specific: 0

Identity: IPC BOIL-A-COIL

F2-5

Code:

# SECTION I: MANUFACTURER'S NAME & ADDRESS

ComStar Intl. Inc. 20-45 128th STREET COLLEGE POINT, NY

CAS # 527-07-01

Emergency Telephone: (718)445-7900
Telephone number for information:(718)445-7900
Preparation Date: 04/08/1997
Signature of Preparer( optional):

# SECTION 2: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components (Specific Chemical Identity)	OSHA PEL	ACGIH TLV	Other	%
Sodium Sulfite CAS # 7757-83-7	2mg/m3	2mg/m3	Limits	Optional
Versene CAS # 60-00-4	2mg/m3	2mg/m3		
Sodium Glutmate	2mg/m3	2mg/m3		

# SECTION 3: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point (°F): Over 500 Degree F
Vapor Pressure@70°F: NA
Vapor Density(Air=I): NA
Solubility in Water: Complete
Appearance & Odor: Off white powder

Specific Gravity (H2o=I): 1.2
Melting Point: Over 800 Degree F
Evaporation Rate:
(Butyl Acetate=I): NA

# **SECTION 4: FIRE & EXPLOSION HAZARD DATA**

Flash Point (°F): None Flammability Limit: LET NA UEL NA Extinguishing Media: Dry chemicals, CO2, water fog, Universal foams.

Special Firefighting Procedures: Self-contained respiratory protection should be provided for firemen fighting in buildings or confined areas.

Unusual Fire & Explosion Hazards: None known

# SECTION 5: REACTIVITY DATA

Stability: Stable

Hazardous Polymerization: Will not occur Conditions to Avoid: See below

Skin?

Nο

Ingestion?

Yes

0

Conditions to Avoid: See below Incompatibility (Material to avoid): Strong exidizers

Hazardous Decomposition or Products: At extreme high temp, could give off sulfur dioxide gas.

### SECTION 6: HEALTH HAZARD DATA

Route(s) of Entry:

Health Hazards (Acute & Chronic): Based on available toxicolgy information and the chemicals contained in this product no acute or chronic reaction is likely.

Inhalation? No

Carcinogenity: No. NTP? No. IARC Monographs? NoOSHA Regulated? Nο Signs & Symptoms of Exposure: Rash, dizziness, headache, vomiting.

Medical Conditions Generally Aggravated by Exposure: None known.

Emergency & First Aid Procedures: Eyes-hold eyelids open and flush with plenty of water for 15 min. Skin-remove containinated clothing and water skin with soap and water. Inhalation-remove to fresh air, Ingestion-Drink plenty of water and get medical attention.

### SECTION 7: PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case Material is Released or Spilled: Sweep, mop or shovel up into appropriate holding container. Can be used again if not contaminated with liquids, dirt or grime.

Waste Disposal Method: Dispose of all waste in accordance with federal, state and local regulations.

Precautions to be taken in Handling & Storage: Keep away from heat, sparks, open flame or direct sunshine. Do not puncture or incinerate.

Other Precautions: Intentional misuse by deliberately concentrating and inhaling vapor contents can be harmful.

# SECTION 8: CONTROL MEASURES

Respiratory Protection: Good work practice dictates the use of protective respiratory equipment.

Local Exhaust: YES Ventilation: Special: NONE Other: NONE Mechanical (general): YES

Protective Gloves: Polyfluorinated or polyvinyl alcohol or viton.

Eye Protection: Safety goggles or face shield.

Other protective Clothing or Equipment: Plastic or rubber apron.

Work/Hygienic Practices: Wash hands after use.