BLUE JOINT PIPE COMPOUND

SDS Revision Date:

04/02/2015



Sid Harvey item #'s F7-18 & F7-19 SDS # Z0087

1. Identification

1.1. Product identifier

Product Identity BLUE JOINT PIPE COMPOUND

Alternate Names 10-515, 10-525, 10-530, Blended Formula, BLUE

JOINT PIPE COMPOUND

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name ComStar International Inc.

20-45 128th Street,

College Point, NY 11356

Telephone No. 718-445-7900

800-328-0142 Fax: 718-353-5998

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



[Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P271 Use only outdoors or in a well-ventilated area.

[Response]:

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

[Storage]:

No GHS storage statements

BLUE JOINT PIPE COMPOUND SDS Revision Date:



04/02/2015

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|---|----------|--|--------|
| ZINC OXIDE CAS#: 1314-13-2 | <5 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | [1][2] |
| ZINC DUST CAS#: 7440-66-6 | <5 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | [1][2] |
| MARINE OIL CAS#: 68389-85-5 | <5 | Not Classified | [1] |
| OXYALKYLENE POLYMER CAS#: 25322-68-3 | <10 | Eye irritation 2B Skin irritation 3 | [1][2] |
| MICA CAS#: 12001-26-2 | Balance | Not Classified | [1] |
| BLUE FOOD GRADE DYE | N/A | Not Classified | [1] |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

See section 2 for further details.

Inhalation Harmful if inhaled.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.
*The full texts of the phrases are shown in Section 16.

BLUE JOINT PIPE COMPOUND SDS Revision Date:



04/02/2015

5. Fire-fighting measures

5.1. Extinguishing media

Water fog, C02, dry chemical, universal foams

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing.

ERG Guide No. ---

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Preventation of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Oxidizing agents, alkali metals

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

Safety Data Sheet BLUE JOINT PIPE COMPOUND SDS Revision Date:




04/02/2015

| CAS No. | Ingredient | Source | Value |
|------------|------------------------------|----------|----------------------|
| 1314-13-2 | ZINC OXIDE | OSHA | 2 mg/m3 |
| | | ACGIH | 2 mg/m3 |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| 7440-66-6 | ZINC DUST | OSHA | 2 mg/m3 |
| | | ACGIH | 2 mg/m3 |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| 68389-85-5 | MARINE OIL | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| 25322-68-3 | 322-68-3 OXYALKYLENE POLYMER | OSHA | 2 mg/m3 |
| | | ACGIH | 2 mg/m3 |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| 12001-26-2 | MICA | OSHA | 2 mg/m3 |
| | | ACGIH | 2 mg/m3 |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| N/A | BLUE FOOD GRADE DYE | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|----------------------|---------------------|--------|--|
| 1314-13-2 | ZINC OXIDE | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 7440-66-6 | ZINC DUST | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 68389-85-5 MARINE OI | MARINE OIL | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 25322-68-3 | OXYALKYLENE POLYMER | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 12001-26-2 | MICA | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |

BLUE JOINT PIPE COMPOUND







| N/A | BLUE FOOD GRADE DYE | OSHA | Select Carcinogen: No | |
|-----|---------------------|------|--|--|
| | | NTP | Known: No; Suspected: No | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | |

8.2. Exposure controls

Respiratory If engineering controls do not maintain airborne concentrations to an acceptable level, a

NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to

assure Compliance with OSHA Standard 29 CFR 1910.134.

Eyes Safety glasses with side shields, goggles or face shield are recommended.

Skin Wear overalls to keep skin contact to a minimum.

Engineering Controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation

> rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc.

Recommended Decontamination Facilities: Eye bath, washing facilities.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Blue Paste Odor Slight

Odor threshold Not Measured pН Not Measured Melting point / freezing point Not Measured Initial boiling point and boiling range 370 F/188 C Flash Point None

Evaporation rate (Ether = 1) Not Measured Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 135C(275F): NA

Upper Explosive Limit: 199C(390F): NA

Vapor pressure (Pa) 6 mmHg (at 70 F) **Vapor Density** Not Measured **Specific Gravity** > 2 (H20 = 1)Solubility in Water Complete Partition coefficient n-octanol/water (Log Kow) Not Measured Auto-ignition temperature (ASTM D 2155): NA Not Measured **Decomposition temperature**

BLUE JOINT PIPE COMPOUND SDS Revision Date:





Viscosity (cSt) 25C/77F: NA

Volatiles (% by weight) NA
Octanol/Water Partition Coefficient NA

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Strong Oxidizers

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|----------------------------------|---------------------|------------------------|---------------------------------------|---|--------------------------------|
| ZINC OXIDE (1314-13-2) | >5000 mg/kg | No data available | No data available | No data available | No data available |
| ZINC DUST (7440-66-6) | >2,000 mg/kg | No data available | >2,000 mg/kg | No data available | No data available |
| MARINE OIL (68389-85-5) | No data available | No data available | No data available | No data available | No data available |
| OXYALKYLENE POLYMER (25322-68-3) | 32,000 mg/kg Rat | >20,000mg/kg Rabbit | >100 mg/L | No data available | No data available |
| MICA (12001-26-2) | No data available | No data available | No data available | No data available | No data available |
| BLUE FOOD GRADE DYE (N/A) | No data available | No data available | No data available | No data available | No data available |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification | Category | Hazard Description |
|-----------------------|----------|--------------------|
| Acute toxicity (oral) | | Not Applicable |

BLUE JOINT PIPE COMPOUND SDS Revision Date:





| Acute toxicity (dermal) | Not Applicable |
|-------------------------------|--------------------|
| Acute toxicity (inhalation) | Not Applicable |
| Skin corrosion/irritation | Not Applicable |
| Serious eye damage/irritation | Not Applicable |
| Respiratory sensitization | Not Applicable |
| Skin sensitization | Not Applicable |
| Germ cell mutagenicity | Not Applicable |
| Carcinogenicity | Not Applicable |
| Reproductive toxicity | Not Applicable |
| STOT-single exposure | Not Applicable |
| STOT-repeated exposure | Not Applicable |
| Aspiration hazard | Not Applicable |

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l |
|----------------------------------|--------------------------|-------------------------------|----------------------|
| ZINC OXIDE (1314-13-2) | 1.1 to 2.5 ppm | 0.098 mg/L | 0.042 mg/L |
| ZINC DUST (7440-66-6) | 0.41 mg/L | 0.139-0.908 | 0.11 - 0.271 |
| MARINE OIL (68389-85-5) | Not Available | Not Available | Not Available |
| OXYALKYLENE POLYMER (25322-68-3) | 87,209 mg/l | 53,484 mg/ | Not Available |
| MICA (12001-26-2) | Not Available | Not Available | Not Available |
| BLUE FOOD GRADE DYE (N/A) | Not Available | Not Available | Not Available |

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

BLUE JOINT PIPE COMPOUND

SDS Revision Date:

04/02/2015



13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface

Transportation)

IMO / IMDG (Ocean Transportation)

ICAO/IATA

14.1. UN number

Not Applicable

Not Regulated

Not Regulated

14.2. UN proper shipping name

Not Regulated

Not Regulated

Not Regulated

14.3. Transport hazard

14.4. Packing group

DOT Hazard Class: Not Applicable

IMDG: Not Applicable

Air Class: Not Applicable

class(es)

Not Applicable

Sub Class: Not Applicable Not Applicable

Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA)

Inventory.

Control Act (TSCA)
WHMIS Classification

Not Regulated

US EPA Tier II Hazards

Fire: No

Sudden Release of Pressure: No

Reactive: No

All components of this material are either listed or exempt from listing on the TSCA

Immediate (Acute): No Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Extremely Hazardous:

ZINC OXIDE

ZINC DUST

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

BLUE JOINT PIPE COMPOUND SDS Revision Date:



04/02/2015

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

ZINC OXIDE ZINC DUST

MICA

Pennsylvania RTK Substances (>1%):

ZINC OXIDE ZINC DUST MICA

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document

Print Date: 06/01/08

Product Name: BLUE JOINT - Product Number: 10-515,

PIPE COMPOUND 10-525, 10-530

I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer: ComStar International Inc. **Tel:** 718-445-7900, 800-328-0142

Address: 20-45 128th Street, College Point, NY 11356 **Fax:** 718-353-5998

Chemical Name: Blended Formula

Synonym(s): None

| II - INGREDIENTS/IDENTITY INFORMATION | | | | | |
|---------------------------------------|----------|-----------|------------|--|--|
| HAZARDOUS COMPONENTS | OSHA PEL | ACGIH TLV | CAS NO. | | |
| (Specific Chemical Identity) | | | | | |
| ZINC OXIDE | 2 mg/m3 | 2 mg/m3 | 1314-13-2 | | |
| ZINC DUST | 2 mg/m3 | 2 mg/m3 | 7440-66-6 | | |
| MARINE OIL | N/A | N/A | 68389-85-5 | | |
| OXYALKYLENE POLYMER | 2 mg/m3 | 2 mg/m3 | 25322-68-3 | | |
| MICA | 2 mg/m3 | 2 mg/m3 | 12001-26-2 | | |
| BLUE FOOD GRADE DYE | N/A | N/A | | | |

III - HAZARDS IDENTIFICATION

NFPA Hazard Ratings: Health -1, Flammability -0, Chemical Reactivity -0 HMIS Hazard Ratings: Fire -0, Health -1, Reactivity -0, Specific -0

NOTE: NFPA and HMIS ratings involve data and interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

IV - FIRST-AID MEASURES

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms persist. **Eyes**: Immediately flush with plenty of water for at least 15 minutes. Get medical attention.

Skin: Remove contaminated clothing, wash affected skin with soap and water immediately. Get

medical attention if symptoms occur.

Ingestion: Drink plenty of water. Get immediate medical attention.

V - FIRE FIGHTING MEASURES

Flash Point (° F): NONE Flammability Limit: LET NONE UEL NONE

Extinguishing Media: ALL TYPES OF CHEMICAL FOAM, WATER FOG, CO2

Special Fire Fighting Procedures: Self-contained respiratory protection should be provided for

firemen fighting in buildings or confined areas. **Hazardous Combustion Products:** Unknown

Unusual Fire and Exposure Hazards: None

VI - ACCIDENTAL RELEASE MEASURES

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. **For Large Spills:** Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

VII - HANDLING AND STORAGE

Personal Precautionary Measures: Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:

ACGIH Threshold Limit Value (TLV): see section II

OSHA (USA) Permissible Exposure Limit (PEL): see section II

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc.

Respiratory Protection: If engineering controls do not maintain airborne concentrations to an acceptable level, a NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to assure Compliance with OSHA Standard 29 CFR 1910.134.

Eye Protection: Wear safety glasses with side shields (or goggles) and a face shield. **Skin Protection:** It is a good industrial hygiene practice to minimize skin contact.

Recommended Decontamination Facilities: eye bath, washing facilities

IX - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point (° F): None Specific Gravity (H2o = 1): N/A

Vapor Pressure @ 70 ° F: N/A Melting Point: N/A Vapor Density (Air = 1): N/A Evaporation Rate:

Solubility in Water: COMPLETE (Butyl Acetate = 1): N/A

Appearance & Odor: Blue paste with no significant odor

Odor Threshold: not available Volatile Fraction by Weight: N/A Viscosity at 25° C (77° F): N/A

Octanol/ Water Partition Coefficient: N/A
Auto ignition Temperature (ASTM D 2155): N/A

X - STABILITY AND REACTIVITY

Stability: Product is considered stable. Hazardous Polymerization: Will not occur

Conditions to Avoid: See below Conditions to Avoid: See below

Incompatibility (Material to avoid): Strong alkalies, acids and oxidizing agents

Hazardous Decomposition or Products: Burning can produce carbon monoxide and/or carbon

dioxide.

XI - TOXICOLOGICAL INFORMATION

Inhalation: Low hazard for usual industrial handling by trained personnel.

Eyes: Causes irritation and possible chemical burns.

Skin: Low hazard for usual industrial handling by trained personnel, see label warnings.

Ingestion: Dangerous if ingested.

Acute Toxicity Data:

Oral LD-50 (rabbit): not available Inhalation LC-50: not available

XII - ECOLOGICAL INFORMATION

Introduction: Leaks should be stopped. Spills should be contained and cleaned up immediately. Large liquid spills should be removed by using a vacuum truck. Solid spills should be scooped up and placed in approved containers for disposal. The spill area should then be flushed with water followed by liberal covering of sodium bicarbonate. All clean-up material should be removed and placed in approved containers, labeled and stored in a safe place to await proper treatment or disposal. Spills on areas other than pavement, e.g., dirt or sand, may be handled by removing the affected soils and placing in approved containers. Persons performing clean-up work should wear adequate personal protective equipment and clothing. Spills or releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.

XIII - DISPOSAL CONSIDERATIONS

Discharge, treatment, or disposal may be subject to national, state, or local laws. Check with state and local officials before disposal.

XIV - TRANSPORT INFORMATION

DOT (USA) Status: not regulated **TDG (Canada) Status:** not regulated

Air – International Civil Aviation Organization (ICAO) **ICAO Status:** Check with air freight forwarder for ruling. **Sea** – International Maritime Dangerous Goods (IMDG)

IMDG Status: not regulated

XV - REGULATORY INFORMATION

This document has been prepared in accordance with the MSDS requirements of the OSHA Hazard Communication Standard 29 CFR 910.1200.

OSHA hazardous chemical(s): trade secret (blended formula).

Massachusetts Substance List: none.

New Jersey Workplace Hazardous Substance List: none

Pennsylvania Hazardous Substance List: none

This document has been prepared in accordance with the MSDS requirements of the WHMIS Controlled Products Regulation.

WHMIS (Canada) Ingredient Disclosure List: trade secret (blended formula).

WHMIS (Canada) Status: not listed.

WHMIS (Canada) controlled material(s): not listed.
WHMIS (Canada) Hazard Classification: not classified.

Carcinogenicity Classification (components present at 0.1% or more): None

International Agency for Research on Cancer (IARC): Not listed

American Conference of Governmental Industrial Hygienist (ACGIH): Not listed

National Toxicology Program (NTP): not listed

Occupational Safety and Health Administration (OSHA): Not listed

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund

Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372: None.

SARA (U.S.A.) Sections 311 and 312 hazard classification(s): Not listed.

NOTE: The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

Print Date: 06/01/08

Product Name: SURE JOINT - Product Number: 10-405,

Pipe Compound 10-415, 10-425, 10-430, 10-435

I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer: ComStar International Inc. Tel: 718-445-7900, 800-328-0142

Address: 20-45 128th Street, College Point, NY 11356 **Fax:** 718-353-5998

Chemical Name: Blended Formula

Synonym(s): None

| II - COMPOSITION/INFORMATION ON INGREDIENTS | | | | | |
|---|----------|-----------|------------|--|--|
| COMPONENTS | OSHA PEL | ACGIH TLV | CAS NO. | | |
| ZINC OXIDE | 2 mg/m3 | 2 mg/m3 | 1314-13-2 | | |
| ZINC DUST | 2 mg/m3 | 2 mg/m3 | 7440-66-6 | | |
| HERRING OIL | N/A | N/A | 68389-85-5 | | |
| OXYAKYLENE POLYMER 2 mg/m3 2 mg/m3 25322-68-3 | | | | | |
| SODIUM CARBONATE | 2 mg/m3 | 2 mg/m3 | 497-19-6 | | |
| TALC | 2 mg/m3 | 2 mg/m3 | 14807-96-6 | | |

III - HAZARDS IDENTIFICATION

HMIS Hazard Ratings: Health -1, Flammability -0, Chemical Reactivity -0 NFPA Hazard Ratings: Health -1, Flammability -0, Chemical Reactivity -0

NOTE: HMIS and NFPA ratings involve data and interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

IV - FIRST-AID MEASURES

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms persist.Eyes: Immediately flush with plenty of water for at least 15 minutes. Get medical attention.Skin: Remove contaminated clothing, wash affected skin with soap and water immediately. Get

medical attention if symptoms occur.

Ingestion: Drink plenty of water. Get immediate medical attention.

V - FIRE FIGHTING MEASURES

Extinguishing Media: All types of chemical, foam, water fog, CO2

Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Hazardous Combustion Products: Unknown

Unusual Fire and Exposure Hazards: None known. Keep product cool.

VI - ACCIDENTAL RELEASE MEASURES

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

VII - HANDLING AND STORAGE

Personal Precautionary Measures: Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:

ACGIH Threshold Limit Value (TLV): see section II

OSHA (USA) Permissible Exposure Limit (PEL): see section II

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc.

Respiratory Protection: If engineering controls do not maintain airborne concentrations to an acceptable level, a NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to assure

Compliance with OSHA Standard 29 CFR 1910.134.

Eye Protection: Wear safety glasses with side shields (or goggles) and a face shield. **Skin Protection:** It is a good industrial hygiene practice to minimize skin contact.

Recommended Decontamination Facilities: Eye bath, washing facilities

IX - PHYSICAL AND CHEMICAL PROPERTIES

Color: Gray paste

Odor: No significant odor Odor Threshold: not available Specific Gravity (H20 = 1): N/A

Vapor Pressure at 70° F: N/A Vapor Density (Air = 1): N/A

Evaporation Rate (n-butyl acetate = 1): N/A

Volatile Fraction by Weight: N/A

Boiling Point: None Melting Point: None

Viscosity at 25° C (77° F): N/A

Solubility in Water: No

Octanol/ Water Partition Coefficient: not available

Flash Point: None

Lower Explosive Limit 135° C (275° F): N/A Upper Explosive Limit 199° C (390° F): N/A Auto ignition Temperature (ASTM D 2155): N/A

X - STABILITY AND REACTIVITY

Stability: Product is considered stable.

Incompatibility: None known

Hazardous Polymerization: will not occur

XI - TOXICOLOGICAL INFORMATION

Inhalation: Low hazard for usual industrial handling by trained personnel.

Eyes: Causes irritation.

Skin: Low hazard for usual industrial handling by trained personnel, see label warnings.

Ingestion: Low health hazard.

Acute Toxicity Data:

Oral LD-50 (rabbit): not available Inhalation LC-50: not available

XII - ECOLOGICAL INFORMATION

Introduction: Leaks should be stopped. Spills should be contained and cleaned up immediately. Large liquid spills should be removed by using a vacuum truck. Solid spills should be scooped up and placed in approved containers for disposal. The spill area should then be flushed with water followed by liberal covering of sodium bicarbonate. All clean-up material should be removed and placed in approved containers, labeled and stored in a safe place to await proper treatment or disposal. Spills on areas other than pavement, e.g., dirt or sand, may be handled by removing the affected soils and placing in approved containers. Persons performing clean-up work should wear adequate personal protective equipment and clothing. Spills or releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.

XIII - DISPOSAL CONSIDERATIONS

Discharge, treatment, or disposal may be subject to national, state, or local laws. Check with state and local officials before disposal.

XIV - TRANSPORT INFORMATION

DOT (USA) Status: not regulated TDG (Canada) Status: not regulated

Air – International Civil Aviation Organization (ICAO) **ICAO Status:** Check with air freight forwarder for ruling. **Sea** – International Maritime Dangerous Goods (IMDG)

IMDG Status: not regulated

XV - REGULATORY INFORMATION

This document has been prepared in accordance with the MSDS requirements of the OSHA Hazard Communication Standard 29 CFR 910.1200.

OSHA hazardous chemical(s): trade secret (blended formula).

Material(s) known to the State of California to cause cancer: none

Material(s) known to the State of California to cause adverse reproductive effects: none

Massachusetts Substance List: none.

New Jersey Workplace Hazardous Substance List: none

Pennsylvania Hazardous Substance List: none

This document has been prepared in accordance with the MSDS requirements of the WHMIS Controlled Products Regulation.

WHMIS (Canada) Ingredient Disclosure List: trade secret (blended formula).

WHMIS (Canada) Status: not listed.

WHMIS (Canada) controlled material(s): not listed.
WHMIS (Canada) Hazard Classification: not classified.

Carcinogenicity Classification (components present at 0.1% or more): None

International Agency for Research on Cancer (IARC): Not listed

American Conference of Governmental Industrial Hygienist (ACGIH): Not listed National Toxicology Program (NTP): not listed Occupational Safety and Health Administration (OSHA): Not listed

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372: None.

SARA (U.S.A.) Sections 311 and 312 hazard classification(s): Not listed.

NOTE: The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.