# SWEET AIR SPRAY



SDS Revision Date: 06/01/2015

Did Harvey item # 60-520

SDS # Z0123

### 1. Identification

1.1. Product identifier

Product Identity SWEET AIR SPRAY

Alternate Names 60-520, Blended Formula

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name ComStar International Inc.

20-45 128th Street,

College Point, NY 11356

**Telephone No.** 718-445-7900

800-328-0142 Fax: 718-353-5998

## 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture Flammable Liquids and Vapor; H225

Skin Irrit. 2;H315 Causes skin irritation.

Eye Irrit. 2;H319 Causes serious eye irritation.

STOT SE 3;H336 May cause drowsiness or dizziness

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

## SWEET AIR SPRAY

SDS Revision Date:

06/01/2015



H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

#### [Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

#### [Response]:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P321 Specific treatment (see information on this label).

P331 Do NOT induce vomiting.

P332+313 If skin irritation occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P362 Take off contaminated clothing and wash before reuse.

#### [Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

P410 Protect from sunlight.

#### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

**SWEET AIR SPRAY** 







## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
ISOPROPYL ALCOHOL CAS#: 67-63-0	>40	Flam. Liq. 2 H225 Eye Irrit. 2A H319 STOT SE 3 H336	[1][2]
ISOBUTANE CAS#: 75-28-5	<30	Flammable gas, 1; H220 Gas under pressure, 3; H280:	[1][2]
2-BUTOXYETHANOL CAS#: 74-98-6	<4	Not Available	Not Available
Cherry scent (proprietary)	>3	Not Available	Not Available

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

Inhalation May cause drowsiness or dizziness.

**Eyes** Causes serious eye irritation.

**Skin** Causes skin irritation.

<sup>[1]</sup> Substance classified with a health or environmental hazard.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

SWEET AIR SPRAY
SDS Revision Date:

06/01/2015



## 5. Fire-fighting measures

#### 5.1. Extinguishing media

Use dry chemical, COL or foam to extinguish fire.

Cool fire exposed container with water.

Water may be ineffective as an extinguishing agent.

#### 5.2. Special hazards arising from the substance or mixture

No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

Do not get in eyes, on skin, or on clothing.

#### 5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing.

Aerosols are under pressure. Exposure in excess of 120 F may cause bursting of can.

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

## 7. Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Preventation of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

SWEET AIR SPRAY
SDS Revision Date:

06/01/2015



Incompatible materials: Oxidizing agents, alkali metals

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

## 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value
67-63-0 ISOPROPYL ALCOHOL	ISOPROPYL ALCOHOL	OSHA	400 ppm
		ACGIH	400 ppm
		NIOSH	400 ppm
	Supplier	No Established Limit	
75-28-5 ISOBUTANE	OSHA	NE ppm	
	ACGIH	NE ppm	
	NIOSH	800 ppm	
	Supplier	No Established Limit	
74-98-6 PROPANE	OSHA	1000 ppm	
	ACGIH	NE ppm	
	NIOSH	1000 ppm	
	Supplier	No Established Limit	
N/A Cherry scent (proprietary)	Cherry scent (proprietary)	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
	Supplier	No Established Limit	

#### 8.2. Exposure controls

Respiratory

If engineering controls do not maintain airborne concentrations to an acceptable level,

а

## **SWEET AIR SPRAY**

SDS Revision Date: 06/01/2015



NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to assure

Compliance with OSHA Standard 29 CFR 1910.134.

**Eyes** Safety glasses with side shields, goggles or face shield are recommended.

Skin Wear overalls to keep skin contact to a minimum.

Engineering

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory Controls protection may be needed in special circumstances such as poorly ventilated spaces, evaporation

from large surfaces, spraying, heating, etc. Recommended Decontamination Facilities: Eye bath,

washing facilities.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Other Work

**Practices** Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

## 9. Physical and chemical properties

**Appearance** Clear Liquid

Odor Mild perfumed Citrus

Odor threshold Not Measured pН Not Measured Melting point / freezing point Not Measured Initial boiling point and boiling range 160 F (71 C) **Flash Point** None, TOC **Evaporation rate (Ether = 1)** Not Measured Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 135C(275F): NA

Upper Explosive Limit: 199C(390F): NA

Vapor pressure (Pa) 95 psig (at 70 F) **Vapor Density** > 1 (Air = 1)**Specific Gravity** Not Measured Solubility in Water Negligible Partition coefficient n-octanol/water (Log Kow) Not Measured Auto-ignition temperature (ASTM D 2155): NA

**Decomposition temperature** Not Measured

at 25C/77F: NA Viscosity (cSt) Volatiles (% by weight) NA

Octanol/Water Partition Coefficient NA

9.2. Other information

SWEET AIR SPRAY
SDS Revision Date:

06/01/2015



No other relevant information.

## 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

Avoid heat, sparks, flames and other sources of ignition

#### 10.4. Conditions to avoid

Avoid heat, sparks, flames and other sources of ignition

#### 10.5. Incompatible materials

Oxidizing agents, alkali metals

#### 10.6. Hazardous decomposition products

No hazardous decomposition data available.

## 11. Toxicological information

#### **Acute toxicity**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
ISOPROPYL ALCOHOL (67-63-0)	4,710.00, Rat - Category: 5	12,800.00, Rat - Category: NA	72.60, Rat - Category: NA	No data available	No data available
ISOBUTANE (75-28-5)	No data available	No data available	No data available	No data available	No data available
PROPANE (74-98-6)	No data available	No data available	658 mg/L	No data available	No data available
Cherry scent (proprietary)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

# SWEET AIR SPRAY SDS Revision Date:



06/01/2015

Classification	Category	Hazard Description	
Acute toxicity (oral)		Not Applicable	
Acute toxicity (dermal)		Not Applicable	
Acute toxicity (inhalation)		Not Applicable	
Skin corrosion/irritation		Not Applicable	
Serious eye damage/irritation		Not Applicable	
Respiratory sensitization		Not Applicable	
Skin sensitization		Not Applicable	
Reproductive toxicity		Not Applicable	
STOT-single exposure	3	May cause drowsiness or dizziness.	
STOT-repeated exposure		Not Applicable	
Aspiration hazard		Not Applicable	

## 12. Ecological information

#### 12.1. Toxicity

This product is not expected to be toxic to aquatic organishes

This to aquatic organishes.

### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
ISOPROPYL ALCOHOL (67-63-0)	Not Available	Not Available	Not Available
ISOBUTANE (75-28-5)	Not Available	Not Available	Not Available
PROPANE (74-98-6	Not Available	Not Available	Not Available
Cherry scent (proprietary)	Not Available	Not Available	Not Available

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

SWEET AIR SPRAY
SDS Revision Date:





## 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

### 14. Transport information

DOT (Domestic Surface

Transportation)

**14.1. UN number** UN1950

14.2. UN proper shipping name

UN1950, Aerosols, non-flammable,

(each not exceeding 1 L

**DOT Hazard Class: 2.2** 

capacity), 2.2, ORM-D

14.3. Transport hazard

class(es)

14.4. Packing group

14.5. Environmental hazards

IMDG Marine-Pollutant: No

14.6. Special precautions for user

No further information

IMO / IMDG (Ocean ICAO/IATA Transportation)

UN1950 UN1950

Aerosols, non-flammable, (each not exceeding 1 L

capacity)

Aerosols, non-flammable, (each not exceeding 1 L

capacity)

IMDG: 2.2 Air Class: 2.2

Sub Class: Not Applicable

II III

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

Inventory.

WHMIS Classification D2A

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes

EPCRA 311/312 Chemicals and RQs (lbs):

# SWEET AIR SPRAY SDS Revision Date:



06/01/2015

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Extremely Hazardous:**

#### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Male Repro Toxins (>0.0%):** 

#### **New Jersey RTK Substances (>1%):**

Pennsylvania RTK Substances (>1%):

### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

# This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

**End of Document** 

20123

HMIS: H1 F1 R0 PB NFPA: H1 F1 RO P-LEVEL 1 AEROSOL

Identity: COMSTAR SWEET AIR

60 -520

CODE: COI-003

MANUFACTURER'S NAME & ADDRESS

COMSTAR INTERNATIONAL INC.

20-45 128TH STREET

SECTION I

COLLEGE POINT, NY 11356

Emergency Telephone: 1-800-328-0142 Telephone # for information: 718-445-7900 Date Prepared: March 7, 1997

Signature of Preparer (optional) L.H.

### SECTION II HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components OSHA ACGIH Other Limits Percentage (Specific Chemical Identity PEL-TWA TLV-TWA Recommended (Optional) \*Isopropyl Alcohol (67-63-0 400 ppm 400 ppm NΑ 5-10 % Isobutane (75-28-5) NE ppm NE ppm 800 ppm (Aeropress) Propane (74-98-6) 1000 ppm NE ppm 1000 ppm (NIOSH)

Subject to the reporting requirements of SARA Section 313.

#### SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point ( ${}^{\circ}F$ ): (conc.) 185 Specific Gravity ( $H_1O=1$ ): 0.81 Vapor Pressure @ 70°F: 45 psig Melting Point (°F): ΝA Solubility In Water: Complete Appearance & Odor Vapor Density (Air = 1): > 1 < 1 Evaporation Rate: (Butyl Acetate = 1)

Appearance & Odor: Clear light amber liquid with pleasant perfume odor

#### SECTION IV FIRE & EXPLOSION HAZARD DATA

Flash Point (°F NA, TOC Flammability Limit: LEL NA UEL NA

Extinguishing Media: Water, water fog, dry chemical, CO,

Special Firefighting Procedures: Self-contained respiratory protection should be provided for fireman fighting in buildings or confined areas.

Unusual Fire & Explosion Hazards: Aerosols are under pressure. Exposure in excess of 120°F may cause bursting of can.

#### SECTION V REACTIVITY DATA

Stable Hazardous Polymerization: Will not occur Stability: Conditions to Avoid: Conditions to Avoid: High temperatures ΝA

Incompatibility (Material to avoid): Strong oxidizing agents and alkalies.

Hazardous Decomposition or Byproducts: Burns to form CO., CO and possible incompletely decomposed materials.

Health Hazards (Acute & Chronic): Direct contact with liquid will cause eye irritation. Repeated contact with the liquid may cause skin irritation. Over

and reddish. Overexposure may cause nausea, headache, dizziness. Medical Conditions Generally Aggravated by Exposure:

Waste Disposal Method: Dispose of all waste in accordance with federal state and local regulations.

SECTION VII

Ventilation:

Hazard Class:

Respiratory Protection: Not necessary under normal use

SECTION VIII CONTROL MEASURES

Protective Gloves: Rubber gloves Eye Protection: Safety glasses or goggles or face shield

Mechanical (general None

ORM-D

Local Exhaust:

Other Protective Clothing or Equipment: None

Work/Hygienic Practices Wash thoroughly with soap and water after handle

SECTION IX DOT SHIPPING INFORMATION Consumer Commodity, Pressurized Aerosol Cans Proper Shipping Name

Yes

2 of 2 (COI-003

open flame or direct sunshine. Do not puncture or incinerate container.

vapor contents can be harmful or fatal.

Precautions: Intentional misuse by deliberately concentrating and inhaling

Special:

Other:

of concentrated vapors. Absorb spilled material with appropriate absorbent. Precautions to be Taken in Handling & Storage: Keep away from heat, sparks,

PRECAUTIONS FOR SAFE HANDLING & USE Steps to be Taken in Case Material is Released or Spilled: Avoid inhalation

Emergency & First Aid Procedures: Flush eyes with water. Wash skin with soap and water. Remove patient to fresh air. Call a physician if necessary.

None known

Signs & Symptoms of Exposure: Possible eye irritation with burning sensation. Prolonged or repeated contact with material may cause skin itch

inhaling high concentrated vapor may cause central nerve system effects. Carcinogenity: NTP? No IARC Monographs? No OSHA Regulated? No