WATER ABSORBER

SDS Revision Date: 04/02/2015



Sid Harvey item # F7-3 & F7-4

SDS # Z0124

1. Identification

1.1. Product identifier

Product Identity WATER ABSORBER

Alternate Names 60-330, 60-335, 60-345, 60-350, 60-365, Blended

Formula, WATER ABSORBER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name ComStar International Inc.

20-45 128th Street,

College Point, NY 11356

Telephone No. 718-445-7900

800-328-0142 Fax: 718-353-5998

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit: May Cause Skin Irritation

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



[Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P271 Use only outdoors or in a well-ventilated area.

[Response]:

P312: Call a POISON CENTER or doctor / physician if you feel unwell.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

[Storage]:

No GHS storage statements

[Disposal]:

WATER ABSORBER



04/02/2015



No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
SODIUM PETROLEUM SULFONATE CAS#:68608-26-4	<10	Serious eye irritation 2	[1]
BUTYL CELLOSOLVE CAS#: 111-76-2	<10	Acute Tox. 4 Eye Irrit. 2 Skin Irrit. 2	[1]
N BUTYL CELLOSOLVE CAS#: 995-33-5	<10	Not Classified	[1]
AROMATIC NAPHTHA CAS#: 8030-30-6	Balance	Not Classified	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

See section 2 for further details.

Inhalation Harmful if inhaled.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.

WATER ABSORBER



SDS Revision Date: 04/02/2015

5. Fire-fighting measures

5.1. Extinguishing media

Water fog, C02, dry chemical, universal foams

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing.

ERG Guide No. ---

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Preventation of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Oxidizing agents, alkali metals

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

Safety Data Sheet WATER ABSORBER

SDS Revision Date:





8. Exposure controls and personal protection

8.1. Control parameters Exposure

CAS No.	Ingredient	Source	Value	
68608-26-4 SODIUM PETROLEUM SULFONAT		OSHA	100 ppm	
		ACGIH	100 ppm	
		NIOSH	No Established Limit	
		Supplier	No Established Limit	
111-76-2	BUTYL CELLOSOLVE	OSHA	500 ppm	
		ACGIH	500 ppm	
		NIOSH	TWA 5 ppm (24 mg/m³) [skin]	
		Supplier	No Established Limit	
995-33-5 N BUTYL CELLOSOLVE		OSHA	100 ppm	
		ACGIH	100 ppm	
		NIOSH	No Established Limit	
		Supplier	No Established Limit	
8030-30-6 AROMATIC NAPHTHA		OSHA	50 ppm	
		ACGIH	25 ppm	
		NIOSH	No Established Limit	
		Supplier	No Established Limit	

Carcinogen Data

CAS No.	Ingredient	Source	Value			
68608-26-4 SODIUM PETROLEUM SULFONATE	OSHA	Select Carcinogen: No				
	NTP	Known: No; Suspected: No				
	OOLI OIWIL	IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No			
111-76-2	BUTYL OSHA		Select Carcinogen: No			
CELLOSOLVE	NTP	Known: No; Suspected: No				
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
95-33-5 N BUTYL			Select Carcinogen: No			
	CELLOSOLVE	NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
8030-30-6 AROMATIC NAPHTHA NTP		OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			

WATER ABSORBER

SDS Revision Date: 04/02/2015



8.2. Exposure controls

Respiratory If engineering controls do not maintain airborne concentrations to an acceptable level, a

NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to

assure Compliance with OSHA Standard 29 CFR 1910.134.

Eyes Safety glasses with side shields, goggles or face shield are recommended.

Skin Wear overalls to keep skin contact to a minimum.

Engineering Controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation

rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc.

Recommended Decontamination Facilities: Eye bath, washing facilities.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Clear Liquid
Odor Butyl odor
Odor threshold Not Measured
pH Not Measured
Melting point / freezing point Not Measured
Initial boiling point and boiling range 370 F/188 C

Flash Point None

Evaporation rate (Ether = 1) Not Measured Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 135C(275F): NA

Upper Explosive Limit: 199C(390F): NA

Vapor pressure (Pa)6 mmHg (at 70 F)Vapor DensityNot MeasuredSpecific Gravity> 2 (H20 = 1)Solubility in WaterCompletePartition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperature(ASTM D 2155): NA

Decomposition temperature Not Measured Viscosity (cSt) 25C/77F: NA

Volatiles (% by weight)

Octanol/Water Partition Coefficient

NA

Safety Data Sheet WATER ABSORBER

SDS Revision Date:

04/02/2015



9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Strong Oxidizers

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
SODIUM PETROLEUM SULFONATE(68608-26-4)	22 g/kg	20000 mg/kg	No data available	No data available	No data available
BUTYL CELLOSOLVE (111-76-2)	470 mg/kg	220 mg/kg	2.21 mg/L	No data available	No data available
N BUTYL CELLOSOLVE (995-33-5)	No data available	No data available	No data available	No data available	No data available
AROMATIC NAPHTHA (8030-30-6)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description	
Acute toxicity (oral)		Not Applicable	
Acute toxicity (dermal)		Not Applicable	
Acute toxicity (inhalation)		Not Applicable	
Skin corrosion/irritation		Not Applicable	
Serious eye damage/irritation		Not Applicable	
Respiratory sensitization		Not Applicable	
Skin sensitization		Not Applicable	

Safety Data Sheet WATER ABSORBER

SDS Revision Date:

04/02/2015



Germ cell mutagenicity	 Not Applicable
Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
SODIUM PETROLEUM SULFONATE(68608-26-4)	40 mg/L	1000 mg/L	1000 mg/L
BUTYL CELLOSOLVE (111-76-2)	1490 mg/L	3440 mg/L	Not Available
N BUTYL CELLOSOLVE (995-33-5)	Not Available	Not Available	Not Available
AROMATIC NAPHTHA (8030-30-6)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface Transportation)

14.1. UN number

Not Applicable

Not Regulated

WATER ABSORBER

SDS Revision Date: 04/02/2015



name

14.3. Transport hazard DOT Hazard Class: Not **IMDG:** Not Applicable **Air Class:** Not Applicable

class(es) Applicable Sub Class: Not Applicable

14.4. Packing group Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification Not Regulated

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No Immediate (Acute): No

Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Pennsylvania RTK Substances (>1%):

16. Other information

Safety Data Sheet WATER ABSORBER SDS Revision Date:



04/02/2015

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H331 Toxic if inhaled.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document

Print Date: 06/18/03

Product Name: WATER ABSORBER Product Number: 60-330,

60-335, 60-345, 60-350, 60-365

I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer: ComStar International Inc. Tel: 718-445-7900, 800-328-0142

Address: 20-45 128th Street, College Point, NY 11356 **Fax:** 718-353-5998

Chemical Name: Blended Formula

Synonym(s): None

II - COMPOSITION/INFORMATION ON INGREDIENTS				
COMPONENTS	OSHA PEL	ACGIH TLV	CAS NO.	
SODIUM PETROLEUM SULFONATE	100 ppm	100 ppm	68608-26-4	
BUTYL CELLOSOLVE	500 ppm	500 ppm	111-76-2	
N BUTYL CELLOSOLVE	100 ppm	100 ppm	995-33-5	
AROMATIC NAPHTHA	50 ppm	25 ppm	8030-30-6	

III - HAZARDS IDENTIFICATION

HMIS Hazard Ratings: Health -1, Flammability -1, Chemical Reactivity -0 NFPA Hazard Ratings: Health -1, Flammability -1, Chemical Reactivity -0

NOTE: HMIS and NFPA ratings involve data and interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

IV - FIRST-AID MEASURES

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms persist. **Eyes:** Immediately flush with plenty of water for at least 15 minutes. Get medical attention. **Skin:** Remove contaminated clothing, wash affected skin with soap and water immediately. Get

medical attention if symptoms occur.

Ingestion: Drink plenty of water. Get immediate medical attention.

V - FIRE FIGHTING MEASURES

Extinguishing Media: All types are equally efficient

Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Hazardous Combustion Products: Unknown

Unusual Fire and Exposure Hazards: None known. Keep product cool.

VI - ACCIDENTAL RELEASE MEASURES

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. **For Large Spills:** Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

VII - HANDLING AND STORAGE

Personal Precautionary Measures: Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:

ACGIH Threshold Limit Value (TLV): see section II

OSHA (USA) Permissible Exposure Limit (PEL): see section II

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc.

Respiratory Protection: If engineering controls do not maintain airborne concentrations to an acceptable level, a NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to assure

Compliance with OSHA Standard 29 CFR 1910.134.

Eye Protection: Wear safety glasses with side shields (or goggles) and a face shield. **Skin Protection:** It is a good industrial hygiene practice to minimize skin contact.

Recommended Decontamination Facilities: Eye bath, washing facilities

IX - PHYSICAL AND CHEMICAL PROPERTIES

Color: yellow to clear Odor: petroleum odor

Odor Threshold: not available Specific Gravity (H20 = 1): .90

Vapor Pressure at 70° F: N/A Vapor Density (Air = 1): 5

Evaporation Rate (n-butyl acetate = 1): .09

Volatile Fraction by Weight: N/A

Boiling Point: 300° F Melting Point: Not available Viscosity at 25° C (77° F): N/A

Solubility in Water: partial

Octanol/ Water Partition Coefficient: not available

Flash Point: 180 F

Lower Explosive Limit 135° C (275° F): N/A Upper Explosive Limit 199° C (390° F): N/A Auto Ignition Temperature (ASTM D 2155): N/A

X - STABILITY AND REACTIVITY

Stability: Product is considered stable.

Incompatibility: strong oxidizing agents, alkalis **Hazardous Polymerization:** will not occur.

XI - TOXICOLOGICAL INFORMATION

Inhalation: Low hazard for usual industrial handling by trained personnel.

Eyes: Causes irritation.

Skin: Low hazard for usual industrial handling by trained personnel, see label warnings.

Ingestion: Non-toxic. Low health hazard.

Acute Toxicity Data:

Oral LD-50 (rabbit): not available Inhalation LC-50: not available

XII - ECOLOGICAL INFORMATION

Introduction: Leaks should be stopped. Spills should be contained and cleaned up immediately. Large liquid spills should be removed by using a vacuum truck. Solid spills should be scooped up and placed in approved containers for disposal. The spill area should then be flushed with water followed by liberal covering of sodium bicarbonate. All clean-up material should be removed and placed in approved containers, labeled and stored in a safe place to await proper treatment or disposal. Spills on areas other than pavement, e.g., dirt or sand, may be handled by removing the affected soils and placing in approved containers. Persons performing clean-up work should wear adequate personal protective equipment and clothing. Spills or releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.

XIII - DISPOSAL CONSIDERATIONS

Discharge, treatment, or disposal may be subject to national, state, or local laws. Check with state and local officials before disposal.

XIV - TRANSPORT INFORMATION

DOT (USA) Status: not regulated TDG (Canada) Status: not regulated

Air – International Civil Aviation Organization (ICAO) **ICAO Status:** Check with air freight forwarder for ruling. **Sea** – International Maritime Dangerous Goods (IMDG)

IMDG Status: not regulated

XV - REGULATORY INFORMATION

This document has been prepared in accordance with the MSDS requirements of the OSHA Hazard Communication Standard 29 CFR 910.1200.

OSHA hazardous chemical(s): trade secret (blended formula).

Material(s) known to the State of California to cause cancer: none

Material(s) known to the State of California to cause adverse reproductive effects: none

Massachusetts Substance List: none.

New Jersey Workplace Hazardous Substance List: none

Pennsylvania Hazardous Substance List: none

This document has been prepared in accordance with the MSDS requirements of the WHMIS Controlled Products Regulation.

WHMIS (Canada) Ingredient Disclosure List: trade secret (blended formula).

WHMIS (Canada) Status: not listed.

WHMIS (Canada) controlled material(s): not listed.
WHMIS (Canada) Hazard Classification: not classified.

Carcinogenicity Classification (components present at 0.1% or more): None

International Agency for Research on Cancer (IARC): Not listed

American Conference of Governmental Industrial Hygienist (ACGIH): Not listed

National Toxicology Program (NTP): not listed

Occupational Safety and Health Administration (OSHA): Not listed

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372: None.

SARA (U.S.A.) Sections 311 and 312 hazard classification(s): Not listed.

NOTE: The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.