



Date 2015/05/27

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identity: No-Drip Pipe Joint Compound

Intended Use: Thread sealant.

Manufacturer: UTILITY

700 Main Street Westbury, NY 11590 Tel: 1-516-997-6300 Fax: 1-516-997-6345

Web Site: www.UtilityChemicals.com E-mail: info@UtilityChemical.com For any transportation or medical chemical emergencies call:

INFOTRAC: (800) 535-5053 24 hours per day - 7 days a week

2. HAZARDS IDENTIFICATION

This product is a gray paste with no odor.

EMERGENCY OVERVIEW

May cause mild eye irritation.

May cause mild skin irritation on prolonged contact.

Ingestion: Do not induce vomiting. Get medical attention.

Inhalation: Inhalation is not a normal route of exposure for this product. Eye: May cause mild irritation or

discomfort.

Skin: Prolonged contact may cause mild irritation to persons with existing skin conditions.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS No. | Amount | |
|---------------------------------|------------------------------------|--------|--|
| | | | |
| Petroleum-based Lubricating Oil | 64741-88-4, 64742-54-7, 64742-70-7 | 20-40% | |
| Kaolin | 1332-58-7 | 10-20% | |
| Calcium Carbonate | 1317-65-3 | 50-60% | |
| Non-Hazardous Ingredients | Mixture | 1-5% | |

4. FIRST AID MEASURES

Eye: Flush victim's eyes with large quantities of water, holding the eyelids apart. Get medical attention if

irritation persists.

Skin: No first aid is required. Wash with soap and water after use. **Ingestion:** Do not induce vomiting. Get immediate medical attention.

Inhalation: No first aid is required. Inhalation is not a normal route of exposure for this product.

5. FIRE FIGHTING MEASURES

Flashpoint: Not applicable

Flammable Limits: Not applicable

Autoignition Temperature: Not applicable

Extinguishing Media: Use water fog or spray, carbon dioxide, dry chemical or foam.

Unusual Fire or Explosion Hazards: Not classified as flammable or combustible but will burn under fire

conditions.

Special Fire-Fighting Instructions: Firefighters should wear positive pressure self-contained breathing

apparatus and full protective clothing.

Hazardous Combustion Products: Burning may produce carbon monoxide, carbon dioxide and unidentified

hydrocarbons.

Explosion Data (sensitivity to mechanical impact or static discharge): None known.

6. ACCIDENTAL RELEASE MEASURES

Collect with inert absorbent and place in container for disposal. Report releases as required by local, provincial and federal authorities.

7. HANDLING AND STORAGE

Handling: Avoid contact with the eyes. Keep containers closed when not in use.

Storage: Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

| Petroleum-based Lubricating Oil 5 mg/m3 ACGIH TLV (as oil mist) | |
|---|-------------------------------------|
| Talc | 2 mg/m3 ACGIH TLV (respirable dust) |
| Kaolin | 2 mg/m3 ACGIH TLV (respirable dust) |
| Non-Hazardous Ingredients | None Established |

Engineering Controls: None required for normal use. **Respiratory Protection:** None normally needed.

Skin Protection: None normally required. Rubber gloves can be worn to prevent prolonged contact.

Eye Protection: Safety glasses recommended where contact is possible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance And Odor: Gray paste with no odor.

| Physical State: Paste | Boiling Point: Not applicable | | |
|--------------------------------|---|--|--|
| Vapor Density: Not applicable | Vapor Pressure: Not applicable | | |
| Solubility In Water: Insoluble | Evaporation Rate: Not applicable | | |
| Specific Gravity: 1.61 | pH: Not determined | | |
| Melting Point: Not applicable | Octanol/Water Coefficient: Not determined | | |
| VOC Content: 10-11 g/L | | | |

10. STABILITY AND REACTIVITY

Stability: Stable under normal storage and handling conditions.

Incompatibility: Avoid direct contact with open flame.

Hazardous Decomposition Products: Burning may produce carbon monoxide, carbon dioxide and

unidentified hydrocarbons.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

HEALTH HAZARDS:

Ingestion: Swallowing may cause nausea, vomiting and diarrhea. **Inhalation:** Inhalation is not a normal route of exposure for this product.

Eye: May cause mild irritation or discomfort. **Skin**: Prolonged contact may cause mild irritation.

Sensitization: None expected. Chronic: None Known.

Carcinogenicity: No components are listed as a carcinogen or suspected carcinogen by IARC, NTP or OSHA.

Mutagenicity: None known.

Medical Conditions Aggravated by Exposure: None known.

Acute Toxicity Values: Not determined.

12. ECOLOGICAL INFORMATION

No data available for product.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state and federal environmental regulations.

14. TRANSPORT INFORMATION

Transportation of Dangerous Goods Description:

Proper Shipping Name: Not regulated for transport

UN Number: None

Hazard Class/Packing Group: None

Labels Required: None

15. REGULATORY INFORMATION

Inventory Status.

TSCA: All components in the product are on TSCA list.

DSL: Complies

U.S. Federal Regulations

SARA 313.

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories Acute Health Hazard Yes

Chronic Health Hazard Yes

Fire Hazard No

Sudden Release of Pressure Hazard No

Reactive Hazard No

U.S. State Right-to-Know Regulations

| Chemical Name | Massachusetts | New Jersey | Pennsylvania |
|---------------|---------------|------------|--------------|
| Kaolin | | Х | Х |

California Proposition 65

This product contains no chemicals requiring reporting under Proposition 65.

This product has been classified under the CPR and this MSDS discloses information elements required by the CPR.

Canadian WHMIS Classification: Class D-2-B

Canadian CEPA: All the components of this product are listed on the Canadian DSL.

16. OTHER INFORMATION

NFPA Rating: Health = 0 Fire = 0 Reactivity = 0 **HMIS Rating:** Health = 0 Fire = 0 Reactivity = 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling. use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act and shall not be used for any other purpose. UTILITY urges the customers receiving this Safety Data Sheet to study it carefully to become aware of the hazards, if any, of the product involved. In the interest of safety, you should notify your employees, agents, and contractors of the information on the sheets. The information herein has been compiled from sources believed to be reliable, up-to-date, and is accurate to the best of our knowledge. However, UTILITY cannot give any guarantees regarding information from other sources, and expressly does not make warranties, nor assumes any liability for its use. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified.

MATERIAL SAFETY DATA SHEET

NO-DRIP PIPE JOINT COMPOUND

FOR CHEMICAL EMERGENCY: Spill, Leak, Fire, Exposure, or Accident - Call INFOTRAC - Day or Night: 1-800-535-5053

THIS MSDS COMPLIES WITH 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD) IMPORTANT: Read this MSDS before handling & disposing of this product. Pass this information on to employees, customers and users of this product.

PRODUCT IDENTIFICATION

DOT Shipping name: CLEANING COMPOUNDS, NOI CAS NO.: MIXTURE Chemical Family: CARBONATES UN/NA#: N/R
DOT Hazard Class: N/R DATE OF ISSUE: 11/06

| SECTION I -INGREDIENTS/EXPOSURE LIMITS | | | | | | | | |
|--|-----------------|---------|--------|------|----------|--|--|--|
| Ingredients: | CAS# | TLV/PEL | AGENCY | TYPE | <u>%</u> | | | |
| Hydrotreated Heavy Naphthenic Distil | late 64742-52-5 | 5mg/m3 | ACGIH | TWA | 20-30 | | | |
| Calcium Salt | 471-34-1 | 10mg/m3 | ACGIH | TWA | 45-65 | | | |
| Hydrated Aluminum Silicate | 66402-68-4 | 10mg/m3 | ACGIH | TWA | 10-20 | | | |
| Hydrated Aluminum-Magnesium Silic | ate 12174-11-7 | 15mg/m3 | ACGIH | TWA | 1-5 | | | |
| 1-Hydroxyethyl-2Alkylimidazoline | 61791-39-7 | N/A | | | 1-5 | | | |
| Tricalcium Phosphate | 8021-99-6 | N/A | | | <1 | | | |

SECTION II - EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Flush the contaminated eye(s) with water for 15 minutes. If irritation persists, obtain medical advise.

SKIN CONTACT: Remove contaminated shoes and clothing and cleanse affected areas thoroughly by washing with mild soap and water. If irritation persists seek medical attention.

INHALATION: (breathing) Not expected to be a hazard under normal operating conditions...

INGESTION: (swallowing) Rinse mouth with water. Do not induce vomiting. Seek medical advice immediately.

SECTION III - HEALTH HAZARDS / ROUTES OF ENTRY

EYE CONTACT: One or more components of this material may be an eye irritant.

SKIN CONTACT: Continuons contact with this material may cause drying of skin. Chemical itself is an irritant or sensitizer.

INHALATION: (breathing) Not expected to be a hazard under normal operating conditions.

INGESTION: (swallowing) Ingestion of large quantities may cause the following: Irritation of digestive tract, intestinal obstruction or constipation.

SECTION IV - SPECIAL PROTECTION INFORMATION

VENTILATION: If current ventilation practices are not adequate to maintain airborne concentrations below established exposure limits (see section I), additional ventilation or exhaust systems may be required.

RESPIRATORY PROTECTION: Not necessary under normal use.

PROTECTIVE GLOVES: The use of gloves impermeable to the specific material handled is advised to prevent possible irritation. **EYE PROTECTION:** Approved eye protection to safeguard against potential eye contact, irritation or injury is recommended.

SECTION V - REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY: (materials to avoid) This product is incompatible with: Oxidizing agents, strong acids and bases

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition in the presence of air may yield carbon monoxide, carbon dioxide.

HAZARDOUS POLYMERIZATION: Will not oecur

SECTION VI - SPILL OR LEAK PROCEDURES

PRECAUTIONS IN CASE OF LEAK OR SPILL: If spill occurs, material should be cleaned-up with an appropriate absorbent. WASTE DISPOSAL METHOD: Dispose of product in accordance with local, county, state, and federal regulations.

SECTION VII - STORAGE AND SPECIAL PRECAUTIONS

HANDLING AND STORAGE PRECAUTIONS: Do not get in eyes, skin or clothing. Keep containers tightly closed, eool and dry. Use and store this product with adequate ventilation. Use good personal hygiene practices. Containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

MATERIAL SAFETY DATA SHEET

NO-DRIP PIPE JOINT COMPOUND

SECTION VIII - FIRE AND EXPLOSION HAZARD DATA

EXTINGUISHING MEDIA: Extinguish with dry chemical, CO₂, or a universal type foam.

FIRE AND EXPLOSION HAZARD: May decompose during contact with flames, heating elements, or in combustion engines releasing irritating gases. Container may explode if heated duc to resulting pressure rise.

FIRE FIGHTING PROCEDURES: Wear appropriate protective equipment including respiratory protection as conditions warrant (see Section IV). Water spray may be useful in minimizing or dispersing vapors and cooling equipment exposed to heat and flame

SECTION IX - PHYSICAL DATA

APPROXIMATE BOILING POINT (DEG F): >400

SPECIFIC GRAVITY (68 F); >1

RELATIVE EVAPORATION RATE (ESTIMATED): <1 VAPOR PRESSURE @20C mmHg (CALCULATED): <1

PER CENT VOLATILE: NONE FLASH POINT (TCC, DEG F): >400

PER CENT SOLUBILITY IN WATER: NEGLIGIBLE

SECTION X - OTHER REGULATORY DATA

SARA **HMIS**

SECTION 302: NONE Health: n **SECTION** 311 & 312: NONE Flammability: 0

SECTION 313: See Section I.I. Reactivity: 0

TSCA

All components are in full compliance

CALIFORNIA PROPOSITION 65

with the TSCA inventory.

NOT LISTED **CERCLA**

RCRA NOT REGULATED

NOT REGULATED

CARCINOGENICITY:

NOT LISTED with NTP or IARC.

NOTICE

The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the product or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufactures aud/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.