

1. Product and Company Identification

Product identifier **Nu-Kill II® Wasp & Hornet Killer (4292-75)**

Other means of identification Not available

Recommended use Pesticide

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Nu-Calgon
Address 2008 Altom Court
 St. Louis, MO 63146
 United States
Telephone 314-469-7000 / 800-554-5499
E-mail info@nucalgon.com

Emergency phone number 1-800-424-9300 (CHEMTREC)

2. Hazards Identification

Physical hazards	Flammable aerosols	Category 2
	Gases under pressure	Liquefied gas
Health hazards	Sensitization, skin	Category 1
	Reproductive toxicity	Category 2
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Aspiration hazard	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word Danger

Hazard statement Flammable aerosol.
 Contains gas under pressure; may explode if heated.
 May be fatal if swallowed and enters airways.
 May cause an allergic skin reaction.
 May cause drowsiness or dizziness.
 Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Response If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting.
 If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see this label). Wash contaminated clothing before reuse.
 If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
 If exposed or concerned: Get medical advice/attention.

Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Store locked up. Keep container tightly closed.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

This is a registered EPA product. The product labeling is in compliance with EPA regulations and guidelines.

3. Composition/Information on Ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), light hydrotreated		64742-47-8	90-100
Carbon dioxide		124-38-9	1-5
Permethrin		52645-53-1	0.1-1
Piperonyl butoxide, technical		51-03-6	0.1-1
Tetramethrin		7696-12-0	0.1-1

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First Aid Measures

Inhalation

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Skin contact

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

Eye contact

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

May cause an allergic skin reaction. Dermatitis. Rash. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. Contains petroleum distillate - vomiting may cause aspiration pneumonia.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention. Wash contaminated clothing before reuse.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

5. Fire Fighting Measures

Suitable extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire-fighting equipment/instructions

In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also consider initial evacuation for 800 meters (1/2 mile) in all directions. ALWAYS stay away from tanks engulfed in flame. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards

Flammable aerosol.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors or mists. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Scoop up used absorbent into drums or other appropriate container. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and Storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Avoid breathing mist or vapor. Avoid prolonged or repeated contact with skin. Avoid contact during pregnancy/while nursing. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use personal protective equipment as required. When using, do not eat, drink or smoke. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Do not contaminate water, food or feed by storage or disposal.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Carbon dioxide (CAS 124-38-9)	PEL	9000 mg/m3
		5000 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
Carbon dioxide (CAS 124-38-9)	STEL	30000 ppm
	TWA	5000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Carbon dioxide (CAS 124-38-9)	STEL	54000 mg/m3
		30000 ppm
		9000 mg/m3 5000 ppm
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	TWA	100 mg/m3

Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Chemical goggles are recommended.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
Thermal hazards	Not applicable.
General hygiene considerations	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and Chemical Properties

Appearance	Clear
Physical state	Liquid.
Form	Aerosol. Liquefied gas.
Color	Colorless to light yellow
Odor	Solvent
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	80 - 90 hPa @ 21°C
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Insoluble
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Heat of combustion	45.66 kJ/g
VOC (Weight %)	0.2 (US Federal), 0.2 (CARB/OTC/LADCO)

10. Stability and Reactivity

Reactivity	Strong oxidizing agents.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Information on likely routes of exposure

Ingestion	May be fatal if swallowed and enters airways.
Inhalation	May be fatal if swallowed and enters airways. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics May cause an allergic skin reaction. Dermatitis. Rash. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways. Narcotic effects. May cause an allergic skin reaction.

Components	Species	Test Results
Carbon dioxide (CAS 124-38-9)		
Acute		
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Not available	
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 2.8 mg/l/4h
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg
Permethrin (CAS 52645-53-1)		
Acute		
<i>Dermal</i>		
LD50	Mouse	> 2500 mg/kg
	Rabbit	> 2000 mg/kg
	Rat	2500 mg/kg
<i>Inhalation</i>		
LC50	Rat	2.3 mg/l/4h
<i>Oral</i>		
LD50	Chicken	> 3000 mg/kg
	Guinea pig	> 4000 mg/kg
	Hen	> 1500 mg/kg
	Mouse	250 - 500 mg/kg
	Rabbit	> 4000 mg/kg
	Rat	410 mg/kg
Piperonyl butoxide, technical (CAS 51-03-6)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	200 mg/kg
<i>Inhalation</i>		
LC50	Rat	5.9 mg/l/4h

Components	Species	Test Results
<i>Oral</i> LD50	Cat	> 7500 mg/kg
	Dog	> 7500 mg/kg
	Mouse	2600 mg/kg
	Rabbit	2650 mg/kg
	Rat	6150 mg/kg
Tetramethrin (CAS 7696-12-0)		
Acute		
<i>Dermal</i> LD50	Mouse	> 1500 mg/kg
	Rat	> 1000 mg/kg
<i>Inhalation</i> LC50	Rat	> 2.7 mg/L, 3 Hours
<i>Oral</i> LD50	Albino rat	> 4640 mg/kg
	Mouse	1040 mg/kg
	Rat	4600 mg/kg
<i>Other</i> LD50	Mouse	527 mg/kg
	Rat	548 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitization		
Respiratory sensitization	Not available.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Permethrin (CAS 52645-53-1)	3 Not classifiable as to carcinogenicity to humans.	
Piperonyl butoxide, technical (CAS 51-03-6)	3 Not classifiable as to carcinogenicity to humans.	
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		
Not listed.		
Reproductive toxicity	Suspected of damaging fertility or the unborn child.	
Specific target organ toxicity - single exposure	Narcotic effects.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	May be fatal if swallowed and enters airways.	
Chronic effects	Prolonged inhalation may be harmful.	
Further information	Not available.	

12. Ecological Information

Ecotoxicity	This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water.		
Components	Species	Test Results	
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)			
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/L, 96 hours
Permethrin (CAS 52645-53-1)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0.001 - 0.002 mg/L, 48 hours
Fish	LC50	Apache trout (Oncorhynchus gilae apache)	0.001 - 0.002 mg/L, 96 hours
Piperonyl butoxide, technical (CAS 51-03-6)			
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.003 - 0.004 mg/L, 96 hours
Tetramethrin (CAS 7696-12-0)			
Aquatic			
Fish	LC50	Carp (Cyprinus carpio)	0.095 - 0.16 mg/L, 96 hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Partition coefficient n-octanol / water (log Kow)			
Permethrin		6.5	
Piperonyl butoxide, technical		4.75	
Tetramethrin		4.73	
Mobility in soil	No data available.		
Mobility in general	Not available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal Considerations

Disposal instructions	Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
	IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local waste agency for disposal instructions.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14. Transport Information

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number	UN1950
Proper shipping name	Aerosols, flammable, (each not exceeding 1 L capacity), MARINE POLLUTANT
Hazard class	Limited Quantity - US
Marine pollutant	Yes
Special provisions	N82
Packaging exceptions	306

IATA/ICAO (Air)**Basic shipping requirements:**

UN number UN1950
Proper shipping name Aerosols, flammable
Hazard class Limited Quantity - IATA

IMDG (Marine Transport)**Basic shipping requirements:**

UN number UN1950
Proper shipping name AEROSOLS, MARINE POLLUTANT
Hazard class Limited Quantity - IMDG
Marine pollutant Yes

DOT; IMDG**IATA**

15. Regulatory Information

US federal regulations

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

EPA Reg. # 10807-196-65516

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS.
 Causes moderate eye irritation. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PHYSICAL OR CHEMICAL HAZARD: Contents under pressure. Keep away from heat, spark and open flame. Do not puncture. Exposure to temperatures above 130°F may cause bursting.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
 Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - Yes
 Pressure Hazard - Yes
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

Food and Drug Administration (FDA) Not regulated.

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Hazardous Substances (Director's): Listed substance

Carbon dioxide (CAS 124-38-9) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - Minnesota Haz Subs: Listed substance

Carbon dioxide (CAS 124-38-9) Listed.

US - New Jersey RTK - Substances: Listed substance

Carbon dioxide (CAS 124-38-9) Listed.
Permethrin (CAS 52645-53-1) Listed.
Piperonyl butoxide, technical (CAS 51-03-6) Listed.
Tetramethrin (CAS 7696-12-0) Listed.

US - Texas Effects Screening Levels: Listed substance

Carbon dioxide (CAS 124-38-9) Listed.
Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Listed.
Permethrin (CAS 52645-53-1) Listed.

US. Massachusetts RTK - Substance List

Carbon dioxide (CAS 124-38-9) Listed.
Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Listed.
Permethrin (CAS 52645-53-1) Listed.

US. Pennsylvania RTK - Hazardous Substances

Carbon dioxide (CAS 124-38-9) Listed.
Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Listed.

US. Rhode Island RTK

Permethrin (CAS 52645-53-1) Listed.
Piperonyl butoxide, technical (CAS 51-03-6) Listed.
Tetramethrin (CAS 7696-12-0) Listed.


Country(s) or region Inventory name On inventory (yes/no)*
United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other Information

Table with 2 columns: Hazard level, Score. Legend: Severe (4), Serious (3), Moderate (2), Slight (1), Minimal (0).

Table with 4 rows: HEALTH (* 2), FLAMMABILITY (3), PHYSICAL HAZARD (0), PERSONAL PROTECTION (X).



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

23-October-2015

Further information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Other information

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Prepared by

Nu-Calgon Technical Service Phone: (314) 469-7000



MATERIAL SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Company Name Nu-Calgon Wholesaler, Inc.	Phone Number (314) 469-7000 / (800) 554-5499	CHEMTREC (800) 424-9300		
Street Address 2008 Altom Court	City St. Louis	State MO	Postal Code 63146-4151	Last Update 12/28/06
Product Name Nu-Kill II	Product Number 4292-75	Product Use Wasp & Hornet Killer		EPA Registration # 10807-196-65516

SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	% By Wt.	CAS Number	TLV	PEL
Hydrotreated Light Petroleum Distillates	90 - 99	64742-47-8	5 mg/m3 (mist)	5 mg/m3 (mist)
Carbon Dioxide Propellant	1-5	124-38-9	N/E	N/E
Tetramethrin	0.10	7696-12-0	N/E	N/E
Permethrin	0.25	52645-53-1	N/E	N/E
Piperonyl butoxide	0.50	51-03-6	N/E	N/E

SECTION 3 – HAZARD IDENTIFICATION

Emergency Overview: CAUTION: Avoid contact with eyes. Avoid contact with clothing. KEEP OUT OF REACH OF CHILDREN
Potential Health Effects
Eyes: Mild eye irritation
Skin: Substance may cause slight skin irritation
Ingestion: Aspiration may cause chemical pneumonitis if aspirated into lungs. Nausea. vomiting.
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, anesthetic effects, nausea, respiratory depression or cholinesterase depression..
Chronic Exposure: Repeated and prolonged exposure to solvents may cause brain and nervous system damage, cardiac irregularities, liver and kidney injuries may occur, Lung damage or Inhibits cholinesterase
Carcinogenicity: None known
Medical Conditions Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions

SECTION 4 – FIRST AID MEASURES

Eyes: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a poison control centre or doctor for treatment advice.
Skin: Take off all contaminated clothing immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or Poison Control Centre for treatment advice.
Ingestion: Call a physician or Poison Control Centre immediately for treatment advice. Do not give ANY liquid to the person. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person
Inhalation: Move to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth. Call a physician or Poison Control Centre for further treatment advice.

SECTION 5 – FIREFIGHTING MEASURES

Flash Point: N/A°F
Autoignition Temp: N/A°C/N/A°F
Hazardous Products of Combustion: Carbon oxides
Flammable Limits in Air: N/A
Extinguishing Media: Foamy spray. Dry chemical. Carbon dioxide (CO2).
Fire and Explosion Hazards: Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C)

Special Firefighting Procedures: Cool containers / tanks with water spray. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spill or Leak: Prevent product from entering drains. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Toxic to fish and other water organisms. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Take up mechanically and collect in suitable container for disposal.

SECTION 7 – HANDLING AND STORAGE

Handling Procedures and Equipment: Ensure adequate ventilation, especially in confined areas. Wear personal protective equipment. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C). Do not puncture or incinerate container.

Storage Requirements: KEEP OUT OF REACH OF CHILDREN. Keep away from food and drink. Avoid breathing vapors or mists. Remove all sources of ignition.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

Eye Protection: Safety glasses with side-shields

Protective Clothing: Rubber gloves if skin is easily irritated

Exposure Guidelines: See section 2

Specific Engineering Controls (such as ventilation, enclosed process): Ensure adequate ventilation, especially in confined areas

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Aerosol	Freezing Point: N/A°C/N/A°F	% Volatile by Weight: 0.15%
Color: Clear	Vapor Density [air =1]: Not Established.	Evaporation Rate: Not Established
Odor: Petroleum distillates	Vapor Pressure: PSIG @ 70°F (Aerosols): 85-100.	Specific Gravity: 0.80
Boiling Point: N/A°C/N/A°F	Solubility in Water: Insoluble	pH (concentrate): N/A

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions

Hazardous Polymerization: Hazardous polymerization does not occur

Incompatibilities: Strong oxidizing agents

Reactive Conditions to avoid: Heat, flames and sparks. Extremes of temperature and direct sunlight. Avoid temperatures above 122°F (50°C).

Decomposition Products: Carbon oxides

SECTION 11 – TOXICOLOGICAL INFORMATION

Hazardous Ingredients	CAS #	EINECS #	LD 50 of Ingredient (Specify Species)	LC50 of Ingredient (Specify Species)
Hydrotreated Light Petroleum Distillates	64742-47-8	N/E	N/E	N/E
Tetramethrin	7696-12-0	N/E	Oral LD50 Rat: 4640 mg/kg	N/E
Permethrin	52645-53-1	N/E	Oral LD50 Rat: 383 mg/kg; Dermal LD50 Rabbit: >2 g/kg	N/E
Piperonyl butoxide	51-03-6	N/E	Oral LD50 Rat: 6150 mg/kg; Dermal LD50 Rabbit: 200 mg/kg	N/E

SECTION 12 – ECOLOGICAL INFORMATION

Hazardous Ingredients	Aquatic Toxicity Data
Hydrotreated Light Petroleum Distillates	N/A
Tetramethrin	N/A
Permethrin	96 Hr LC50 fathead minnow: 0.016 mg/L (flow-through)
Piperonyl butoxide	96 Hr LC50 rainbow trout (0.6 g): 0.0034 mg/L; 96 Hr LC50 bluegill (0.7 g): 0.0042 mg/L

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal: Should not be released into the environment. Toxic to fish and other water organisms. Dispose of in accordance with local regulations.

SECTION 14 – TRANSPORTATION INFORMATION

Special Shipping Information: No Data.

<u>Purview</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
DOT (Land)	Consumer Commodity, ORM-D	No Data.	No Data.	No Data.
IMO (Water)	No Data.	No Data.	No Data.	No Data.
ICAO (Air)	Aerosols, Non-Flammable,	UN1950	No Data.	2.2

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification: (Workplace Hazardous Material Information System)	N/A
SARA Title III: (Superfund Amendments & Reauthorization Act)	Yes - Tetramethrin, Permethrin, Piperonyl Butoxide
OSHA: (Occupational Safety & Health Administration)	See section 2
TSCA: (Toxic Substance Control Act)	Present
VOC: (volatile Organic Compounds)	0.15%
CPR: (Canadian Controlled Products Regulations)	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations.
EINECS: (European Inventory of Existing Commercial Chemical Substances)	N/E
DSL / NDSL: (Canadian Domestic Substance List)(Non-Domestic Substance List)	Present
CERCLA: (Comprehensive Response Compensation & Liability Act)	No
IDL: (Canadian Ingredient Disclosure List)	N/E
NFPA (HMIS) Rating: (Hazardous Materials Identification System)	Health=1; Fire=2; Reactivity=0 Personal protective equipment = B

SECTION 16 – OTHER INFORMATION

No Data.

The information contained herein is based on the data available to us and is believed to be correct. However, Nu-Calgon Wholesaler Inc. makes no warranty, expressed, or implied, regarding the accuracy of this data or the results to be obtained from the use thereof. Nu-Calgon Wholesaler Inc. assumes no liability for injury from the use of the product described herein.