MSDS Number – Z0519

Manufacturers Product Name: CherryAir Odor Neutralizer Gel

Sid Harvey Item number - 1800D

Latest revision date - 3/20/2014

SAFETY DATA SHEET

Issuing Date 20-Mar-2014	Revision Date	20-Mar-2014	Revision Number 0	
1. IDENTIFICATION OF TH	IE SUBSTANCE/PRE	PARATION AN	D THE COMPANY/UNDERTAK	ING
GHS product identifier				
Product Name	CherryAir Odor neutra	lizing gel		
Other means of identification				
Product Code(s)	CA1800M, 61018, 1800	D, 61010, 1801, 61	011, 1803, 61013, 1810, 61015, 1830, 6	61017
Synonyms	odor eliminator			
Recommended use of the chemica	l and restrictions on use			
Recommended Use	Neutralizing odors			
Uses advised against	No information available	9		
Supplier's details				
Supplier Address ClenAir Mfg. Inc. Box 346 Fort Washington, PA 19034 TEL: 888 764 2110				
Emergency telephone number				
Company Emergency Phone Number	800-424-9300			
	2. HAZARDS	IDENTIFICATIO	N	
Classification				
This chemical is not considered haza	ardous according to the OS	SHA Hazard Comm	unication Standard 2012 (29 CFR 1910	0.1200).
GHS Label elements, including pre	cautionary statements			
	Emergen	cy Overview		

The product contains no substances which at their given concentration are considered to be hazardous to health
Appearance White Physical State Solid, Gel. Odor Cherry

Precautionary Statements

Prevention

None

General Advice

None

Storage

• None

Disposal

None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

odor eliminator

Chemical Name	CAS-No	Weight %	Trade secret
Ethanol	64-17-5	1-5	*
*The exact perceptage (concentration) of compositio	n has been withheld as a t	trade secret	

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-ai	d measures
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation persists.
Skin Contact	Rinse with plenty of water Get medical attention if irritation persists.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water and afterwards drink plenty of water.
Most important symptoms/effects, a	acute and delayed
Most Important Symptoms/Effects	None known
Indication of immediate medical atte	ention and special treatment needed, if necessary
Notes to Physician	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available.

Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES
Personal precautions, protective ed	guipment and emergency procedures
Personal Precautions	Wash thoroughly after handling.
Environmental Precautions	
Environmental Precautions	Avoid release to the environment. See Section 12 for additional Ecological Information Dispose of contents/container to an approved waste disposal plant.
Methods and materials for containr	nent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up	Sweep up and shovel into suitable containers for disposal.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Handling	Wash thoroughly after handling.
Conditions for safe storage, includ	ing any incompatibilities
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible Products	Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm 10% LEL
64-17-5		TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³
Appropriate engineering controls			

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	Safety glasses with side-shields. Protective gloves. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Odor	Solid, Gel Cherry	Appearance Odor Threshold	White No information available
Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air upper flammability limit lower flammability limit lower flammability limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octand Autoignition Temperature	No data available 176 °C / 348.8 No data available No data available No data available No data available No data available No data available 0.85-0.95 Miscible with water No data available	Remarks/ - I None known None known YF None known YF None known None known None known	<u>Method</u>
Viscosity	No data available	None known	
Flammable Properties	Not flammable		
Explosive Properties Oxidizing Properties	No data available No data available		
Other information			
VOC Content (%)	No data available		

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Inhalation	Product does not present an acute toxicity hazard based on known or supplied information. None under normal use condtions
Eye Contact	May cause irritation.
Skin Contact	May cause irritation.
Ingestion	Ingestion may cause irritation to mucous membranes.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethanol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
Symptoms related to the physi	ical chomical and toxicologica	l charactoristics	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

None under normal use.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.
	Ethanol has been shown to be carcinogenic in long-term studies only when consumed and
	abused as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	Х
ACGIH: (American Co	onference of Governme	ental Industrial Hygienist	s)	
A3 - Animal Carcinogen				
IARC: (International Ag	gency for Research on	Cancer)		
Group 1 - Carcinogenic				
NTP: (National Toxicity				
•	e ,			
Known - Known Carcino				
Known - Known Carcino OSHA: (Occupational S		stration)		
OSHA: (Occupational S X - Present		stration)		
OSHA: (Occupational S X - Present	Safety & Health Admini			
OSHA: (Occupational S X - Present Reproductive Toxicity	Safety & Health Admini No informatio	n available.		
OSHA: (Occupational S X - Present Reproductive Toxicity	Safety & Health Admini No informatio		luctive toxin only when cor	nsumed as an alcoholic
OSHA: (Occupational S X - Present Reproductive Toxicity Developmental Toxicity	Safety & Health Admini No informatio Ethanol has t	n available. been shown to be a reprod	uctive toxin only when cor	nsumed as an alcoholic
OSHA: (Occupational S X - Present Reproductive Toxicity	Safety & Health Admini No informatio Ethanol has t beverage No informatio	n available. been shown to be a reprod n available.	luctive toxin only when cor	nsumed as an alcoholic

The following values are calculate	d based	on chapter 3.1 of the GHS document:
LD50 Oral	129044	mg/kg; Acute toxicity estimate
LD50 Dermal	260178	mg/kg; Acute toxicity estimate
Inhalation		
dust/mist	3471.6	mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name Toxici	ty to Algae Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
----------------------	------------------------------	-------------------------------	-------------------------------

Propylene glycol 57-55-6	EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)		EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
Ethanol 64-17-5		LC50 96 h: 12.0 - 16.0 mL/L static (Oncorhynchus mykiss) LC50 96 h: > 100 mg/L static (Pimephales promelas) LC50 96 h: 13400 - 15100 mg/L flow-through (Pimephales promelas)	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	LC50 48 h: 9268 - 14221 mg/L (Daphnia magna) EC50 24 h: = 10800 mg/L (Daphnia magna) EC50 48 h: = 2 mg/L Static (Daphnia magna)

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Log Pow
Ethanol	-0.32
	•

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS					
Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (4 CFR 261). This material could become a hazardous waste if it is mixed with or otherw comes in contact with a hazardous waste, if chemical additions are made to this material if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, region or local regulations for additional requirements.					
Contaminated Packaging	Do not re-use empty containers.				
14. TRANSPORT INFORMATION					
<u>DOT</u>	Not regulated				
TDG	Not regulated				
MEX	Not regulated				

15. REGULATORY INFORMATION

International Inventories TSCA DSL

Complies Complies

Legend TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals: Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	CAS-No	California Prop. 65
Ethanol	64-17-5	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Ethanol	Х	Х	Х		

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION						
NFPA	Health Hazard	1	Flammability	1	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard	0	Flammability	1	Physical Hazard 0	Personal Protection X

Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
Issuing Date	20-Mar-2014
Revision Date	20-Mar-2014
Revision Note	Initial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

Product Name	CherryAir Odor Neutralizer Gel
Synonym(s)	Product code: 1800M, 1800D, 1801, 1803, 1810, 1830
CAS #	Mixture
Product Use	Odour Neutralizer
Manufacturer	ClenAir Manufacturing Inc. Box 346 Fort Washington, PA 19034 US Phone: 1-888-764-2110 Emergency(24 hr) 1-800-424-9300
	2. Hazards Identification
Emergency Overview	CAUTION MAY CAUSE EYE IRRITATION.
Potential short term health effects	
Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Eyes	May cause irritation.
Skin	Prolonged contact may cause irritation
Inhalation	None expected.
Ingestion	May cause stomach distress, nausea or vomiting.
Target organs	Eyes.
Chronic effects	None known.
Signs and symptoms	May cause eye irritation.

1. Product and Company Identification

3. Composition/Information on Ingredients

See section 12.

Ingredient(s)	CAS #	Percent
Ethanol	64-17-5	1 - 5
1,2-Propylene glycol	57-55-6	3 - 7

4. First Aid Measures

First aid procedures	
Eye contact	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Ingestion	Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.
General advice	If you feel unwell, seek medical advice (show the label where possible). Avoid contact with eyes. Keep out of reach of children.
	5. Fire-fighting Measures

Flammable properties

Extinguishing media

Potential environmental effects

Suitable extinguishing media Dry chemical. Alcohol foam. Carbon dioxide.

Not flammable by WHMIS criteria.

Unsuitable extinguishing media Not available

Page 1 of 5

Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighers	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available
	6. Accidental Release Measures
Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.
	7. Handling and Storage
Handling	Use good industrial hygiene practices in handling this material. Avoid contact with eyes. Keep container tightly closed. Wash thoroughly after handling.
Storage	Keep out of reach of children. Keep away from heat, open flames or other sources of ignition. Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limit values		
Ingredient(s)	Exposure limit values	
1,2-Propylene glycol	ACGIH-TLV	
	Not established	
Ethanol	ACGIH-TLV	
	TWA: 1000 ppm	
	STEL: 1000 ppm	
Engineering controls	General ventilation normally adequate.	
Personal protective equipment		
Eye/Face protection	Not normally required when used as directed.	
Hand protection	Not normally required when used as directed.	
Skin and body protection	As required by employer code.	
Respiratory protection	Not normally required.	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.	

9. Physical and Chemical Properties

Appearance	Semi-solid
Colour	White
Form	Gel
Odour	Pleasant - Cherry

Odour threshold	Not available
Physical state	Liquid
рН	7 - 7.5
Melting point	51.66 °C (125 °F)
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation Rate	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability Limits in Air, Upper, % by Volume	Not available
Vapour pressure	Not available
Vapour density	Not available
Specific gravity	1.2 (water=1)
Octanol/water coefficient	Not available
Solubility (H2O)	Partial

10. Stability and Reactivity

Reactivity	None known.
Possibility of hazardous reactions	Hazardous polymerisation does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Excessive heat. Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizers. Caustics.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Component analysis - LC5	60		
Ingredient(s)		LC50	
1,2-Propylene glycol		Not available	
Ethanol		31623 ppm rat	
Component analysis - Ora	I LD50		
Ingredient(s)		LD50	
1,2-Propylene glycol		14800 mg/kg rabbit; 20000 mg/kg rat	
Ethanol		3450 mg/kg mouse; 7060 mg/kg rat	
Effects of acute exposure			
Eye	May caus	e irritation.	
Skin	Prolongeo	Prolonged contact may cause irritation	
Inhalation	None exp	None expected.	
Ingestion	May caus	May cause stomach distress, nausea or vomiting.	
Sensitisation	Non-haza	Non-hazardous by WHMIS criteria.	
Chronic effects	Non-hazardous by WHMIS criteria.		
Carcinogenicity	Non-hazardous by WHMIS criteria.		
ACGIH - Threshold Limit	Values - Carcinogens		
Ethanol IARC - Group 1 (Carcinog	64-17-5 enic to Humans)	A3 - Confirmed animal carcinogen with unknown relevance to humans.	
Ethanol	64-17-5	Monograph 100E [in preparation] (in alcoholic beverages); Monograph 96 [2010] (in alcoholic beverages)	
Mutagenicity	Non-haza	rdous by WHMIS criteria.	
Reproductive effects	Non-haza	rdous by WHMIS criteria.	

TeratogenicityNon-hazardouName of Toxicologically SynergisticNot availableProductsNot available

12. Ecological Information

Ecotoxicity	See below	
Ecotoxicity - Freshwater Algae -	Acute Toxicity Data	3
1,2-Propylene glycol	57-55-6	96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L
Ecotoxicity - Freshwater Fish - A	•	
1,2-Propylene glycol	57-55-6	96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 41 - 47 mL/L [static]; 96 Hr LC50 Pimephales promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephales promelas: 710 mg/L
Ethanol	64-17-5	96 Hr LC50 Oncorhynchus mykiss: 12.0 - 16.0 mL/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400 - 15100 mg/L [flow-through]
Ecotoxicity - Water Flea - Acute	Foxicity Data	
1,2-Propylene glycol	57-55-6	24 Hr EC50 Daphnia magna: >10000 mg/L; 48 Hr EC50 Daphnia magna: >1000 mg/L
Ethanol	64-17-5	[Static] 48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]
Persistence and degradability	Not availabl	e
Bioaccumulation/accumulation	Not availabl	e
Mobility in environmental media	Not availabl	e
Environmental effects	Not availabl	e
Aquatic toxicity	Not availabl	e
Partition coefficient	Not availabl	e
Chemical fate information	Not availabl	e
Other adverse effects	Not availab	le
	13. Dis	sposal Considerations
Disposal instructions	Review fede	eral, provincial, and local government requirements prior to disposal.
Waste from residues / unused products	Not availabl	e
Contaminated packaging	Not availabl	e
	14. T	ransport Information
Transportation of Dangerous Go	ods (TDG - Cana	ada)
Not regulated as dangerous ge	oods.	
	15. Re	egulatory Information
Canadian federal regulations	Products Re	t has been classified in accordance with the hazard criteria of the Controlled egulations and the MSDS contains all the information required by the Products Regulations.
Canada - WHMIS - Ingredient Dis	closure List	
1,2-Propylene glycol Ethanol	57-55-6 64-17-5	1 % 0.1 %
WHMIS classification	Class D - D	ivision 2B
WHMIS status	Controlled	
WHMIS labeling		
0		



Inventory Status

Country(s) or region Canada Canada

Inventory Name

Domestic Substances List (DSL) Non-Domestic Substances List (NDSL)

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

LEGEND HMIS/NFPA	Health / 1
Severe 4	Flammability 1
Serious 3 Moderate 2	Physical Hazard 0
Slight 1	
Minimal 0	Personal Protection
Disclaimer	Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.
Issue date	25-Jan-2013
Effective Date	15-Jan-2013
Expiry Date	15-Jan-2016
Prepared by	Dell Tech Laboratories Ltd. (519) 858-5021
Other Information	For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.
	This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.

16. Other Information