

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0

SAFETY DATA SHEET

Prepared by Duro Dyne February 18, 2016

Sis Harvey item #'s 5231 & 5233

SDS # Z0625

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: DURO DYNE DuroSeal Smooth Duct Sealer

Product Identifier: EDS-RS1, EDS-RSC

Item #: 5231, 5233

Supplier Details: DURO DYNE CORPORATION

81 Spence Street

Bay Shore, NY 11706

Information

Phone No: 800-899-3876

Emergency

Phone No: 800-424-9300 (**CHEMTREC**)

2. HAZARD IDENTIFICATIONS

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Gray paste Physical State Solid Water Based Sealant Odor Mild

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Calcium Carbonate	1317-65-3	<50
Aqueous Polymer	Proprietary	<35
Benzoate Ester Emulsion Blend	Proprietary	<5
Non-hazardous Ingredients*	Proprietary	<20

^{*}Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200) (Calcium Carbonate) Inhalation of particulates unlikely due to product's physical state

4. FIRST AID MEASURES

General Advice Provide this SDS to medical personnel for treatment

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact

lenses and continue flushing for at least 15 minutes. Seek immediate medical

attention/advice.

Skin Contact Wash with soap and water. Get medical attention if symptoms persist. Remove & wash

contaminated clothing.

Inhalation Remove to fresh air. If breathing is difficult, leave area to obtain fresh air. If breathing

remains difficult, get medical attention.

Ingestion Do not induce vomiting unless directed by medical personnel. If vomiting occurs, lean

patient forward to maintain an open air way & prevent aspiration. Get immediate

medical attention.

Most important symptoms and effects

Symptoms Prolonged or repeated skin contact may result in dermatitis (red, dry skin). Direct

contact with eyes may cause temporary irritation. Exposed individuals may Experience eye tearing, redness and discomfort. Irritating to mouth, throat, and stomach if ingested. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting. Over exposure to vapors during application and curing may mildly irritate respiratory tract

and result in coughing and sneezing.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Provide general supportive measures and treat symptomatically

Medical Conditions Aggravated By Exposure: Dermatitis or other pre-existing skin

conditions may be aggravated by overexposure to this product.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon Dioxide (CO2). Dry chemical Water spray (fog). Foam Use

extinguishing Measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising From the Chemical Product is non-combustible.

Hazardous Combustion Products Carbon, titanium & iron oxides, depending upon formulation.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Other Information Small Spills: 1 drum or less – Level D Equipment (gloves, chemical resistant apron,

boots & eye protection). Large Spills: Rubber gloves, rubber boots, face shield & Tyvek suit as a minimum. Minimum level of PPE for releases in which the oxygen level is < 19.5% or is unknown, should be Level B: triple gloves (rubber gloves & nitrile gloves over latex gloves), chemical resistant suit, fire-retardant clothing & boots,

hard hat & self-contained breathing apparatus.

For Emergency Responders Restrict access to spill area.

Environmental Precautions Minimize use of water to prevent environmental contamination. Prevent spill

or rinse from contaminating storm drains, sewers, soil or groundwater. Do not allow discharge containing this material to enter streams, ponds, estuaries, oceans or other waters unless in accordance w/ requirements of National Pollutant Discharge Elimination System (NPDES) permit & permitting authority has been notified in writing prior to discharge. Do not allow discharge containing this material to enter sewer systems w/o previously notifying local sewage treatment plant authority. For information, contact State Water Board or EPA Regional Office Other: U.S. regulations may require reporting of spills of this material reaching surface waters if sheen is

formed.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Use absorbent material to contain

spill.

Methods for Clean-Up Sweep up absorbed material and shovel into suitable containers for disposal. Wash area

with soap and water. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Avoid breathing vapors. Use only with adequate ventilation. Open windows & doors to

ensure fresh air cross-ventilation during application and curing. Wash thoroughly with soap and water after handling. Avoid contact with skin, eyes or clothing. While handling productkeep out of reach of children and pets. Do not eat or drink while

handling this material. See section 6 of this SDS for clean up instructions.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Close container after each use. Store

Containers away from excessive heat & freezing. Do not store @ temperatures above 120 ° F. Store away from incompatible materials. Protect from direct sunlight. To maximize shelf life, store @ temperatures below 26C (80F).

Incompatible Materials Strong acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines Exposure guidelines / protective equipment are for routine handling and accidental spills.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate	-	TWA: 15 mg/m3 total dust	TWA: 10 mg/m3 total dust
1317-65-3		TWA: 5 mg/m3 respirable	TWA: 5 mg/m3 respirable
		fraction	dust
		(vacated) TWA: 15 mg/m3	
		total dust	
		(vacated) TWA: 5 mg/m3	
		respirable fraction	

Appropriate Engineering Controls

Engineering Controls Ventilation must be adequate to maintain the ambient workplace atmosphere below

the exposure limit(s) outlined in the SDS.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Use approved safety goggles or safety glasses. If necessary, refer to appropriate

regulations & standards.

Skin and Body Protection Skin: Wear chemical impervious gloves (eg: Nitrile or Neoprene). Use triple

gloves for spill response. If necessary, refer to appropriate regulations & standards.

Body: Use protection appropriate for task (eg: lab coat, coveralls, Tyvek suit). If necessary, refer to OSHA Technical Manual (Sec. VII: Personal Protective

Equipment) or appropriate Standards of Canada. Use foot protection, as

described in appropriate regulations & standards

Respiratory Protection If mists or sprays are created, use appropriate respiratory protection. Oxygen

Levels below 19.5% considered IDLH by OSHA. In such instances, use full-face piece pressure demands SCBA or a full face piece, supplied air respirator w/auxiliary

self-contained air supply.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Solid Water Based Sealant

Appearance Gray paste **Odor** Mild

Color Gray Odor Threshold Not determined
Property Note: The information below is not intended for use in preparing

Product specifications

pH 8.0-9.0

Melting Point/Freezing Point $< 0^{\circ} \text{ C} / < 32^{\circ} \text{ F}$

Boiling Point/Boiling Range $\sim 98.88-104.44^{\circ} \text{ C} / \sim 210-220^{\circ} \text{ F}$

Flash Point > 93.33° C /> 200° F

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density

Not determined
Unknown
Unknown
Unknown
Lower Stablished
Less than air

Specific Gravity ~1.50-2.00 @ 25°C (77 °F)

Water Solubility Soluble in water **Solubility in other solvents** Not determined **Partition Coefficient** Not determined **Autoignition Temperature** Unknown **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined **Additional Information** %/wt Volatile: < 20%

VOC Content <1% VOC Content <10 g/L

10. STABILITY AND REACTIVITY

Reactivity Cures upon contact with air.

Chemical Stability Stable under recommended storage conditions.

Possibility of HazardousNone under normal processing

Reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid Incompatible Materials Excessive heat or cold

Incompatible Materials Strong acids

Hazardous Decomposition Products Thermal decomposition can generate irritating dust, fumes and toxic gases

(carbon, titanium, and iron oxides, depending upon formulation).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Product Information

Eye Contact Eye contact may result in tearing, redness & pain.

Skin Contact Prolonged and frequent contact may cause redness and irritation.

Repeated skin contact may cause dermatitis.

Inhalation Overexposure to vapors during application & curing may mildly irritate

respiratory tract & result in coughing & sneezing.

Ingestion May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Component Information

Chemical Name	Oral LD50	LD50 Dermal LD50	Inhalation LC50
n/a	n/a	n/a	n/a

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Not known to be human skin or respiratory sensitizers.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a

carcinogen. Titanium dioxide is a possiblecarcinogen when it appears as a respirable dust. Trace residual Formaldehyde present in base emulsion viewed as possible cancer hazard. Silica, crystalline present in small amount in

Calcium Carbonate filler: Known carcinogen. Crystalline Silica is considered to be a human carcinogen when in respirable form(dust /powder).

Chemical Name ACGIH INTP OSHA

Chemical Name	ACGIH	INTP	OSHA

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Target organ effects Acute: Eyes & Skin. Chronic: Skin.

Numerical measures of toxicity Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

PRACTICES SHOULD BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

Not tested for aquatic or animal toxicity. Release of product to terrestrial, atmospheric & aquatic environments should be avoided.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	

Persistence/DegradabilityNot tested for persistence & biodegradability

Bioaccumulation Not tested for bio-accumulation potential

Mobility Not tested for mobility in soil

Chemical Name	Partition Coefficient
Ammonium Hydroxide 7664-41-7	-1.14

Other Adverse Effects Environmental Exposure Controls: Should be maintained so as to prevent

release to the environment (atmospheric release, release to waterways & spills)

Ozone Not expected to produce any ozone depletion

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

US EPA Waste Number Not Applicable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT
IATANot regulated
Not regulatedIMDGNot regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Listed
DSL Listed
NDSL Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified

Chemical Substances

ENCS Japan Existing and New Chemical Substances
IECSC China Inventory of Existing Chemical Substances
KECL Korean Existing and Evaluated Chemical Substances

PICCS Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	RQ Reportable Quantity (RQ)
N/A	N/A	N/A	N/A

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of No
Pressure Hazard

Reactive Hazard No

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313- Threshold Values %
N/A	N/A	N/A	N/A

CWA (Clean Water Act)

Compon	t CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
N/A	N/A			X

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Calcium Carbonate 1317-65-3	X	X	X

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	1	1	0	Not determined
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	1	0	Not determined

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.