SAFETY DATA SHEET



SDS# Z0783

1. Product and Company Identification

Product identifier Easy Seal Direct Inject - UV Dye (4050-11)

Other means of identification

Not available

Recommended use

Refrigerant leak sealant

Recommended restrictions

None known. Nu-Calgon

Manufacturer information

2008 Altom Court

St. Louis, MO 63146 US

Phone: 314-469-7000 / 800-554-5499

Emergency Phone: 1-800-424-9300 (CHEMTREC)

See above. Supplier

2. Hazards Identification

Physical hazards Flammable liquids Category 3 Skin corrosion/irritation Category 1B Health hazards Serious eye damage/eye irritation Category 1

Sensitization, skin Category 1 Specific target organ toxicity, repeated Category 2

exposure

WHMIS 2015 defined hazards

Not classified. Not classified

Label elements

Environmental hazards



Signal word

Danger

Hazard statement

Flammable liquid and vapor. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention

Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges.

Response

In case of fire: Use appropriate media to extinguish. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Store locked up. Store in a well-ventilated place. Keep cool.

Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

WHMIS 2015: Health Hazard(s) not otherwise classified

(HHNOC)

None known

WHMIS 2015: Physical

Hazard(s) not otherwise classified (PHNOC)

None known

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Methyl triethoxysilane		2031-67-6	30-60
1-Propanamine, 3-(triethoxysilyl)-		919-30-2	10-30
2-Butanone, O,O',O"-(methylsilylidyne)trioxime		22984-54-9	10-30

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First Aid Measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/doctor.

Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this label). If skin irritation or rash occurs: Get

medical advice/attention.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON Ingestion

CENTER/doctor.

Most important

symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Take off all contaminated clothing immediately. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

of ignition and flash back. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special protective equipment and precautions for firefighters

Fire-fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials. Flammable liquid and vapor.

Hazardous combustion

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

products

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area), Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Do not discharge into lakes, streams, ponds or public waters.

Environmental precautions

7. Handling and Storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. All equipment used when handling the product must be grounded. Take precautionary measures against static discharges. Use non-sparking tools and explosion-proof equipment. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Biological limit values

Appropriate engineering controls

No exposure limits noted for ingredient(s).

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection

Impervious gloves. Confirm with reputable supplier first.

Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. As

required by employer code.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Thermal hazards

Not applicable.

Clear

General hygiene considerations

Appearance

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and Chemical Properties

Physical state Liquid. Liquid. **Form** Color Yellow. Amine Odor Odor threshold Not available. рΗ Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available. range

Not available. Pour point

Specific gravity Not available.

Partition coefficient Not available.

(n-octanol/water)

Flash point 109.0 °F (42.8 °C) Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.
Vapor pressure Not available.
Vapor density Not available.
Relative density Not available.
Solubility(ies) Not available.
Auto-ignition temperature Not available.

Viscosity
Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and Reactivity

Reactivity This product may react with strong oxidizing agents.

Not available.

Not available.

Possibility of hazardous

Decomposition temperature

reactions

products

No dangerous reaction known under conditions of normal use.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Do not mix with other chemicals.

Incompatible materials

Hazardous decomposition

Strong oxidizing agents.

on May in

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion Causes digestive tract burns. May cause stomach distress, nausea or vomiting.

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation. May cause

11. Toxicological Information

irritation to the respiratory system.

Skin contact Causes severe skin burns. May cause an allergic skin reaction.

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Components Species Test Results

1-Propanamine, 3-(triethoxysilyI)- (CAS 919-30-2)

Acute

Dermal

LD50 Rabbit 4 ml/kg, ECHA

Inhalation

LC50 Rat > 7.4 mg/L, ECHA

Test Results Components **Species**

Oral

LD50 Ra 1780 mg/kg, SIGMA ALDRICH

4.2 ml/kg, ECHA

2-Butanone, O,O',O"-(methylsilylidyne)trioxime (CAS 22984-54-9)

Acute

Dermal

LD50 Rat > 2000 mg/kg, ECHA

Oral

LD50 Rat 2650 mg/kg, ECHA, female

2260 mg/kg, ECHA, male

Methyl triethoxysilane (CAS 2031-67-6)

Acute Dermal

LD50 Rabbit > 14240 mg/kg, ECHA, female

11837 mg/kg, ECHA, male

Inhalation

LC50 Not available

Oral

LD50 Rat 10057 mg/kg, ECHA, male

7627 mg/kg, ECHA, female

Skin corrosion/irritation Causes severe skin burns and eye damage.

Exposure minutes Not available. Not available. Erythema value Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye damage.

Corneal opacity value Not available. Not available. Iris lesion value Conjunctival reddening Not available.

value

Not available. Conjunctival oedema value Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer. Skin sensitization May cause an allergic skin reaction.

No data available to indicate product or any components present at greater than 0.1% are Mutagenicity

mutagenic or genotoxic.

Carcinogenicity

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Not available. Not classified. Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Not an aspiration hazard. **Aspiration hazard**

Chronic effects May cause damage to organs through prolonged or repeated exposure.

12. Ecological Information

Ecotoxicity Not available.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. No data available. Mobility in soil

Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN2920

Proper shipping name Corrosive liquids, flammable, n.o.s.

Technical name 1-Propanamine, 3-(triethoxysilyl)-

Technical name Methyl triethoxysilane
Hazard class Limited Quantity - US

Packing group ||

Special provisions B2, IB2, T11, TP2, TP27

Packaging exceptions 154
Packaging non bulk 203
Packaging bulk 242

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN2920

Proper shipping name CORROSIVE LIQUID, FLAMMABLE, N.O.S.

Technical name 1-Propanamine, 3-(triethoxysilyl)-

Technical name Methyl triethoxysilane
Hazard class Limited Quantity - Canada

Packing group || Special provisions | 16

IATA/ICAO (Air)

Basic shipping requirements:

UN number UN2920

Proper shipping nameCorrosive liquid, flammable, n.o.s.Technical name1-Propanamine, 3-(triethoxysilyl)-

Technical name Hazard classMethyl triethoxysilane

Limited Quantity - IATA

Packing group ||

IMDG (Marine Transport)

Basic shipping requirements:

UN number UN2920

Proper shipping name CORROSIVE LIQUID, FLAMMABLE, N.O.S.


Technical name 1-Propanamine, 3-(triethoxysilyl)-

Technical nameHazard class
Methyl triethoxysilane
Limited Quantity - IMDG

Packing group

EmS F-E, S-C

#27606 Page: 6 of 8 Issue date 12-October-2016



15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

No

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - Texas Effects Screening Levels: Listed substance

1-Propanamine, 3-(triethoxysilyl)- (CAS 919-30-2) Listed. 2-Butanone, O,O', O''-(methylsilylidyne)trioxime (CAS Listed.

22984-54-9)

Methyl triethoxysilane (CAS 2031-67-6)

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65


Not Listed.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

Listed.

16. Other Information







Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 12-October-2016

Version # 01

Effective date 12-October-2016

Prepared by Nu-Calgon Technical Service Phone: (314) 469-7000

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)