SDS Revision Date:

04/02/2015



Sid Harvey item # 60-175

SDS# Z0927

1. Identification

1.1. Product identifier	
Product Identity	ICE FREE
Alternate Names	60-175, Blended Formula, ICE FREE
1.2. Relevant identified uses of the substance or n	nixture and uses advised against
Intended use	See Technical Data Sheet.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety data sheet	t
Company Name	ComStar International Inc.
	20-45 128th Street,
	College Point, NY 11356
Telephone No.	718-445-7900
	800-328-0142 Fax: 718-353-5998
	1 47. 1 10 333 3330

2. Hazard(s) identification

2.1. Classification of the substance or mixture

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

[Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P271 Use only outdoors or in a well-ventilated area.

[Response]:

P312 Call a POISON CENTER or doctor / physician if you feel unwell.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and

SDS Revision Date:

04/02/2015



Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
MIXED XYLENE ISOMERS CAS#: 1330-20-7	<10	Specific target organ toxicity - single exposure 3 Acute toxicity, Inhalation 4 Aspiration hazard 1 Specific target organ toxicity - repeated exposure 2 Acute Toxicity, Dermal 4 Skin Irrit 2 Eye Irrit 2 Flam Liquids 3	[1][2]
ETHYL BENZENE CAS#: 100-41-4	<10	Flam Liquid 2 Acute Toxicity (Inhalation) 4 Skin Irrit 3 Eye Irrit 2 Carcinogenicity 2 Reproductive Toxicity 2 Specific Target Organ Toxicity Repeated Exposure 2 Aspiration Hazard 1	[1][2]
AROMATIC HYDROCARBON CAS#: 8030-30-6 or 4742-94-5	>70	Muta. 1B, H340 Carc. 1B, H350 Aspiration 1, H304	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Substance classified with a health or environmental hazard.
 Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance. *The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
4.2. Most important sym	ptoms and effects, both acute and delayed
Overview	No specific symptom data available. See section 2 for further details.
Inhalation	Harmful if inhaled.

SDS Revision Date:

04/02/2015



5. Fire-fighting measures

5.1. Extinguishing media

Water fog, C02, dry chemical, universal foams

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing.

ERG Guide No.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Preventation of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Oxidizing agents, alkali metals

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

ComStar

SDS Revision Date:

04/02/2015

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
1330-20-7	20-7 MIXED XYLENE ISOMERS		100 ppm
		ACGIH	100 ppm
		NIOSH	No Established Limit
		Supplier	No Established Limit
100-41-4	00-41-4 ETHYL BENZENE		100 ppm
			100 ppm
		NIOSH	TWA 100 ppm (435 mg/m ³) ST 125 ppm (545 mg/m ³)
		Supplier	No Established Limit
8030-30-6 or			50 ppm
4742-94-5		ACGIH	25 ppm
		NIOSH	TWA 100 ppm (400 mg/m ³)
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
1330-20-7	MIXED XYLENE ISOMERS	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
100-41-4	00-41-4 ETHYL BENZENE		Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
8030-30-6 or	AROMATIC HYDROCARBON	OSHA	Select Carcinogen: No
4742-94-5	742-94-5		Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;

8.2. Exposure controls

Respiratory	If engineering controls do not maintain airborne concentrations to an acceptable level, a NIOSH approved respirator must be worn.
	Respirator Type: Organic vapor. If respirators are used, a program should be instituted to assure Compliance with OSHA Standard 29 CFR 1910.134.
Eyes	Safety glasses with side shields, goggles or face shield are recommended.
Skin	Wear overalls to keep skin contact to a minimum.
Engineering Controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc. Recommended Decontamination Facilities: Eye bath, washing facilities.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

SDS Revision Date:

04/02/2015



9. Physical and chemical properties

Appearance
Odor
Odor threshold
рН
Melting point / freezing point
Initial boiling point and boiling range
Flash Point
Evaporation rate (Ether = 1)
Flammability (solid, gas)
Upper/lower flammability or explosive limits
Vapor pressure (Pa)

Vapor Density Specific Gravity Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature Viscosity (cSt) Volatiles (% by weight) Octanol/Water Partition Coefficient 9.2. Other information No other relevant information. Green Liquid Butyl odor Not Measured Not Measured Not Measured 370 F/188 C None Not Measured Not Applicable Lower Explosive Limit: 135C(275F): NA Upper Explosive Limit: 199C(390F): NA 6 mmHg (at 70 F) Not Measured > 2 (H20 = 1) Complete Not Measured (ASTM D 2155): NA Not Measured 25C/77F: NA NA NA

10. Stability and reactivity

10.1. Reactivity Hazardous Polymerization will not occur. 10.2. Chemical stability Stable under normal circumstances. 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid No data available. 10.5. Incompatible materials Strong Oxidizers 10.6. Hazardous decomposition products

SDS Revision Date:



No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
MIXED XYLENE ISOMERS (1330-20-7)	4300 mg/kg,	>1700 mg/kg,	47635 mg/L	No data	5000 ppm,
	Rat	Rabbit	4h	available	4h, Rat
ETHYL BENZENE (100-41-4)	3500 mg/kg,	>5000 mg/kg,	No data	No data	No data
	Rat	Rabbit	available	available	available
AROMATIC HYDROCARBON (8030-30-6 or 4742-94-5)	> 5000	No data	No data	No data	No data
	mg/kg, Rat	available	available	available	available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
	ilign	ing/i	ilig/i

04/02/2015

SDS Revision Date:

04/02/2015



MIXED XYLENE ISOMERS (1330-20-7)	13.5-17.3 mg/l	3.82 mg/l	Not Available
ETHYL BENZENE (100-41-4)	11.9 mg/l	2.93-4.4 mg/l	5.2 mg/l
AROMATIC HYDROCARBON (8030306 or 4742- 94-5)	1.1 mg/l	0.34 mg/l	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential
Not Measured
12.4. Mobility in soil
No data available.
12.5. Results of PBT and vPvB assessment
This product contains no PBT/vPvB chemicals.
12.6. Other adverse effects
No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA		
14.1. UN number	Not Applicable	Not Regulated	Not Regulated		
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated		
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable		
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable		
14.5. Environmental hazards					
IMDG Marine Pollutant: No					
14.6. Special precautions for user					
No f	urther information				

15. Regulatory information

SDS Revision Date:



04/02/2015

Regulatory Overview

Toxic Substance

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

All components of this material are either listed or exempt from listing on the TSCA Inventory.

Control Act (TSCA) In WHMIS Classification No US EPA Tier II Hazards

Not Regulated

Fire: No

Sudden Release of Pressure: No Reactive: No Immediate (Acute): No Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute. **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Extremely Hazardous:

MIXED XYLENE ISOMERS

ETHYL BENZENE

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

MIXED XYLENE ISOMERS

ETHYL BENZENE

Pennsylvania RTK Substances (>1%):

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats

SDS Revision Date:





are not applicable.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document